

ORDINANCE NUMBER 2017 - 24

AN ORDINANCE OF THE COUNTY OF ST. JOHNS, STATE OF FLORIDA, APPROVING A MAJOR MODIFICATION TO TWIN CREEKS (HEARTWOOD) PLANNED UNIT DEVELOPMENT (PUD), ORDINANCE NO. 2015-51, AS AMENDED; MAKING FINDINGS OF FACT; PROVIDING A SAVINGS CLAUSE; REQUIRING RECORDATION; AND PROVIDING AN EFFECTIVE DATE.

BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA:

WHEREAS, the development of the lands within this Major Modification shall proceed in accordance with the application, dated January 7, 2017, in addition to supporting documents and statements from the applicant which are a part of **Zoning File MAJMOD 2017-01 Beacon Lake Entry Monument (Twin Creeks (Heartwood) PUD)**, for a Major Modification to the Twin Creeks (Heartwood) PUD, Ordinance Number 2015-51, as amended and as approved by the Board of County Commissioners, and incorporated by reference into and made part hereof this Ordinance. In the case of conflict between the application, the supporting documents, and the below described special provisions of this Ordinance, the below described provisions shall prevail.

SECTION 1. That development of lands within the Twin Creeks (Heartwood) PUD described in the attached Exhibit A, shall be zoned and proceed in accordance with Ordinance Number 2015-51, as amended, including the Application for Major Modification and attached hereto and made a part hereof as Exhibit B.

SECTION 2. That the need and justification for modification of the Twin Creeks (Heartwood) PUD, Ordinance Number 2015-51, as amended has been considered in accordance with Section 5.03.05.C of the St. Johns County Land Development Code and the St. Johns County Comprehensive Plan, whereby:

1. The request for a Major Modification has been fully considered after public hearing with legal notice duly published as required by law.
2. As modified, the Twin Creeks (Heartwood) PUD is consistent with the goals, objectives and policies of the 2025 St. Johns County Comprehensive Plan.
3. As modified, the Twin Creeks (Heartwood) PUD is consistent with Part 5.03.05.C of the St. Johns County Land Development Code, which provides conditions for Major Modifications to approved PUDs/PRDs.
4. As modified, the Twin Creeks (Heartwood) PUD is consistent with Part 5.03.00 of the St. Johns County Land Development Code, which provides standards for Planned Unit Developments and with the General Standards of Section 5.03.02 with respect to (B) location; (C) minimum size, (D) compatibility, and (E) adequacy of facilities.

5. The Master Development Plan Map and Text for the Twin Creeks (Heartwood) PUD meet all requirements of Section 5.03.02.G of the St. Johns County Land Development Code.
6. As modified, the Twin Creeks (Heartwood) PUD does not adversely affect the orderly development of St. Johns County and is compatible and consistent with the development trends of the surrounding area.

SECTION 3. That all other provisions of Ordinance 2015-51, as amended, not in conflict with the provision of this Ordinance shall remain in full force and effect.


SECTION 4. Except to the extent that they conflict with specific provisions of the approved development plan or PUD Ordinance, all building code, zoning ordinance, and other land use and development regulations of St. Johns County, including, without limitation, the Concurrency Management Ordinance and the St. Johns County Comprehensive Plan, as may be amended from time to time shall be applicable to this development, except modification to approved development plans by variance or special use shall be prohibited except where allowed by the Land Development Code. Notwithstanding any provision of this ordinance, no portion of any impact fee ordinance, concurrency provision, building code, comprehensive plan or any non-Land Development Code ordinance or regulation shall be deemed waived or varied by any provision herein. Notwithstanding any provision of this ordinance, no portion of any use restriction, title conditions, restriction or covenant shall be deemed waived or varied by any provision herein.

SECTION 5. That the terms of this modification to the Twin Creeks (Heartwood) PUD shall take effect immediately upon receipt of this Ordinance by the Secretary of State.

SECTION 6. This ordinance shall be recorded in a book kept and maintained by the Clerk of the Board of County Commissioners of St. Johns County, Florida, in accordance with Section 125.68, Florida Statutes.


PASSED AND ENACTED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, THIS 16th DAY OF May 2017.

**BOARD OF COUNTY COMMISSIONERS
OF ST. JOHNS COUNTY, FLORIDA**

BY: 
James K. Johns, Chair

RENDITION DATE May 19, 2017

ATTEST: Hunter S. Conrad, Clerk

BY: 
Deputy Clerk

EFFECTIVE DATE: May 19, 2017




Exhibit "A"
Legal Description

PARCEL 2A

A PART OF SECTIONS 9, 10, 11, 14 AND 15, ALL LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01 DEGREES 06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.16 FEET; THENCE NORTH 00 DEGREES 50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, 1630.96 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 00 DEGREES 50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, 1043.63 FEET; THENCE SOUTH 89 DEGREES 12'49" WEST, 47.18 FEET; THENCE NORTH 00 DEGREES 47'11" WEST, 80.97 FEET; THENCE NORTH 73 DEGREES 31'30" EAST, 211.36 FEET; THENCE NORTH 16 DEGREES 36'20" WEST, 62.03 FEET; THENCE NORTH 26 DEGREES 09'26" WEST, 232.84 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51 DEGREES 03'23" EAST, ALONG LAST SAID LINE, 1364.84 FEET; THENCE SOUTH 37 DEGREES 37'34" EAST, 342.24 FEET; THENCE SOUTH 52 DEGREES 26'32" WEST, 284.47 FEET; THENCE SOUTH 05 DEGREES 25'48" WEST, 210.26 FEET; THENCE SOUTH 10 DEGREES 09'43" EAST, 78.81 FEET; THENCE SOUTH 10 DEGREES 12'14" WEST, 50.80 FEET; THENCE SOUTH 38 DEGREES 25'05" WEST, 37.01 FEET; THENCE SOUTH 45 DEGREES 00'00" WEST, 28.28 FEET; THENCE NORTH 79 DEGREES 12'57" WEST, 42.76 FEET; THENCE NORTH 76 DEGREES 22'23" WEST, 33.96 FEET; THENCE NORTH 30 DEGREES 57'50" WEST, 46.65 FEET; THENCE NORTH 40 DEGREES 45'49" WEST, 76.58 FEET; THENCE NORTH 45 DEGREES 00'00" WEST, 18.48 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 31.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 63 DEGREES 58'50" EAST, 31.18 FEET; THENCE SOUTH 51 DEGREES 03'23" WEST, 188.44 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 34.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 43 DEGREES 53'47" WEST, 34.90 FEET; THENCE SOUTH 36 DEGREES 44'12" WEST, 25.73 FEET; THENCE SOUTH 17 DEGREES 11'55" EAST, 41.36 FEET; THENCE SOUTH 00 DEGREES 00'00" WEST, 112.00 FEET; THENCE SOUTH 23 DEGREES 44'58" WEST, 81.94 FEET; THENCE SOUTH 43 DEGREES 31'49" WEST, 57.55 FEET; THENCE SOUTH 05 DEGREES 08'33" WEST, 50.02 FEET; THENCE SOUTH 20 DEGREES 06'59" EAST, 41.30 FEET; THENCE SOUTH 15 DEGREES 29'01" EAST, 58.80 FEET; THENCE SOUTH 08 DEGREES 09'34" WEST, 155.15 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 149.65 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 74 DEGREES 46'37" (END PAGE 1)

(BEGIN PAGE 2)
EAST, 137.43 FEET; THENCE NORTH 71 DEGREES 33'31" EAST, 95.82 FEET; THENCE NORTH 34 DEGREES 56'44" EAST, 18.73 FEET; THENCE NORTH 48 DEGREES 39'08"



EAST, 99.90 FEET; THENCE NORTH 44 DEGREES 20'29" EAST, 61.52 FEET; THENCE NORTH 45 DEGREES 49'49" EAST, 48.80 FEET; THENCE NORTH 45 DEGREES 00'00" EAST, 7.07 FEET; THENCE NORTH 03 DEGREES 56'43" EAST, 116.28 FEET; THENCE NORTH 09 DEGREES 01'39" WEST, 108.34 FEET; THENCE NORTH 27 DEGREES 04'19" EAST, 50.54 FEET; THENCE NORTH 14 DEGREES 30'01" EAST, 59.91 FEET; THENCE NORTH 69 DEGREES 35'24" EAST, 45.88 FEET; THENCE SOUTH 71 DEGREES 00'12" EAST, 64.51 FEET; THENCE SOUTH 57 DEGREES 43'37" EAST, 25.52 FEET; THENCE SOUTH 33 DEGREES 18'28" EAST, 111.26 FEET; THENCE NORTH 66 DEGREES 14'80" EAST, 179.58 FEET; THENCE NORTH 23 DEGREES 46'00" WEST, 110.00 FEET; THENCE NORTH 66 DEGREES 14'00" EAST, 192.92 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 243.40 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 37 DEGREES 10'47" EAST, 233.10 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 415.00 FEET, AN ARC DISTANCE OF 539.68 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15 DEGREES 31'07" WEST, 502.44 FEET; THENCE NORTH 21 DEGREES 44'09" EAST, 76.92 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 212.41 FEET, AN ARC DISTANCE OF 225.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 08 DEGREES 38'22" WEST, 214.81 FEET; THENCE NORTH 39 DEGREES 00'52" WEST, 34.11 FEET; THENCE NORTH 84 DEGREES 00'52" WEST, 134.75 FEET TO AN INTERSECTION WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210; THENCE NORTH 51 DEGREES 03'23" EAST, ALONG LAST SAID LINE, 314.76 FEET; THENCE SOUTH 09 DEGREES 28'01" WEST, 96.50 FEET; THENCE SOUTH 35 DEGREES 31'59" EAST, 74.37 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 300.00 FEET, AN ARC DISTANCE OF 351.59 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 01 DEGREES 57'30" EAST, 331.81 FEET; THENCE SOUTH 31 DEGREES 36'59" WEST, 52.36 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 297.93 FEET, AN ARC DISTANCE OF 264.20 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 06 DEGREES 12'41" WEST, 255.63 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 335.00 FEET, AN ARC DISTANCE OF 490.35 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 61 DEGREES 07'35" EAST, 447.73 FEET; THENCE NORTH 76 DEGREES 56'28" EAST, 786.40 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 79.00 FEET, AN ARC DISTANCE OF 117.08 FEET, SAID ARC BEING SUBTENDED BY A

(END PAGE 2)

(BEGIN PAGE 3)
 CHORD BEARING AND DISTANCE OF NORTH 81 DEGREES 11'12" EAST, 116.97 FEET;
 THENCE NORTH 03 DEGREES 52'43" WEST, 96.60 FEET; THENCE NORTH 00 DEGREES
 00'00" EAST, 121.00 FEET; THENCE NORTH 16 DEGREES 04'25" EAST, 61.40 FEET;
 THENCE NORTH 24 DEGREES 37'25" EAST, 79.20 FEET; THENCE NORTH 21 DEGREES

11'39" EAST, 52.55 FEET; THENCE NORTH 19 DEGREES 12'46" EAST, 69.89 FEET;
 THENCE NORTH 27 DEGREES 04'19" WEST, 50.54 FEET; THENCE NORTH 06 DEGREES
 06'56" WEST, 56.32 FEET; THENCE NORTH 07 DEGREES 25'53" EAST, 69.58 FEET;
 THENCE NORTH 56 DEGREES 00'13" EAST, 51.87 FEET; THENCE NORTH 30 DEGREES
 37'07" EAST, 56.94 FEET; THENCE NORTH 36 DEGREES 52'12" EAST, 45.00 FEET;
 THENCE NORTH 23 DEGREES 46'55" EAST, 47.61 FEET TO A POINT ON A CURVE;
 THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE,
 CONCAVE EASTERLY, HAVING A RADIUS OF 382.45 FEET, AN ARC DISTANCE OF
 167.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE
 OF NORTH 20 DEGREES 41'18" WEST, 167.51 FEET; THENCE NORTH 50 DEGREES
 11'40" WEST, 10.13 FEET; THENCE NORTH 55 DEGREES 08'44" WEST, 68.24 FEET;
 THENCE NORTH 29 DEGREES 44'42" WEST, 64.50 FEET; THENCE NORTH 67 DEGREES
 40'17" WEST, 60.54 FEET; THENCE SOUTH 52 DEGREES 25'53" WEST, 32.80 FEET;
 THENCE SOUTH 27 DEGREES 15'19" WEST, 37.12 FEET; THENCE NORTH 85 DEGREES
 41'02" WEST, 52.75 FEET; THENCE NORTH 10 DEGREES 27'36" WEST, 66.10 FEET;
 THENCE NORTH 14 DEGREES 10'20" EAST, 102.11 FEET; THENCE NORTH 07
 DEGREES 51'12" WEST, 117.10 FEET; THENCE NORTH 30 DEGREES 33'21" EAST, 96.38
 FEET; THENCE NORTH 63 DEGREES 26'06" EAST, 129.69 FEET; THENCE NORTH 29
 DEGREES 53'56" WEST, 239.15 FEET; THENCE SOUTH 86 DEGREES 13'42" WEST, 20.21
 FEET; THENCE NORTH 54 DEGREES 29'15" WEST, 43.60 FEET; THENCE NORTH 38
 DEGREES 55'49" WEST, 1.06 FEET; THENCE NORTH 38 DEGREES 18'59" WEST, 2.99
 FEET; THENCE NORTH 37 DEGREES 14'55" WEST, 2.27 FEET; THENCE NORTH 36
 DEGREES 17'02" WEST, 5.12 FEET; THENCE NORTH 35 DEGREES 32'24" WEST, 2.90
 FEET; THENCE NORTH 34 DEGREES 29'56" WEST, 8.98 FEET TO AN INTERSECTION
 WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY OF AND PARALLEL
 WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210;
 THENCE NORTH 51 DEGREES 03'23" EAST, ALONG LAST SAID LINE, 2211.96 FEET;
 THENCE SOUTH 11 DEGREES 41'38" EAST, 154.72 FEET; THENCE SOUTH 02 DEGREES
 48'07" EAST, 51.29 FEET; THENCE SOUTH 38 DEGREES 14'30" EAST, 37.60 FEET;
 THENCE SOUTH 10 DEGREES 12'59" WEST, 77.30 FEET; THENCE SOUTH 00 DEGREES
 10'53" WEST, 51.14 FEET; THENCE SOUTH 13 DEGREES 35'09" WEST, 107.29 FEET;
 THENCE SOUTH 06 DEGREES 45'14" WEST, 61.21 FEET; THENCE SOUTH 23 DEGREES
 04'38" WEST, 60.07 FEET; THENCE SOUTH 04 DEGREES 24'37" EAST, 46.82 FEET;
 THENCE SOUTH 21 DEGREES 11'20" EAST, 141.23 FEET; THENCE SOUTH 39 DEGREES
 28'00" EAST, 39.42 FEET; THENCE SOUTH 04 DEGREES 31'01" WEST, 34.05 FEET TO A
 POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF
 SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC
 DISTANCE OF 27.03 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING
 AND DISTANCE OF SOUTH 11 DEGREES 32'54" EAST, 27.03 FEET; THENCE SOUTH 55
 DEGREES 09'20" EAST, 36.48 FEET; THENCE SOUTH 23 DEGREES 52'05" WEST, 52.63
 FEET; THENCE SOUTH 00 DEGREES 12'21" WEST, 103.02 FEET; THENCE SOUTH 68
 DEGREES 09'20" WEST, 33.54 FEET; THENCE SOUTH 08 DEGREES 24'09" WEST, 27.07
 FEET; THENCE SOUTH 17 DEGREES 53'48" WEST, 23.93 FEET; THENCE SOUTH 13
 DEGREES 37'53" EAST, 73.13 FEET; THENCE NORTH 68 DEGREES 08'01" EAST, 35.22
 FEET; THENCE NORTH 52 DEGREES 51'36" EAST, 33.05 FEET; THENCE SOUTH 40
 DEGREES 11'47"
 (END PAGE THREE)

(BEGIN PAGE 4)
 EAST, 47.13 FEET; THENCE SOUTH 11 DEGREES 42'30" EAST, 54.36 FEET; THENCE
 SOUTH 64 DEGREES 07'42" EAST, 41.72 FEET; THENCE SOUTH 22 DEGREES 14'42"

EAST, 37.95 FEET; THENCE SOUTH 06 DEGREES 39'01" WEST, 65.94 FEET; THENCE SOUTH 31 DEGREES 13'54" WEST, 28.76 FEET; THENCE SOUTH 06 DEGREES 47'56" EAST, 2.43 FEET; THENCE SOUTH 37 DEGREES 29'44" EAST, 170.64 FEET; THENCE NORTH 71 DEGREES 32'01" EAST, 46.75 FEET; THENCE NORTH 86 DEGREES 36'12" EAST, 9.14 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 806.86 FEET, AN ARC DISTANCE OF 107.64 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 75 DEGREES 40'08" EAST, 107.56 FEET; THENCE NORTH 29 DEGREES 55'40" EAST, 35.11 FEET; THENCE NORTH 64 DEGREES 44'02" EAST, 56.09 FEET; THENCE NORTH 01 DEGREES 59'41" EAST, 37.40 FEET; THENCE NORTH 71 DEGREES 15'15" EAST, 79.62 FEET; THENCE NORTH 35 DEGREES 24'15" EAST, 58.02 FEET; THENCE NORTH 04 DEGREES 51'45" EAST, 12.74 FEET; THENCE SOUTH 74 DEGREES 01'24" EAST, 48.75 FEET; THENCE SOUTH 48 DEGREES 21'07" EAST, 54.87 FEET; THENCE SOUTH 40 DEGREES 42'40" EAST, 59.63 FEET; THENCE SOUTH 36 DEGREES 18'14" EAST, 85.45 FEET; THENCE SOUTH 24 DEGREES 07'43" EAST, 67.15 FEET; THENCE SOUTH 23 DEGREES 49'17" EAST, 117.40 FEET; THENCE SOUTH 17 DEGREES 15'18" EAST, 95.07 FEET; THENCE SOUTH 47 DEGREES 46'07" WEST, 10.86 FEET; THENCE SOUTH 43 DEGREES 12'21" WEST, 207.41 FEET; THENCE SOUTH 65 DEGREES 48'17" WEST, 44.65 FEET; THENCE NORTH 69 DEGREES 39'29" WEST, 54.11 FEET; THENCE NORTH 61 DEGREES 24'33" WEST, 56.27 FEET; THENCE NORTH 17 DEGREES 08'28" WEST, 35.88 FEET; THENCE NORTH 05 DEGREES 27'16" WEST, 46.80 FEET; THENCE NORTH 45 DEGREES 08'58" WEST, 83.91 FEET; THENCE NORTH 25 DEGREES 22'45" WEST, 7.36 FEET; THENCE SOUTH 88 DEGREES 52'03" WEST, 74.47 FEET; THENCE SOUTH 75 DEGREES 48'02" WEST, 25.90 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 120.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 67 DEGREES 41'17" WEST, 120.03 FEET; THENCE SOUTH 59 DEGREES 03'33" WEST, 24.84 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 170.00 FEET, AN ARC DISTANCE OF 57.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68 DEGREES 45'26" WEST, 57.27 FEET; THENCE SOUTH 56 DEGREES 44'49" WEST, 36.54 FEET; THENCE SOUTH 60 DEGREES 31'37" WEST, 46.87 FEET; THENCE SOUTH 08 DEGREES 53'02" EAST, 27.15 FEET; THENCE SOUTH 28 DEGREES 42'54" WEST, 30.51 FEET; THENCE SOUTH 16 DEGREES 31'14" WEST, 3.86 FEET; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 26.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 12 DEGREES 24'52" EAST, 26.46 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 70.00 FEET, AN ARC DISTANCE OF 77.67 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 21 DEGREES 47'41" EAST, 73.75 FEET; THENCE SOUTH 74 DEGREES 52'04" EAST, 140.44 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY ALONG AND AROUND THE ARC OF SAID

(END PAGE 4)

(BEGIN PAGE 5)

CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 160.61 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 33 DEGREES 54'45" WEST, 110.63 FEET; THENCE SOUTH

17 DEGREES 07'42" WEST, 21.59 FEET; THENCE SOUTH 40 DEGREES 55'53" WEST, 50.29 FEET; THENCE SOUTH 51 DEGREES 40'54" WEST, 62.19 FEET; THENCE SOUTH 63 DEGREES 20'15" WEST, 172.29 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 960.00 FEET, AN ARC DISTANCE OF 63.29 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40 DEGREES 31'48" EAST, 63.27 FEET; THENCE NORTH 76 DEGREES 57'21" EAST, 136.89 FEET; THENCE NORTH 76 DEGREES 51'41" EAST, 56.68 FEET; THENCE NORTH 78 DEGREES 19'50" EAST, 58.84 FEET; THENCE NORTH 71 DEGREES 17'23" EAST, 61.68 FEET; THENCE NORTH 66 DEGREES 51'41" EAST, 44.64 FEET; THENCE NORTH 27 DEGREES 56'26" EAST, 49.37 FEET; THENCE NORTH 81 DEGREES 25'57" EAST, 66.37 FEET; THENCE NORTH 66 DEGREES 30'33" WEST, 66.05 FEET; THENCE NORTH 65 DEGREES 29'54" EAST, 58.92 FEET; THENCE NORTH 57 DEGREES 51'05" EAST, 45.34 FEET; THENCE NORTH 69 DEGREES 57'10" EAST, 55.67 FEET; THENCE NORTH 83 DEGREES 23'43" EAST, 39.63 FEET; THENCE NORTH 82 DEGREES 03'46" EAST, 45.84 FEET; THENCE NORTH 51 DEGREES 48'48" EAST, 43.60 FEET; THENCE NORTH 52 DEGREES 24'59" EAST, 38.93 FEET; THENCE SOUTH 79 DEGREES 19'33" EAST, 54.03 FEET; THENCE SOUTH 53 DEGREES 44'48" EAST, 67.69 FEET; THENCE SOUTH 65 DEGREES 55'06" EAST, 42.26 FEET; THENCE SOUTH 87 DEGREES 24'52" EAST, 26.16 FEET; THENCE SOUTH 02 DEGREES 53'09" EAST, 98.98 FEET; THENCE NORTH 73 DEGREES 36'17" WEST, 20.75 FEET; THENCE SOUTH 30 DEGREES 31'09" WEST, 44.14 FEET; THENCE SOUTH 26 DEGREES 32'20" WEST, 29.45 FEET; THENCE SOUTH 57 DEGREES 34'01" WEST, 31.16 FEET; THENCE SOUTH 09 DEGREES 45'11" EAST, 52.04 FEET; THENCE SOUTH 60 DEGREES 03'02" WEST, 40.22 FEET; THENCE SOUTH 11 DEGREES 17'31" EAST, 70.24 FEET; THENCE SOUTH 54 DEGREES 18'57" EAST, 56.72 FEET; THENCE SOUTH 50 DEGREES 09'01" EAST, 64.31 FEET; THENCE NORTH 69 DEGREES 32'40" EAST, 35.68 FEET; THENCE SOUTH 24 DEGREES 45'43" EAST, 53.13 FEET; THENCE SOUTH 10 DEGREES 27'32" EAST, 74.24 FEET; THENCE SOUTH 29 DEGREES 56'24" EAST, 40.92 FEET; THENCE SOUTH 10 DEGREES 26'11" EAST, 50.04 FEET; THENCE SOUTH 48 DEGREES 22'26" EAST, 43.04 FEET; THENCE SOUTH 05 DEGREES 19'08" EAST, 67.29 FEET; THENCE SOUTH 13 DEGREES 26'08" EAST, 49.35 FEET; THENCE SOUTH 22 DEGREES 45'33" WEST, 33.22 FEET; THENCE SOUTH 24 DEGREES 27'50" EAST, 43.07 FEET; THENCE SOUTH 33 DEGREES 44'59" EAST, 59.88 FEET; THENCE SOUTH 49 DEGREES 32'33" EAST, 36.15 FEET; THENCE SOUTH 67 DEGREES 43'49" EAST, 51.08 FEET; THENCE SOUTH 48 DEGREES 09'12" EAST, 45.12 FEET; THENCE SOUTH 25 DEGREES 57'29" EAST, 59.02 FEET; THENCE SOUTH 06 DEGREES 35'09" EAST, 43.97 FEET; THENCE SOUTH 09 DEGREES 34'40" EAST, 46.83 FEET; THENCE NORTH 87 DEGREES 44'43" EAST, 35.69 FEET; THENCE NORTH 89 DEGREES 20'33" EAST, 21.26 FEET; THENCE SOUTH 49 DEGREES 04'17" EAST, 41.76 FEET; THENCE SOUTH 28 DEGREES 27'02" EAST, 17.40 FEET; THENCE SOUTH 33 DEGREES 33'52" EAST, 93.18 FEET; THENCE NORTH 81 DEGREES 31'24" EAST, 16.34 FEET; THENCE SOUTH 23 DEGREES 36'14" EAST, 54.52 FEET; THENCE SOUTH 29 DEGREES 56'05" EAST, 42.65 FEET; THENCE SOUTH 36 DEGREES 45'21" EAST, 50.78 FEET; THENCE SOUTH 20 DEGREES 47'05" WEST, 58.23 FEET; THENCE SOUTH 24 DEGREES 58'38" WEST, 14.61 FEET; THENCE SOUTH 11 DEGREES 15'02" EAST, 12.11 FEET; THENCE SOUTH 19 DEGREES 31'28" EAST, 9.67 FEET; THENCE SOUTH 01 DEGREES 14'12" EAST, 31.56 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, (END PAGE 5)

(BEGIN PAGE 6)

ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 475.00 FEET, AN ARC DISTANCE OF 6.37 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17 DEGREES 31'45" EAST, 6.37 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 158.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 07 DEGREES 15'15" WEST, 157.48 FEET; THENCE SOUTH 77 DEGREES 40'48" EAST, A DISTANCE OF 14.85 FEET; THENCE SOUTH 84 DEGREES 45'02" EAST, 30.93 FEET; THENCE SOUTH 64 DEGREES 41'13" WEST, 52.01 FEET; THENCE SOUTH 36 DEGREES 16'14" WEST, 21.03 FEET; THENCE SOUTH 05 DEGREES 15'14" EAST, 15.23 FEET; THENCE SOUTH 89 DEGREES 43'10" EAST, 52.46 FEET; THENCE SOUTH 19 DEGREES 30'30" WEST, 39.12 FEET; THENCE NORTH 76 DEGREES 27'59" WEST, 31.29 FEET; THENCE SOUTH 10 DEGREES 53'25" WEST, 23.70 FEET; THENCE SOUTH 52 DEGREES 27'54" EAST, 28.06 FEET; THENCE SOUTH 32 DEGREES 16'22" WEST, 19.94 FEET; THENCE SOUTH 53 DEGREES 29'47" WEST, 34.14 FEET; THENCE SOUTH 20 DEGREES 42'26" EAST, 34.50 FEET; THENCE SOUTH 10 DEGREES 10'48" WEST, 34.63 FEET; THENCE SOUTH 49 DEGREES 25'29" WEST, 38.10 FEET; THENCE SOUTH 04 DEGREES 57'03" WEST, 39.11 FEET; THENCE SOUTH 32 DEGREES 39'26" EAST, 36.49 FEET; THENCE SOUTH 37 DEGREES 52'15" EAST, 34.64 FEET; THENCE SOUTH 61 DEGREES 52'38" EAST, 37.74 FEET; THENCE SOUTH 45 DEGREES 36'38" EAST, 29.05 FEET; THENCE NORTH 85 DEGREES 37'57" EAST, 28.98 FEET; THENCE NORTH 04 DEGREES 19'04" EAST, 55.55 FEET; THENCE NORTH 20 DEGREES 11'28" EAST, 37.28 FEET; THENCE NORTH 70 DEGREES 53'33" EAST, 37.53 FEET; THENCE NORTH 06 DEGREES 48'47" WEST, 26.52 FEET; THENCE NORTH 42 DEGREES 37'10" EAST, 29.76 FEET; THENCE NORTH 11 DEGREES 51'48" EAST, 38.53 FEET; THENCE NORTH 88 DEGREES 22'09" WEST, 12.75 FEET; THENCE NORTH 41 DEGREES 08'18" WEST, 23.28 FEET; THENCE NORTH 11 DEGREES 53'28" EAST, 19.33 FEET; THENCE NORTH 24 DEGREES 35'31" EAST, 38.16 FEET; THENCE NORTH 69 DEGREES 05'59" EAST, 21.86 FEET; THENCE NORTH 84 DEGREES 44'40" EAST, 17.58 FEET; THENCE SOUTH 28 DEGREES 09'08" EAST, 15.81 FEET; THENCE SOUTH 24 DEGREES 35'48" EAST, 16.96 FEET; THENCE SOUTH 13 DEGREES 48'09" WEST, 22.95 FEET; THENCE SOUTH 64 DEGREES 51'27" EAST, 10.59 FEET; THENCE SOUTH 36 DEGREES 19'11" EAST, 35.53 FEET; THENCE SOUTH 69 DEGREES 40'13" EAST, 50.93 FEET; THENCE SOUTH 41 DEGREES 02'06" EAST, 26.63 FEET; THENCE SOUTH 11 DEGREES 29'34" WEST, 26.79 FEET; THENCE SOUTH 20 DEGREES 42'14" EAST, 23.60 FEET; THENCE SOUTH 00 DEGREES 17'54" EAST, 66.25 FEET; THENCE SOUTH 67 DEGREES 26'48" EAST, 34.05 FEET; THENCE NORTH 87 DEGREES 06'57" EAST, 42.57 FEET; THENCE SOUTH 76 DEGREES 33'44" EAST, 35.65 FEET; THENCE SOUTH 49 DEGREES 57'20" WEST, 31.72 FEET; THENCE SOUTH 71 DEGREES 32'16" WEST, 22.56 FEET; THENCE SOUTH 72 DEGREES 21'06" EAST, 42.38 FEET; THENCE SOUTH 47 DEGREES 04'15" WEST, 42.31 FEET; THENCE NORTH 86 DEGREES 34'37" EAST, 41.52 FEET; THENCE SOUTH 11 DEGREES 07'21" WEST, 57.83 FEET; THENCE SOUTH 07 DEGREES 44'23" EAST, 36.71 FEET; THENCE SOUTH 29 DEGREES 35'10" EAST, 35.92 FEET; THENCE SOUTH 30 DEGREES 48'45" EAST, 50.65 FEET; THENCE SOUTH 49 DEGREES 28'03" WEST, 41.58 FEET; THENCE SOUTH 22 DEGREES 18'42" WEST, 32.27 FEET; THENCE SOUTH 04 DEGREES 56'41" WEST, 87.60 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 445.40 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH

(END PAGE 6)

(BEGIN PAGE 7)

15 DEGREES 10'04" EAST, 112.61 FEET; THENCE SOUTH 79 DEGREES 36'50" WEST, 106.03 FEET; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 305.00 FEET, AN ARC DISTANCE OF 123.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05 DEGREES 53'04" WEST, 122.33 FEET; THENCE SOUTH 17 DEGREES 27'11" WEST, 52.52 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 75.00 FEET, AN ARC DISTANCE OF 37.24 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 11 DEGREES 08'29" EAST, 35.89 FEET; THENCE SOUTH 67 DEGREES 25'53" EAST, 101.23 FEET; THENCE NORTH 35 DEGREES 16'04" EAST, 20.97 FEET; THENCE NORTH 61 DEGREES 15'31" EAST, 41.05 FEET; THENCE SOUTH 42 DEGREES 57'08" EAST, 65.98 FEET; THENCE SOUTH 26 DEGREES 29'28" EAST, 41.56 FEET; THENCE NORTH 83 DEGREES 53'03" EAST, 40.19 FEET; THENCE SOUTH 25 DEGREES 23'04" EAST, 54.98 FEET; THENCE SOUTH 20 DEGREES 38'22" EAST, 38.32 FEET; THENCE SOUTH 61 DEGREES 06'35" WEST, 62.66 FEET; THENCE SOUTH 03 DEGREES 59'44" EAST, 40.29 FEET; THENCE SOUTH 20 DEGREES 14'44" EAST, 31.75 FEET; THENCE SOUTH 05 DEGREES 34'03" EAST, 61.29 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 61.57 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 54 DEGREES 57'19" EAST, 61.53 FEET; THENCE NORTH 07 DEGREES 48'58" EAST, 35.47 FEET; THENCE NORTH 25 DEGREES 58'58" EAST, 40.08 FEET; THENCE NORTH 59 DEGREES 19'13" EAST, 46.04 FEET; THENCE SOUTH 54 DEGREES 41'11" EAST, 38.56 FEET; THENCE SOUTH 36 DEGREES 21'56" WEST, 35.41 FEET; THENCE SOUTH 43 DEGREES 28'36" WEST, 33.38 FEET; THENCE SOUTH 29 DEGREES 54'01" EAST, 28.07 FEET; THENCE SOUTH 67 DEGREES 28'55" EAST, 31.23 FEET; THENCE SOUTH 45 DEGREES 03'07" EAST, 40.32 FEET; THENCE SOUTH 36 DEGREES 11'15" EAST, 35.31 FEET; THENCE SOUTH 02 DEGREES 08'30" EAST, 25.23 FEET; THENCE SOUTH 12 DEGREES 45'44" EAST, 38.25 FEET; THENCE SOUTH 11 DEGREES 58'58" WEST, 25.56 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 125.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17 DEGREES 30'41" EAST, 124.99 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 564.99 FEET, AN ARC DISTANCE OF 276.71 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 60 DEGREES 40'34" EAST, 273.95 FEET; THENCE NORTH 77 DEGREES 44'23" EAST, 0.34 FEET; THENCE NORTH 47 DEGREES 02'49" EAST, 36.37 FEET; THENCE SOUTH 00 DEGREES 56'40" WEST, 69.65 FEET; THENCE SOUTH 25 DEGREES 39'14" EAST, 34.45 FEET; THENCE SOUTH 14 DEGREES 44'32" WEST, 36.12 FEET; THENCE SOUTH 37 DEGREES 11'54" WEST, 47.10 FEET; THENCE SOUTH 67 DEGREES 15'50" WEST, 26.93 FEET; THENCE SOUTH 29 DEGREES 01'20" EAST, 17.37 FEET; THENCE SOUTH 05 DEGREES 35'19" EAST, 21.21 FEET; THENCE SOUTH 62 DEGREES 02'04" WEST, 23.08 FEET; THENCE SOUTH 07 DEGREES 36'00" WEST, 36.67 FEET; THENCE NORTH 83 DEGREES 22'41" WEST, 19.91 FEET; THENCE SOUTH 04 DEGREES 14'18" WEST, 3.64 FEET; THENCE SOUTH 05 DEGREES 41'22" WEST, 16.16 FEET; THENCE SOUTH 05 DEGREES 41'22" WEST, 25.59 FEET TO A POINT

(END PAGE 7)

(BEGIN PAGE 8)

ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 60.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05 DEGREES 01'02" EAST, 60.27 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 67.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15 DEGREES 19'36" WEST, 66.88 FEET; THENCE SOUTH 07 DEGREES 18'17" EAST, 80.05 FEET; THENCE SOUTH 36 DEGREES 32'57" EAST, 35.86 FEET; THENCE SOUTH 27 DEGREES 57'47" EAST, 54.21 FEET; THENCE SOUTH 00 DEGREES 28'35" EAST, 35.25 FEET; THENCE SOUTH 24 DEGREES 38'24" EAST, 9.12 FEET; THENCE NORTH 15 DEGREES 10'31" EAST, 40.00 FEET; THENCE SOUTH 35 DEGREES 01'37" EAST, 23.64 FEET; THENCE SOUTH 60 DEGREES 33'08" EAST, 26.17 FEET; THENCE SOUTH 54 DEGREES 34'42" EAST, 30.40 FEET; THENCE SOUTH 26 DEGREES 40'07" EAST, 23.26 FEET; THENCE SOUTH 12 DEGREES 28'36" EAST, 40.89 FEET; THENCE SOUTH 77 DEGREES 02'31" WEST, 25.24 FEET; THENCE SOUTH 00 DEGREES 37'16" WEST, 50.15 FEET; THENCE NORTH 86 DEGREES 13'32" EAST, 275.60 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 760.00 FEET, AN ARC DISTANCE OF 1205.08 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 40 DEGREES 48'02" EAST, 1082.75 FEET; THENCE SOUTH 20 DEGREES 49'10" EAST, 0.64 FEET; THENCE SOUTH 10 DEGREES 37'38" EAST, 81.25 FEET; THENCE NORTH 60 DEGREES 41'13" EAST, 25.05 FEET; THENCE SOUTH 01 DEGREES 38'20" WEST, 16.08 FEET; THENCE SOUTH 47 DEGREES 41'17" WEST, 25.53 FEET; THENCE SOUTH 09 DEGREES 58'59" EAST, 19.79 FEET; THENCE SOUTH 04 DEGREES 40'16" WEST, A DISTANCE OF 47.25 FEET; THENCE SOUTH 08 DEGREES 51'58" EAST, 58.43 FEET; THENCE SOUTH 71 DEGREES 09'16" EAST, 29.21 FEET; THENCE SOUTH 05 DEGREES 53'40" EAST, 16.96 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 840.00 FEET, AN ARC DISTANCE OF 1063.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 49 DEGREES 57'54" WEST, 993.65 FEET; THENCE SOUTH 86 DEGREES 13'32" WEST, A DISTANCE OF 866.22 FEET TO A POINT OF CURVATURE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 113.54 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68 DEGREES 09'16" WEST, 111.67 FEET; THENCE SOUTH 50 DEGREES 05'00" WEST, 11.55 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 55.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 23 DEGREES 35'56" WEST, 53.51 FEET TO A POINT OF COMPOUND CURVATURE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 220.00 FEET, AN ARC DISTANCE OF 123.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 19 DEGREES 35'15" EAST, 126.45 FEET; THENCE SOUTH 36 DEGREES 17'22" EAST, 4.50 FEET TO A

(END PAGE 8)

(BEGIN PAGE 9)

POINT ON A CURVE, THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 114.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26 DEGREES 22'14" EAST, 113.69 FEET; THENCE SOUTH 77 DEGREES 00'43" EAST, 48.54 FEET; THENCE NORTH 63 DEGREES 13'47" EAST, 42.76 FEET; THENCE SOUTH 27 DEGREES 26'46" WEST, 48.48 FEET; THENCE SOUTH 51 DEGREES 04'54" EAST, 23.47 FEET; THENCE SOUTH 87 DEGREES 26'01" EAST, 27.83 FEET; THENCE SOUTH 14 DEGREES 39'04" EAST, 66.22 FEET; THENCE SOUTH 31 DEGREES 00'19" WEST, 46.72 FEET; THENCE SOUTH 26 DEGREES 46'01" WEST, 49.21 FEET; THENCE SOUTH 42 DEGREES 24'41" WEST, 40.81 FEET; THENCE SOUTH 26 DEGREES 27'22" WEST, 49.11 FEET; THENCE SOUTH 14 DEGREES 29'49" WEST, 56.87 FEET; THENCE SOUTH 03 DEGREES 19'39" WEST, 61.10 FEET; THENCE SOUTH 11 DEGREES 49'22" EAST, 42.39 FEET; THENCE SOUTH 42 DEGREES 27'43" EAST, 42.11 FEET; THENCE SOUTH 39 DEGREES 01'45" EAST, 51.87 FEET; THENCE SOUTH 43 DEGREES 23'29" EAST, 48.26 FEET; THENCE NORTH 41 DEGREES 50'00" EAST, 42.70 FEET; THENCE NORTH 37 DEGREES 26'22" EAST, 21.99 FEET; THENCE NORTH 11 DEGREES 59'39" EAST, 66.68 FEET; THENCE NORTH 37 DEGREES 25'24" EAST, 41.60 FEET; THENCE NORTH 39 DEGREES 35'49" EAST, 28.68 FEET; THENCE NORTH 46 DEGREES 37'19" EAST, 39.60 FEET; THENCE NORTH 52 DEGREES 44'51" EAST, 46.02 FEET; THENCE NORTH 61 DEGREES 13'29" EAST, 41.90 FEET; THENCE NORTH 58 DEGREES 57'26" EAST, 27.20 FEET; THENCE SOUTH 44 DEGREES 01'45" EAST, 39.52 FEET; THENCE SOUTH 43 DEGREES 21'12" EAST, 46.75 FEET; THENCE SOUTH 46 DEGREES 48'40" WEST, 40.80 FEET; THENCE SOUTH 49 DEGREES 18'27" WEST, 27.02 FEET; THENCE SOUTH 30 DEGREES 19'55" WEST, 18.99 FEET; THENCE SOUTH 26 DEGREES 35'05" EAST, 27.53 FEET; THENCE SOUTH 37 DEGREES 07'07" EAST, 42.42 FEET; THENCE NORTH 35 DEGREES 54'44" EAST, 36.95 FEET; THENCE NORTH 23 DEGREES 17'56" EAST, 115.28 FEET; THENCE NORTH 52 DEGREES 27'38" EAST, 36.53 FEET; THENCE NORTH 56 DEGREES 30'30" EAST, 36.18 FEET; THENCE NORTH 74 DEGREES 43'41" EAST, 22.59 FEET; THENCE NORTH 18 DEGREES 36'15" EAST, 23.89 FEET; THENCE NORTH 84 DEGREES 34'20" EAST, 53.30 FEET; THENCE SOUTH 84 DEGREES 45'12" EAST, 65.80 FEET; THENCE NORTH 59 DEGREES 49'20" EAST, 49.01 FEET; THENCE NORTH 18 DEGREES 21'03" EAST, 43.50 FEET; THENCE SOUTH 82 DEGREES 20'55" EAST, 33.24 FEET; THENCE SOUTH 74 DEGREES 04'30" EAST, 23.49 FEET; THENCE SOUTH 77 DEGREES 54'51" EAST, 18.57 FEET; THENCE SOUTH 67 DEGREES 08'37" EAST, 45.87 FEET; THENCE NORTH 78 DEGREES 33'37" EAST, 46.05 FEET; THENCE SOUTH 46 DEGREES 17'36" EAST, 23.62 FEET; THENCE SOUTH 80 DEGREES 51'10" EAST, 54.81 FEET; THENCE NORTH 82 DEGREES 38'49" EAST, 32.80 FEET; THENCE NORTH 76 DEGREES 17'27" EAST, 66.39 FEET; THENCE NORTH 76 DEGREES 12'22" EAST, 40.77 FEET; THENCE NORTH 55 DEGREES 49'21" EAST, 9.95 FEET; THENCE SOUTH 03 DEGREES 50'38" EAST, 50.72 FEET; THENCE SOUTH 50 DEGREES 52'04" EAST, 50.43 FEET; THENCE SOUTH 61 DEGREES 07'39" EAST, 57.27 FEET; THENCE SOUTH 59 DEGREES 05'59" EAST, 26.27 FEET; THENCE SOUTH 00 DEGREES 03'49" WEST, 79.34 FEET; THENCE SOUTH 17 DEGREES 50'24" WEST, 80.64 FEET; THENCE SOUTH 04 DEGREES 00'26" WEST, 35.82 FEET; THENCE SOUTH 26 DEGREES 10'12" WEST, 43.91 FEET; THENCE SOUTH 06 DEGREES 34'07" EAST, 41.45 FEET; THENCE SOUTH 14 DEGREES 07'56" EAST, 51.09 FEET; THENCE SOUTH 20 DEGREES 40'32" WEST, 64.64 FEET; THENCE SOUTH 32 DEGREES 13'59" WEST, 65.05 FEET; THENCE SOUTH 72 DEGREES 31'50" WEST, 37.56 FEET; THENCE SOUTH 34 DEGREES 12'14" WEST, 61.66 FEET; THENCE SOUTH 06 DEGREES 46'02" WEST, 27.55

FEET; THENCE SOUTH 00 DEGREES 55'28" EAST, 46.30 FEET; THENCE SOUTH 23 DEGREES 09'30" WEST, 72.24 FEET; (END PAGE 9)

(BEGIN PAGE 10)

THENCE SOUTH 60 DEGREES 34'26" WEST, 22.98 FEET; THENCE SOUTH 25 DEGREES 57'51" WEST, 11.23 FEET; THENCE SOUTH 08 DEGREES 09'11" EAST, 219.83 FEET; THENCE SOUTH 60 DEGREES 34'47" EAST, 31.17 FEET; THENCE SOUTH 08 DEGREES 20'43" EAST, 75.31 FEET; THENCE SOUTH 75 DEGREES 51'12" EAST, 44.38 FEET; THENCE SOUTH 45 DEGREES 43'51" EAST, 54.05 FEET; THENCE SOUTH 27 DEGREES 36'22" EAST, 41.25 FEET; THENCE SOUTH 43 DEGREES 10'33" EAST, 60.78 FEET; THENCE SOUTH 65 DEGREES 23'27" EAST, 50.65 FEET; THENCE SOUTH 11 DEGREES 50'27" EAST, 27.17 FEET; THENCE SOUTH 06 DEGREES 41'13" EAST, 35.08 FEET; THENCE SOUTH 12 DEGREES 47'51" EAST, 71.60 FEET; THENCE SOUTH 17 DEGREES 54'50" EAST, 67.51 FEET; THENCE SOUTH 22 DEGREES 18'06" WEST, 68.81 FEET; THENCE SOUTH 24 DEGREES 39'03" EAST, 76.41 FEET; THENCE SOUTH 16 DEGREES 55'01" WEST, 34.24 FEET; THENCE SOUTH 13 DEGREES 28'22" WEST, 63.36 FEET; THENCE SOUTH 45 DEGREES 56'33" WEST, 4.50 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 138.85 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26 DEGREES 35'39" WEST, 135.43 FEET; THENCE SOUTH 59 DEGREES 16'28" WEST, 52.62 FEET; THENCE SOUTH 30 DEGREES 06'44" WEST, 36.23 FEET; THENCE SOUTH 15 DEGREES 25'27" EAST, 24.09 FEET; THENCE NORTH 62 DEGREES 34'36" EAST, 44.15 FEET; THENCE SOUTH 09 DEGREES 39'08" WEST, 102.45 FEET; THENCE SOUTH 85 DEGREES 08'49" WEST, 72.38 FEET; THENCE SOUTH 86 DEGREES 28'25" WEST, 32.21 FEET; THENCE NORTH 39 DEGREES 57'04" WEST, 36.81 FEET; THENCE NORTH 65 DEGREES 49'22" WEST, 45.16 FEET; THENCE NORTH 85 DEGREES 45'29" WEST, 30.78 FEET; THENCE NORTH 78 DEGREES 15'26" WEST, 51.39 FEET; THENCE NORTH 26 DEGREES 11'55" WEST, 48.74 FEET; THENCE NORTH 51 DEGREES 41'11" EAST, 53.24 FEET; THENCE NORTH 35 DEGREES 41'31" EAST, 44.07 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.98 FEET, AN ARC DISTANCE OF 28.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43 DEGREES 02'48" WEST, 28.96 FEET; THENCE NORTH 36 DEGREES 54'40" WEST, 9.56 FEET; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.55 FEET, AN ARC DISTANCE OF 56.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 26 DEGREES 24'03" WEST, 56.25 FEET; THENCE NORTH 78 DEGREES 37'02" WEST, 45.77 FEET; THENCE SOUTH 78 DEGREES 18'44" WEST, 78.11 FEET; THENCE NORTH 61 DEGREES 44'12" WEST, 19.59 FEET; THENCE SOUTH 07 DEGREES 14'11" WEST, 43.55 FEET; THENCE SOUTH 69 DEGREES 58'22" WEST, 38.43 FEET; THENCE NORTH 84 DEGREES 56'42" WEST, 73.71 FEET; THENCE NORTH 42 DEGREES 01'43" WEST, 35.93 FEET; THENCE SOUTH 69 DEGREES 12'37" WEST, 51.81 FEET; THENCE SOUTH 67 DEGREES 47'53" WEST, 32.75 FEET; THENCE SOUTH 48 DEGREES 10'50" WEST, 47.87 FEET; THENCE SOUTH 44 DEGREES 01'00" WEST, 71.32 FEET; THENCE SOUTH 41 DEGREES 20'59" WEST, 31.92 FEET; THENCE SOUTH 46 DEGREES 52'49" WEST, 50.82 FEET; THENCE SOUTH 59 DEGREES 51'34" WEST, 25.75 FEET; THENCE SOUTH 49 DEGREES 16'54" WEST, 48.49 FEET; THENCE SOUTH 55 DEGREES 57'02" WEST, 65.07 FEET; THENCE SOUTH 16 DEGREES 43'14" WEST, 44.03 FEET; THENCE SOUTH 05 DEGREES 35'57" WEST, 55.46 FEET;

THENCE SOUTH 38 DEGREES 44'35" WEST, 59.93 FEET; THENCE SOUTH 27 DEGREES 19'06" WEST, 51.05 FEET; THENCE SOUTH 27 DEGREES 28'46" WEST, 42.53 FEET; THENCE SOUTH 69 DEGREES 33'57" WEST, 803.49
(END PAGE 10)

(BEGIN PAGE 11)

FEET; THENCE NORTH 14 DEGREES 59'21" WEST, 272.84 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 314.27 FEET, AN ARC DISTANCE OF 83.09 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 40 DEGREES 17'01" WEST, 82.84 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 318.58 FEET, AN ARC DISTANCE OF 74.61 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 41 DEGREES 08'54" WEST, 74.44 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, LONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 460.00 FEET, AN ARC DISTANCE OF 771.05 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 13 DEGREES 34'50" EAST, 683.90 FEET; THENCE NORTH 61 DEGREES 36'00" EAST, 287.18 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 574.66 FEET, AN ARC DISTANCE OF 498.21 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 36 DEGREES 45'48" EAST, 482.75 FEET; THENCE NORTH 11 DEGREES 55'36" EAST, 152.87 FEET; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 380.00 FEET, AN ARC DISTANCE OF 231.62 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 17 DEGREES 41'24" WEST, 228.05 FEET; THENCE NORTH 00 DEGREES 13'42" WEST, 85.97 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 430.00 FEET, AN ARC DISTANCE OF 113.89 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 07 DEGREES 21'35" EAST, 113.56 FEET; THENCE NORTH 14 DEGREES 56'51" EAST, 122.62 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 270.00 FEET, AN ARC DISTANCE OF 241.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 10 DEGREES 40'16" WEST, 233.48 FEET; THENCE NORTH 36 DEGREES 17'22" WEST, 4.50 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 280.00 FEET, AN ARC DISTANCE OF 126.39 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 23 DEGREES 21'29" WEST, 125.32 FEET TO A POINT OF REVERSE CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 107.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 27 DEGREES 35'05" WEST, 106.20 FEET; THENCE NORTH 44 DEGREES 44'34" WEST, 9.27 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 51.35 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 69 DEGREES 15'31" WEST, 49.79 FEET; THENCE

(END PAGE 11)

(BEGIN PAGE 12)

SOUTH 86 DEGREES 13'32" WEST, 445.52 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 808.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 73 DEGREES 27'20" WEST, 791.71 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 109.13 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 50 DEGREES 23'45" WEST, 109.14 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 654.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 31 DEGREES 12'09" WEST, 645.53 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 25.00 FEET, AN ARC DISTANCE OF 39.34 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 59 DEGREES 50'01" WEST, 35.40 FEET; THENCE SOUTH 75 DEGREES 05'20" WEST, 27.24 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 440.00 FEET, AN ARC DISTANCE OF 269.98 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 13 DEGREES 55'12" EAST, 265.76 FEET; THENCE SOUTH 31 DEGREES 29'53" EAST, 54.58 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 1194.83 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 51 DEGREES 59'19" WEST, 814.71 FEET; THENCE NORTH 45 DEGREES 27'07" WEST, 233.34 FEET; THENCE NORTH 46 DEGREES 17'58" WEST, 120.80 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1041.74 FEET, AN ARC DISTANCE OF 206.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 61 DEGREES 34'29" WEST, 205.96 FEET; THENCE NORTH 39 DEGREES 19'39" WEST, 329.70 FEET; THENCE SOUTH 83 DEGREES 51'34" WEST, 387.29 FEET; THENCE SOUTH 86 DEGREES 14'23" WEST, 408.03 FEET; THENCE SOUTH 65 DEGREES 37'58" WEST, 188.43 FEET; THENCE SOUTH 49 DEGREES 33'27" WEST, 248.40 FEET; THENCE SOUTH 39 DEGREES 39'14" WEST, 105.76 FEET; THENCE SOUTH 54 DEGREES 43'14" WEST, 78.70 FEET; THENCE SOUTH 62 DEGREES 26'43" WEST, 111.37 FEET; THENCE SOUTH 73 DEGREES 37'25" WEST, 74.92 FEET; THENCE SOUTH 79 DEGREES 47'55" WEST, 56.91 FEET; THENCE SOUTH 67 DEGREES 41'18" WEST, 169.66 FEET; THENCE SOUTH 54 DEGREES 15'34" WEST, 104.21 FEET; THENCE SOUTH 66 DEGREES 18'47" WEST, 186.72 FEET; THENCE SOUTH 22 DEGREES 19'09" WEST, 59.84 FEET; THENCE SOUTH 66 DEGREES 22'14" WEST, 12.52 FEET; THENCE SOUTH 73 DEGREES 36'38" WEST, 17.72 FEET; THENCE SOUTH 78 DEGREES 41'24" WEST, 35.69 FEET; THENCE SOUTH 78 DEGREES 21'59" WEST, 34.71 FEET; THENCE NORTH 86 DEGREES 43'04" WEST, 43.30 FEET; THENCE NORTH 74 DEGREES 31'42" WEST, 72.88 FEET; THENCE SOUTH 85 DEGREES 59'22" WEST, 36.43 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND

(END PG 12)

(BEGIN PG 13)

AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 17.00 FEET, AN ARC DISTANCE OF 8.67 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 71 DEGREES 23'02" WEST, 8.57 FEET; THENCE SOUTH 56 DEGREES 46'43" WEST, 171.47 FEET TO A POINT ON A CURVE, THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 48.00 FEET, AN ARC DISTANCE OF 162.30 FEET; SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 62 DEGREES 09'52" WEST, 84.01 FEET; THENCE NORTH 01 DEGREES 06'27" WEST, 322.22 FEET; THENCE NORTH 13 DEGREES 52'52" WEST, 65.90 FEET; THENCE SOUTH 70 DEGREES 58'15" EAST, 22.00 FEET; THENCE NORTH 27 DEGREES 44'20" EAST, 58.44 FEET; THENCE SOUTH 20 DEGREES 23'21" EAST, 20.83 FEET; THENCE NORTH 71 DEGREES 44'41" EAST, 44.14 FEET; THENCE NORTH 01 DEGREES 26'06" EAST, 76.10 FEET; THENCE NORTH 46 DEGREES 58'17" EAST, 19.53 FEET; THENCE SOUTH 83 DEGREES 10'34" EAST, 51.97 FEET; THENCE SOUTH 40 DEGREES 31'09" EAST, 120.38 FEET; THENCE SOUTH 88 DEGREES 12'49" EAST, 41.67 FEET; THENCE NORTH 01 DEGREES 11'31" EAST, 32.93 FEET; THENCE SOUTH 70 DEGREES 21'28" EAST, 67.44 FEET; THENCE NORTH 12 DEGREES 53'57" WEST, 55.53 FEET; THENCE NORTH 42 DEGREES 18'15" WEST, 33.18 FEET; THENCE NORTH 02 DEGREES 46'44" EAST, 46.51 FEET; THENCE NORTH 65 DEGREES 04'58" EAST, 34.17 FEET; THENCE NORTH 40 DEGREES 02'45" WEST, 21.95 FEET; THENCE NORTH 54 DEGREES 11'39" WEST, 56.16 FEET; THENCE NORTH 77 DEGREES 05'52" EAST, 43.82 FEET; THENCE NORTH 68 DEGREES 19'57" EAST, 46.77 FEET; THENCE SOUTH 09 DEGREES 00'32" WEST, 22.92 FEET; THENCE SOUTH 80 DEGREES 02'32" EAST, 30.23 FEET; THENCE NORTH 87 DEGREES 54'05" EAST, 16.39 FEET; THENCE SOUTH 82 DEGREES 05'06" EAST, 77.08 FEET; THENCE NORTH 68 DEGREES 10'32" EAST, 30.53 FEET; THENCE NORTH 03 DEGREE 18'41" WEST, 63.31 FEET; THENCE NORTH 23 DEGREES 17'03" WEST, 12.48 FEET; THENCE NORTH 21 DEGREES 29'26" WEST, 41.76 FEET; THENCE NORTH 08 DEGREES 47'51" EAST, 43.24 FEET; THENCE NORTH 51 DEGREES 29'28" EAST, 55.02 FEET; THENCE SOUTH 19 DEGREES 05'01" EAST, 130.99 FEET; THENCE SOUTH 66 DEGREES 12'14" EAST, 6.36 FEET; THENCE NORTH 48 DEGREES 55'27" EAST, 66.34 FEET; THENCE SOUTH 00 DEGREES 43'09" EAST, 73.18 FEET; THENCE NORTH 71 DEGREES 57'09" EAST, 39.67 FEET; THENCE SOUTH 43 DEGREES 39'28" EAST, 64.51 FEET; THENCE NORTH 61 DEGREES 28'09" EAST, 231.33 FEET; THENCE NORTH 10 DEGREES 37'03" EAST, 19.09 FEET; THENCE NORTH 38 DEGREES 16'52" EAST, 68.58 FEET; THENCE SOUTH 52 DEGREES 38'35" EAST, 44.61 FEET; THENCE NORTH 81 DEGREES 49'12" EAST, 71.82 FEET; THENCE NORTH 30 DEGREES 02'37" EAST, 39.63 FEET; THENCE SOUTH 38 DEGREES 22'28" EAST, 32.31 FEET; THENCE NORTH 62 DEGREES 31'08" EAST, 31.21 FEET; THENCE NORTH 52 DEGREES 46'07" EAST, 37.85 FEET; THENCE NORTH 42 DEGREES 40'47" EAST, 58.44 FEET; THENCE NORTH 31 DEGREES 18'01" EAST, 2.29 FEET; THENCE NORTH 36 DEGREES 52'29" WEST, 13.68 FEET; THENCE NORTH 10 DEGREES 26'01" WEST, 49.40 FEET; THENCE SOUTH 78 DEGREES 37'22" WEST, 36.17 FEET; THENCE NORTH 34 DEGREES 41'19" WEST, 39.20 FEET; THENCE NORTH 56 DEGREES 38'50" EAST, 114.33 FEET; THENCE NORTH 24 DEGREES 33'48" EAST, 23.44 FEET; THENCE NORTH 33 DEGREES 41'01" EAST, 50.78 FEET; THENCE NORTH 89 DEGREES 06'13" EAST, 17.71 FEET; THENCE NORTH 20 DEGREES 38'28" EAST, 54.87 FEET; THENCE SOUTH 48 DEGREES 45'54" EAST, 29.25 FEET; THENCE SOUTH 89 DEGREES 35'17" EAST, 40.20 FEET; THENCE SOUTH 79 DEGREES 26'57" EAST, 38.98 FEET; THENCE

SOUTH 65 DEGREES 57'38" EAST, 18.57 FEET; THENCE NORTH 80 DEGREES 19'59" EAST, 24.51 FEET; THENCE NORTH 77 DEGREES 12'08" EAST, 16.18 FEET; (END PG 13)

(BEGIN PG 14)

THENCE NORTH 43 DEGREES 40'37" EAST, 30.19 FEET; THENCE NORTH 65 DEGREES 26'29" EAST, 79.49 FEET; THENCE NORTH 50 DEGREES 06'33" EAST, 56.74 FEET; THENCE NORTH 76 DEGREES 21'43" EAST, 64.03 FEET; THENCE NORTH 73 DEGREES 13'29" EAST, 40.58 FEET; THENCE NORTH 89 DEGREES 31'59" EAST, 57.04 FEET; THENCE SOUTH 69 DEGREES 06'20" EAST, 23.03 FEET; THENCE NORTH 78 DEGREES 35'28" EAST, 60.35 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 560.00 FEET, AN ARC DISTANCE OF 390.50 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 32 DEGREES 42'03" EAST, 312.64 FEET; THENCE NORTH 52 DEGREES 31'34" EAST, 11.18 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 190.00 FEET, AN ARC DISTANCE OF 185.01 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 24 DEGREES 37'52" EAST, 177.78 FEET; THENCE NORTH 03 DEGREES 15'30" WEST, 19.37 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 55.00 FEET, AN ARC DISTANCE OF 100.74 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56 DEGREES 05'59" WEST, 87.23 FEET; THENCE SOUTH 71 DEGREES 47'44" WEST, 40.17 FEET; THENCE SOUTH 76 DEGREES 34'46" WEST, 139.62 FEET; THENCE SOUTH 16 DEGREES 15'16" WEST, 34.42 FEET; THENCE SOUTH 20 DEGREES 39'17" EAST, 35.77 FEET; THENCE SOUTH 58 DEGREES 11'32" EAST, 52.50 FEET; THENCE NORTH 88 DEGREES 31'42" WEST, 25.66 FEET; THENCE SOUTH 77 DEGREES 50'21" WEST, 57.93 FEET; THENCE SOUTH 79 DEGREES 06'30" WEST, 38.09 FEET; THENCE SOUTH 55 DEGREES 27'06" WEST, 51.87 FEET; THENCE SOUTH 57 DEGREES 00'00" WEST, 25.49 FEET; THENCE NORTH 50 DEGREES 34'14" WEST, 64.88 FEET; THENCE NORTH 18 DEGREES 35'54" WEST, 31.15 FEET; THENCE NORTH 48 DEGREES 28'12" WEST, 39.64 FEET; THENCE NORTH 77 DEGREES 37'22" WEST, 35.85 FEET; THENCE NORTH 64 DEGREES 58'26" WEST, 24.49 FEET; THENCE SOUTH 59 DEGREES 38'28" WEST, 25.33 FEET; THENCE SOUTH 34 DEGREES 45'41" WEST, 90.42 FEET; THENCE NORTH 30 DEGREES 30'58" WEST, 91.85 FEET; THENCE NORTH 39 DEGREES 37'55" WEST, 63.52 FEET; THENCE NORTH 31 DEGREES 29'44" EAST, 56.36 FEET; THENCE NORTH 89 DEGREES 52'17" WEST, 14.25 FEET; THENCE NORTH 07 DEGREES 24'57" WEST, 100.26 FEET; THENCE NORTH 57 DEGREES 32'02" EAST, 56.24 FEET; THENCE NORTH 27 DEGREES 28'53" WEST, 61.96 FEET; THENCE NORTH 28 DEGREES 56'49" WEST, 34.43 FEET; THENCE NORTH 15 DEGREES 14'26" WEST, 42.08 FEET; THENCE NORTH 20 DEGREES 07'02" WEST, 20.70 FEET; THENCE NORTH 58 DEGREES 36'49" EAST, 66.46 FEET; THENCE NORTH 41 DEGREES 04'16" EAST, 27.35 FEET; THENCE SOUTH 88 DEGREES 23'49" EAST, 27.56 FEET; THENCE NORTH 55 DEGREES 02'43" EAST, 48.78 FEET; THENCE NORTH 29 DEGREES 14'06" EAST, 20.66 FEET; THENCE SOUTH 55 DEGREES 54'06" EAST, 37.52 FEET; THENCE SOUTH 67 DEGREES 16'01" EAST, 46.37 FEET; THENCE SOUTH 64 DEGREES 49'42" EAST, 35.89 FEET; THENCE NORTH 47 DEGREES 09'42" EAST, 18.26 FEET; THENCE SOUTH 73 DEGREES 18'28" EAST, 33.18 FEET; THENCE SOUTH 74 DEGREES 45'39" EAST, 61.27 FEET; THENCE SOUTH 52 DEGREES 02'53" EAST, 32.92 FEET; THENCE SOUTH 32 DEGREES 51'37" EAST, 34.47 FEET; THENCE SOUTH 44 DEGREES 24'47" EAST, 8.66 FEET; THENCE NORTH 74

DEGREES 25'44" EAST, 117.00 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF (END PAGE 14)

(BEGIN PAGE 15)

375.00 FEET, AN ARC DISTANCE OF 195.36 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56 DEGREES 34'47" EAST, 493.16 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 63.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 73 DEGREES 37'58" EAST, 63.40 FEET; THENCE NORTH 01 DEGREES 27'21" WEST, 60.75 FEET; THENCE NORTH 75 DEGREES 39'27" EAST, 48.58 FEET; THENCE NORTH 22 DEGREES 56'59" EAST, 54.37 FEET; THENCE NORTH 59 DEGREES 52'48" EAST, 29.24 FEET; THENCE SOUTH 63 DEGREES 48'09" EAST, 42.32 FEET; THENCE SOUTH 40 DEGREES 06'43" EAST, 33.75 FEET; THENCE SOUTH 20 DEGREES 06'21" EAST, 16.35 FEET; THENCE NORTH 42 DEGREES 55'39" EAST, 25.67 FEET; THENCE SOUTH 33 DEGREES 02'54" EAST, 60.16 FEET; THENCE SOUTH 08 DEGREES 27'00" EAST, 35.99 FEET; THENCE SOUTH 04 DEGREES 20'20" WEST, 111.15 FEET; THENCE SOUTH 57 DEGREES 53'04" EAST, 13.66 FEET; THENCE NORTH 58 DEGREES 36'14" EAST, 23.36 FEET; THENCE SOUTH 79 DEGREES 28'56" EAST, 12.17 FEET; THENCE SOUTH 83 DEGREES 05'29" EAST, 74.54 FEET; THENCE SOUTH 57 DEGREES 45'38" WEST, 26.32 FEET; THENCE SOUTH 10 DEGREES 15'06" WEST, 42.83 FEET; THENCE SOUTH 36 DEGREES 24'58" EAST, 31.23 FEET; THENCE SOUTH 39 DEGREES 44'54" EAST, 59.61 FEET; THENCE NORTH 60 DEGREES 50'34" WEST, 51.64 FEET; THENCE NORTH 54 DEGREES 31'49" WEST, 71.55 FEET; THENCE SOUTH 81 DEGREES 39'34" WEST, 24.28 FEET; THENCE SOUTH 61 DEGREES 54'36" WEST, 7.74 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 159.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15 DEGREES 37'09" EAST, 158.69 FEET TO A POINT ON A CURVE; THENCE SOUTH 03 DEGREES 15'50" EAST, 19.93 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC DISTANCE OF 496.69 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 24 DEGREES 37'52" WEST, 477.21 FEET; THENCE SOUTH 52 DEGREES 31'34" WEST, 11.69 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 66.86 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 46 DEGREES 46'37" WEST, 66.65 FEET; THENCE SOUTH 11 DEGREES 39'03" EAST, 20.53 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 790.13 FEET, AN ARC DISTANCE OF 16.82 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 75 DEGREES 52'44" EAST, 16.82 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1312.29 FEET, AN ARC DISTANCE OF 69.93 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 77 DEGREES 44'25" EAST, 69.92 FEET; THENCE SOUTH 82 DEGREES 02'39" EAST, 20.19 FEET; THENCE NORTH 16 DEGREES 22'12" EAST, 18.25 FEET; THENCE NORTH 54 DEGREES 19'42" EAST, 19.33 FEET; THENCE NORTH 81

DEGREES 51'49" EAST, 40.64 FEET; THENCE NORTH 81 DEGREES 32'54" EAST, 49.08 FEET; THENCE (END PAGE 15)

(BEGIN PAGE 16)

NORTH 13 DEGREES 42'40" EAST, A DISTANCE OF 22.56 FEET; THENCE NORTH 68 DEGREES 04'07" EAST, 30.12 FEET; THENCE NORTH 23 DEGREES 09'23" EAST, 69.93 FEET; THENCE NORTH 60 DEGREES 58'32" WEST, 39.27 FEET; THENCE NORTH 19 DEGREES 38'11" EAST, 58.01 FEET; THENCE NORTH 13 DEGREES 11'20" EAST, 6.41 FEET; THENCE NORTH 09 DEGREES 04'43" EAST, A DISTANCE OF 75.48 FEET; THENCE NORTH 16 DEGREES 10'56" WEST, 35.58 FEET; THENCE NORTH 25 DEGREES 49'21" EAST, 51.72 FEET; THENCE NORTH 20 DEGREES 02'12" EAST, 64.13 FEET; THENCE SOUTH 37 DEGREES 30'46" EAST, 30.33 FEET; THENCE NORTH 50 DEGREES 43'13" EAST, 34.76 FEET; THENCE NORTH 76 DEGREES 17'01" EAST, A DISTANCE OF 96.94 FEET; THENCE NORTH 81 DEGREES 07'12" EAST, 75.69 FEET; THENCE NORTH 81 DEGREES 41'54" WEST, 42.94 FEET; THENCE NORTH 50 DEGREES 29'08" EAST, 72.74 FEET; THENCE NORTH 00 DEGREES 52'21" WEST, 56.08 FEET; THENCE NORTH 24 DEGREES 30'14" WEST, 50.64 FEET; THENCE NORTH 35 DEGREES 18'43" WEST, A DISTANCE OF 36.07 FEET; THENCE NORTH 03 DEGREES 38'17" EAST, 29.47 FEET; THENCE NORTH 13 DEGREES 7'23" WEST, 35.35 FEET; THENCE NORTH 53 DEGREES 21'24" WEST, 27.21 FEET; THENCE SOUTH 57 DEGREES 35'51" WEST, 72.29 FEET; THENCE NORTH 05 DEGREES 43'37" WEST, 110.38 FEET; THENCE NORTH 17 DEGREES 20'48" WEST, A DISTANCE OF 39.69 FEET; THENCE NORTH 82 DEGREES 28'23" WEST, 20.92 FEET; THENCE NORTH 06 DEGREES 24'08" EAST, 22.59 FEET; THENCE NORTH 54 DEGREES 34'37" WEST, 38.08 FEET; THENCE NORTH 27 DEGREES 07'19" WEST, 23.05 FEET; THENCE NORTH 36 DEGREES 58'06" EAST, 31.31 FEET; THENCE NORTH 56 DEGREES 27'16" EAST, 21.88 FEET; THENCE NORTH 46 DEGREES 17'20" EAST, 45.90 FEET; THENCE NORTH 83 DEGREES 30'21" EAST, A DISTANCE OF 26.42 FEET; THENCE SOUTH 61 DEGREES 06'15" EAST, 28.05 FEET; THENCE NORTH 74 DEGREES 12'36" EAST, 23.65 FEET; THENCE SOUTH 84 DEGREES 02'56" EAST, 24.59 FEET; THENCE NORTH 55 DEGREES 00'05" EAST, 59.28 FEET; THENCE NORTH 14 DEGREES 26'38" EAST, 335.62 FEET; THENCE NORTH 11 DEGREES 01'51" WEST, A DISTANCE OF 23.95 FEET; THENCE NORTH 14 DEGREES 17'53" WEST, 25.76 FEET; THENCE NORTH 20 DEGREES 37'57" WEST, 21.24 FEET; THENCE NORTH 15 DEGREES 18'10" WEST, 27.87 FEET; THENCE NORTH 18 DEGREES 41'17" WEST, 57.20 FEET; THENCE NORTH 12 DEGREES 39'03" WEST, 165.25 FEET; THENCE NORTH 87 DEGREES 13'49" WEST, 21.97 FEET; THENCE SOUTH 52 DEGREES 16'01" WEST, 40.52 FEET; THENCE SOUTH 74 DEGREES 46'15" WEST, 23.14 FEET; THENCE NORTH 66 DEGREES 33'31" WEST, A DISTANCE OF 18.65 FEET; THENCE NORTH 39 DEGREES 05'04" WEST, 22.08 FEET; THENCE NORTH 54 DEGREES 25'29" WEST, 27.26 FEET; THENCE NORTH 06 DEGREES 49'20" EAST, 43.24 FEET; THENCE NORTH 02 DEGREES 10'59" WEST, 66.84 FEET; THENCE NORTH 44 DEGREES 42'03" EAST, 41.82 FEET; THENCE SOUTH 80 DEGREES 03'44" EAST, 30.92 FEET; THENCE NORTH 65 DEGREES 36'24" EAST, 20.31 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1684.68 FEET, AN ARC DISTANCE OF 52.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 19 DEGREES 54'03" EAST, 52.90 FEET; THENCE NORTH 21 DEGREES 28'45" WEST, 49.73 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 95.50 FEET; SAID CURVE BEING SUBTENDED BY A CHORD BEARING

AND DISTANCE OF NORTH 62 DEGREES 52'11" EAST, 94.39 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1160.00 (END PAGE 16)

(BEGIN PG 17)

FEET, AN ARC DISTANCE OF 217.73 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56 DEGREES 54'47" EAST, 217.41 FEET; THENCE SOUTH 26 DEGREES 14'09" EAST, 16.28 FEET; THENCE NORTH 83 DEGREES 46'22" EAST, 22.12 FEET; THENCE NORTH 23 DEGREES 37'51" EAST, 76.01 FEET; THENCE NORTH 26 DEGREES 04'03" EAST, 39.87 FEET; THENCE NORTH 12 DEGREES 55'23" WEST, 31.20 FEET; THENCE SOUTH 66 DEGREES 10'06" EAST, 18.63 FEET; THENCE SOUTH 64 DEGREES 35'14" EAST, 19.52 FEET; THENCE NORTH 23 DEGREES 30'24" EAST, 38.97 FEET; THENCE SOUTH 82 DEGREES 14'43" EAST, 30.28 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 710.00 FEET, AN ARC DISTANCE OF 810.00 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 70 DEGREES 22'35" WEST, 766.78 FEET; THENCE SOUTH 76 DEGREES 56'28" WEST, 527.44 FEET; THENCE SOUTH 13 DEGREES 03'32" EAST, 103.15 FEET; THENCE SOUTH 32 DEGREES 59'17" WEST, 91.18 FEET; THENCE SOUTH 64 DEGREES 55'56" WEST, 183.72 FEET; THENCE SOUTH 58 DEGREES 07'51" WEST, 93.88 FEET; THENCE NORTH 71 DEGREES 29'22" WEST, 76.57 FEET; THENCE NORTH 77 DEGREES 42'56" WEST, 32.46 FEET; THENCE SOUTH 50 DEGREES 41'29" WEST, 300.09 FEET; THENCE SOUTH 66 DEGREES 14'00" WEST, 139.60 FEET; THENCE SOUTH 46 DEGREES 28'00" WEST, 60.87 FEET; THENCE SOUTH 26 DEGREES 41'59" WEST, 200.14 FEET; THENCE SOUTH 35 DEGREES 51'46" WEST, 146.50 FEET; THENCE SOUTH 45 DEGREES 01'33" WEST, 200.32 FEET; THENCE SOUTH 59 DEGREES 55'26" WEST, 197.51 FEET; THENCE SOUTH 75 DEGREES 49'41" WEST, 103.16 FEET; THENCE SOUTH 53 DEGREES 48'25" WEST, 66.41 FEET; THENCE SOUTH 64 DEGREES 36'09" WEST, 59.33 FEET; THENCE SOUTH 72 DEGREES 39'57" WEST, 59.64 FEET; THENCE SOUTH 74 DEGREES 39'31" WEST, 52.35 FEET; THENCE SOUTH 79 DEGREES 23'32" WEST, 56.75 FEET; THENCE SOUTH 70 DEGREES 16'59" WEST, 63.01 FEET; THENCE SOUTH 56 DEGREES 47'27" WEST, 70.15 FEET; THENCE SOUTH 47 DEGREES 54'07" WEST, 18.03 FEET; THENCE SOUTH 35 DEGREES 04'32" WEST, 13.52 FEET; THENCE SOUTH 44 DEGREES 26'45" WEST, 18.93 FEET; THENCE SOUTH 49 DEGREES 23'33" WEST, 22.56 FEET; THENCE SOUTH 50 DEGREES 04'08" WEST, 10.63 FEET; THENCE SOUTH 51 DEGREES 10'03" WEST, 43.29 FEET; THENCE SOUTH 52 DEGREES 34'35" WEST, 25.85 FEET; THENCE SOUTH 54 DEGREES 04'51" WEST, 47.89 FEET; THENCE SOUTH 55 DEGREES 30'07" WEST, 21.89 FEET; THENCE SOUTH 56 DEGREES 26'21" WEST, 52.19 FEET; THENCE SOUTH 58 DEGREES 39'41" WEST, 73.42 FEET; THENCE SOUTH 51 DEGREES 40'32" WEST, 50.52 FEET; THENCE SOUTH 50 DEGREES 51'58" WEST, 28.49 FEET; THENCE SOUTH 47 DEGREES 35'03" WEST, 21.36 FEET; THENCE SOUTH 36 DEGREES 10'24" WEST, 172.72 FEET TO THE POINT OF BEGINNING

PARCEL 2A CONTAINING 532.20 ACRES, MORE OR LESS.

LESS AND EXCEPT:

EXCEPTION NO. 1

A PART OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

(END PG 17)

(BEGIN PG 18)

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 2 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01 DEGREES 06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.16 FEET; THENCE NORTH 00 DEGREES 50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1636.96 FEET; THENCE CONTINUE NORTH 00 DEGREES 50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00 DEGREES 48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 877.21 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED E-15-2002); THENCE NORTH 51 DEGREES 02'28" EAST, ALONG SAID LINE 4431.39 FEET; THENCE SOUTH 30 DEGREES 56'32" EAST, 608.77 FEET TO A POINT ON A CURVE AND THE POINT OF BEGINNING; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1609.04 FEET, AN ARC DISTANCE OF 463.90 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 30 DEGREES 15'58" EAST, 462.29 FEET; THENCE SOUTH 21 DEGREES 15'40" EAST, 120.17 FEET; THENCE SOUTH 73 DEGREES 05'18" WEST, 116.34 FEET; THENCE SOUTH 76 DEGREES 10'34" WEST, 67.91 FEET; THENCE SOUTH 47 DEGREES 10'07" WEST, 51.81 FEET; THENCE SOUTH 46 DEGREES 42'30" WEST, 44.81 FEET; THENCE SOUTH 54 DEGREES 57'53" WEST, 47.29 FEET; THENCE SOUTH 28 DEGREES 17'41" EAST, 46.20 FEET; THENCE SOUTH 10 DEGREES 39'57" WEST, 55.71 FEET; THENCE SOUTH 23 DEGREES 05'34" EAST, 37.42 FEET; THENCE SOUTH 07 DEGREES 38'19" WEST, 45.40 FEET; THENCE SOUTH 13 DEGREES 24'52" WEST, 54.07 FEET; THENCE SOUTH 02 DEGREES 34'12" WEST, 56.64 FEET; THENCE SOUTH 05 DEGREES 07'56" WEST, 12.56 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1272.35 FEET, AN ARC DISTANCE OF 280.58 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 86 DEGREES 45'44" WEST, 280.01 FEET; THENCE NORTH 37 DEGREES 05'12" WEST, 11.29 FEET; THENCE NORTH 19 DEGREES 20'22" WEST, 58.56 FEET; THENCE NORTH 59 DEGREES 53'36" WEST, 51.40 FEET; THENCE SOUTH 62 DEGREES 50'47" WEST, 38.08 FEET; THENCE SOUTH 84 DEGREES 44'55" WEST, 9.35 FEET; THENCE NORTH 74 DEGREES 47'52" WEST, 50.36 FEET; THENCE NORTH 64 DEGREES 20'15" WEST, 57.18 FEET; THENCE NORTH 35 DEGREES 22'15" WEST, 198.79 FEET; THENCE NORTH 05 DEGREES 11'45" EAST, 72.05 FEET; THENCE NORTH 44 DEGREES 42'34" EAST, 875.43 FEET TO THE POINT OF BEGINNING.

EXCEPTION NO. 1 CONTAINING 10.60 ACRES, MORE OR LESS.

FURTHER LESS AND EXCEPT

EXCEPTION NO. 2

(END PG 18)

(BEGIN PG 19)

A PART OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89 DEGREES 33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHEAST CORNER OF SAID SECTION 15; THENCE NORTH 00 DEGREES 57'01" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 15, A DISTANCE OF 5365.34 FEET TO THE SOUTHEAST CORNER OF SECTION 10 TOWNSHIP 5 SOUTH, RANGE 28 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 00 DEGREES 55'25" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 10, A DISTANCE OF 860.39 FEET; THENCE SOUTH 89 DEGREES 04'35" WEST, 459.86 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 89 DEGREES 25'52" WEST, 116.25 FEET; THENCE NORTH 68 DEGREES 27'34" WEST, 61.82 FEET; THENCE SOUTH 78 DEGREES 55'04" WEST, 63.26 FEET; THENCE NORTH 71 DEGREES 01'11" WEST, 50.55 FEET; THENCE NORTH 68 DEGREES 52'33" WEST, 53.34 FEET; THENCE NORTH 30 DEGREES 31'41" WEST, 38.30 FEET; THENCE SOUTH 83 DEGREES 27'34" WEST, 31.46 FEET; THENCE SOUTH 66 DEGREES 34'36" WEST, 45.04 FEET; THENCE SOUTH 62 DEGREES 53'24" WEST, 75.65 FEET; THENCE NORTH 28 DEGREES 40'41" WEST, 32.48 FEET; THENCE NORTH 42 DEGREES 20'57" WEST, 47.30 FEET; THENCE NORTH 65 DEGREES 45'24" WEST, 36.32 FEET; THENCE NORTH 06 DEGREES 43'41" EAST, 54.08 FEET; THENCE NORTH 40 DEGREES 49'29" EAST, 47.80 FEET; THENCE NORTH 03 DEGREES 50'21" WEST, 32.50 FEET; THENCE NORTH 74 DEGREES 25'28" WEST, 40.69 FEET; THENCE NORTH 83 DEGREES 13'17" WEST, 29.49 FEET; THENCE SOUTH 89 DEGREES 52'21" WEST, 83.68 FEET; THENCE NORTH 33 DEGREES 34'43" WEST, 59.14 FEET; THENCE NORTH 70 DEGREES 50'40" WEST, 57.87 FEET; THENCE NORTH 81 DEGREES 40'25" WEST, 38.44 FEET; THENCE SOUTH 82 DEGREES 03'24" WEST, 41.84 FEET; THENCE SOUTH 35 DEGREES 29'37" WEST, 54.17 FEET; THENCE NORTH 83 DEGREES 48'39" WEST, 61.83 FEET; THENCE NORTH 27 DEGREES 48'28" WEST, 46.64 FEET; THENCE NORTH 52 DEGREES 48'33" WEST, 50.11 FEET; THENCE SOUTH 45 DEGREES 32'37" WEST, 25.64 FEET; THENCE SOUTH 25 DEGREES 34'43" EAST, 35.59 FEET; THENCE SOUTH 25 DEGREES 14'52" WEST, 38.21 FEET; THENCE SOUTH 24 DEGREES 14'11" WEST, 52.72 FEET; THENCE SOUTH 06 DEGREES 04'52" WEST, 59.22 FEET; THENCE SOUTH 22 DEGREES 50'27" WEST, 61.14 FEET; THENCE SOUTH 54 DEGREES 59'32" WEST, 76.83 FEET; THENCE SOUTH 48 DEGREES 05'07" WEST, 70.52 FEET; THENCE SOUTH 80 DEGREES 43'17" WEST, 42.83 FEET; THENCE SOUTH 71 DEGREES 41'15" WEST, 49.86 FEET; THENCE NORTH 86 DEGREES 27'44" WEST, 41.24 FEET; THENCE NORTH 60 DEGREES 46'08" WEST, 23.85 FEET; THENCE SOUTH 19 DEGREES 24'18" WEST, 30.71 FEET; THENCE SOUTH 22 DEGREES 06'50" EAST, 32.04 FEET; THENCE SOUTH 31 DEGREES 07'02" EAST, 113.00 FEET; THENCE SOUTH 56 DEGREES 45'21" EAST, 38.92 FEET; THENCE SOUTH 57 DEGREES 29'01" EAST, 39.91 FEET; THENCE NORTH 32 DEGREES 45'26" EAST, 28.92 FEET; THENCE NORTH 22 DEGREES 47'34" WEST, 33.12 FEET; THENCE NORTH 51 DEGREES 13'46" EAST, 61.19 FEET; THENCE NORTH 76 DEGREES 05'04" EAST, 84.88 FEET; THENCE SOUTH 72 DEGREES 29'57" EAST, 83.40 FEET; THENCE SOUTH 55 DEGREES 38'16" EAST, 37.30 FEET; THENCE NORTH 70 DEGREES 12'10" EAST, 64.95 FEET; THENCE SOUTH 17 DEGREES 43'11" EAST, 84.52 FEET; THENCE SOUTH 09 DEGREES 20'07" EAST, 45.31 FEET; THENCE SOUTH 14 DEGREES 58'08" WEST, 6.83 FEET; THENCE SOUTH 42 DEGREES 50'49" WEST, 25.78 FEET;

(END PG 19)

(BEGIN PG 20)

THENCE SOUTH 60 DEGREES 42'57" WEST, 213.00 FEET; THENCE SOUTH 74 DEGREES 53'38" WEST, 189.70 FEET; THENCE NORTH 82 DEGREES 14'43" WEST, 48.73 FEET TO A POINT ON A CURVE; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 790.00 FEET, AN ARC DISTANCE OF 519.60 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 50 DEGREES 54'48" WEST, 510.28 FEET; THENCE NORTH 05 DEGREES 58'43" WEST, 184.43 FEET; THENCE NORTH 52 DEGREES 36'52" EAST, 13.24 FEET; THENCE SOUTH 86 DEGREES 21'56" EAST, 89.66 FEET; THENCE NORTH 65 DEGREES 59'28" EAST, 31.53 FEET; THENCE NORTH 19 DEGREES 27'52" EAST, 46.82 FEET; THENCE NORTH 32 DEGREES 14'49" EAST, 48.74 FEET; THENCE NORTH 89 DEGREES 28'13" EAST, 21.74 FEET; THENCE SOUTH 83 DEGREES 16'27" EAST, 45.51 FEET; THENCE NORTH 20 DEGREES 11'21" EAST, 34.30 FEET; THENCE NORTH 45 DEGREES 45'44" EAST, 46.60 FEET; THENCE NORTH 81 DEGREES 04'28" EAST, 55.78 FEET; THENCE NORTH 87 DEGREES 09'34" EAST, 57.67 FEET; THENCE NORTH 83 DEGREES 22'39" EAST, 27.36 FEET; THENCE NORTH 09 DEGREES 44'02" EAST, 59.17 FEET; THENCE NORTH 11 DEGREES 08'47" WEST, 46.58 FEET; THENCE NORTH 00 DEGREES 56'48" EAST, 135.68 FEET; THENCE SOUTH 88 DEGREES 08'35" EAST, 177.99 FEET; THENCE NORTH 89 DEGREES 53'25" EAST, 108.14 FEET; THENCE NORTH 85 DEGREES 03'50" EAST, 0.29 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 360.06 FEET, AN ARC DISTANCE OF 155.21 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND NORTH 72 DEGREES 41'23" EAST, 154.01 FEET; THENCE SOUTH 79 DEGREES 30'03" EAST, 21.56 FEET; THENCE NORTH 71 DEGREES 53'31" EAST, 29.66 FEET; THENCE SOUTH 74 DEGREES 59'41" EAST, 73.71 FEET; THENCE SOUTH 06 DEGREES 30'36" EAST, 32.40 FEET; THENCE SOUTH 75 DEGREES 49'08" EAST, 53.24 FEET; THENCE NORTH 55 DEGREES 20'09" EAST, 41.65 FEET; THENCE SOUTH 83 DEGREES 05'32" EAST, 52.07 FEET; THENCE NORTH 84 DEGREES 41'09" EAST, 28.55 FEET; THENCE SOUTH 55 DEGREES 36'34" EAST, 36.87 FEET; THENCE SOUTH 37 DEGREES 53'24" EAST, 24.99 FEET; THENCE SOUTH 05 DEGREES 06'56" WEST, 38.84 FEET; THENCE SOUTH 19 DEGREES 54'24" EAST, 39.84 FEET; THENCE SOUTH 34 DEGREES 32'40" EAST, 78.21 FEET; THENCE SOUTH 16 DEGREES 20'40" EAST, 50.25 FEET; THENCE SOUTH 14 DEGREES 09'30" EAST, 26.17 FEET; THENCE SOUTH 75 DEGREES 56'46" EAST, 53.42 FEET; THENCE NORTH 81 DEGREES 07'30" EAST, 89.00 FEET; THENCE NORTH 75 DEGREES 27'20" EAST, 54.79 FEET; THENCE NORTH 54 DEGREES 17'31" EAST, 84.74 FEET; THENCE NORTH 37 DEGREES 51'28" EAST, 88.70 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 810.03 FEET, AN ARC DISTANCE OF 450.27 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND SOUTH 28 DEGREES 44'10" EAST, 444.49 FEET TO THE POINT OF BEGINNING.

EXCEPTION NO. 2 CONTAINING 15.16 ACRES, MORE OR LESS.

CONTAINING A NET AREA OF 506.42 ACRES, MORE OR LESS.
(END PG 20)

(BEGIN PAGE 21)
PARCEL 2B

A PART OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 26 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:
 COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 26 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89 DEGREES 33'57" EAST, ALONG THE SOUTHERLY LINE OF SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHWEST CORNER OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 26 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 89 DEGREES 33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 14, A DISTANCE OF 1452.89 FEET TO THE POINT OF BEGINNING; THENCE NORTH 38 DEGREES 52'20" EAST, 63.31 FEET; THENCE NORTH 44 DEGREES 49'01" EAST, 29.78 FEET; THENCE NORTH 72 DEGREE 40'16" EAST, 47.27 FEET; THENCE NORTH 31 DEGREES 52'49" EAST, 69.76 FEET; THENCE NORTH 47 DEGREES 23'05" EAST, 45.40 FEET; THENCE NORTH 27 DEGREES 58'36" EAST, 45.91 FEET; THENCE NORTH 16 DEGREES 34'20" EAST, 43.08 FEET; THENCE NORTH 24 DEGREES 57'47" WEST, 24.92 FEET; THENCE NORTH 11 DEGREES 25'25" WEST, 20.73 FEET; THENCE NORTH 58 DEGREES 01'14" WEST, 57.11 FEET; THENCE NORTH 20 DEGREES 48'00" WEST, 31.83 FEET; THENCE NORTH 75 DEGREES 19'49" WEST, 17.52 FEET; THENCE NORTH 27 DEGREES 26'18" EAST, 43.75 FEET; THENCE NORTH 29 DEGREES 38'24" EAST, 32.06 FEET; THENCE NORTH 18 DEGREES 42'20" EAST, 55.49 FEET; THENCE NORTH 29 DEGREES 30'32" EAST, 50.21 FEET; THENCE NORTH 51 DEGREES 17'19" EAST, 51.79 FEET; THENCE NORTH 16 DEGREES 13'46" EAST, 73.70 FEET; THENCE NORTH 36 DEGREES 14'59" EAST, 60.35 FEET; THENCE NORTH 10 DEGREES 42'59" WEST, 46.27 FEET; THENCE NORTH 24 DEGREES 30'16" EAST, 51.08 FEET; THENCE NORTH 31 DEGREES 31'17" EAST, 52.49 FEET; THENCE NORTH 24 DEGREES 27'12" EAST, 57.13 FEET; THENCE NORTH 09 DEGREES 17'16" EAST, 43.91 FEET; THENCE NORTH 35 DEGREES 50'56" EAST, 65.53 FEET; THENCE NORTH 37 DEGREES 49'46" EAST, 56.93 FEET; THENCE NORTH 55 DEGREES 51'39" EAST, 65.21 FEET; THENCE NORTH 25 DEGREES 25'00" EAST, 67.87 FEET; THENCE NORTH 20 DEGREES 43'13" EAST, 56.18 FEET; THENCE NORTH 20 DEGREES 57'34" EAST, 43.73 FEET; THENCE NORTH 18 DEGREES 56'29" EAST, 84.00 FEET; THENCE NORTH 04 DEGREES 21'18" EAST, 56.75 FEET; THENCE NORTH 09 DEGREES 50'31" EAST, 53.67 FEET; THENCE NORTH 10 DEGREES 18'42" WEST, 96.38 FEET; THENCE NORTH 32 DEGREES 02'28" WEST, 44.24 FEET; THENCE NORTH 16 DEGREES 26'19" WEST, 52.99 FEET; THENCE NORTH 81 DEGREES 56'46" WEST, 28.51 FEET; THENCE SOUTH 47 DEGREES 17'31" WEST, 18.92 FEET; THENCE NORTH 19 DEGREES 27'13" WEST, 65.20 FEET; THENCE NORTH 06 DEGREES 16'44" WEST, 65.64 FEET; THENCE NORTH 16 DEGREES 19'52" EAST, 41.76 FEET; THENCE NORTH 13 DEGREES 34'44" EAST, 67.74 FEET; THENCE NORTH 73 DEGREES 59'20" EAST, 42.49 FEET; THENCE NORTH 71 DEGREES 20'10" EAST, 24.86 FEET; THENCE NORTH 11 DEGREES 39'48" EAST, 38.46 FEET; THENCE NORTH 27 DEGREES 08'14" EAST, 29.69 FEET; THENCE NORTH 59 DEGREES 10'02" EAST, 66.97 FEET; THENCE NORTH 42 DEGREES 10'40" EAST, 37.90 FEET; THENCE NORTH 25 DEGREES 49'19" EAST, 63.54 FEET; THENCE NORTH 54 DEGREES 00'36" EAST, 76.36 FEET; THENCE NORTH 54 DEGREES 28'53" EAST, 58.75 FEET; THENCE NORTH 58 DEGREES 54'45" EAST, 63.95 FEET; THENCE NORTH 67 DEGREES 02'02" EAST, 61.51 FEET; THENCE NORTH 63 DEGREES 47'19" EAST, 47.37 FEET;
 (END OF PAGE 21)

(BEGIN PG 22)
 THENCE NORTH 16 DEGREES 05'47" WEST, 52.45 FEET TO A POINT ON CURVE;
 THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE,
 CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 360.00 FEET AN ARC

DISTANCE OF 86.11 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09 DEGREES 14'37" WEST, 85.91 FEET TO A POINT OF REVERSE CURVATURE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 140.00 FEET AN ARC DISTANCE OF 24.52 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 07 DEGREES 24'34" WEST, 24.49 FEET; THENCE SOUTH 04 DEGREES 45'13" EAST, 123.11 FEET TO A POINT ON A CURVE; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 263.51 FEET AN ARC DISTANCE OF 65.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 08 DEGREES 30'37" EAST, 65.27 FEET TO A POINT OF COMPOUND CURVATURE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 5219.76 FEET AN ARC DISTANCE OF 54.79 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 16 DEGREES 12'27" EAST, 54.79 FEET; THENCE SOUTH 15 DEGREES 25'27" EAST, 9.06 FEET; THENCE SOUTH 16 DEGREES 05'47" EAST, 11.06 FEET; THENCE NORTH 79 DEGREES 00'30" EAST, 9.82 FEET; THENCE NORTH 22 DEGREES 05'15" EAST, 4.95 FEET; THENCE NORTH 38 DEGREES 33'48" EAST, 22.76 FEET; THENCE SOUTH 69 DEGREES 14'40" EAST, 41.30 FEET; THENCE NORTH 36 DEGREES 54'33" EAST, 32.11 FEET; THENCE NORTH 36 DEGREES 54'33" EAST, 10.03 FEET; THENCE SOUTH 74 DEGREES 16'50" EAST, 63.77 FEET; THENCE NORTH 63 DEGREES 07'36" EAST, 39.30 FEET; THENCE SOUTH 85 DEGREES 46'42" EAST, 70.32 FEET; THENCE NORTH 88 DEGREES 29'35" EAST, 59.24 FEET; THENCE SOUTH 73 DEGREES 10'56" EAST, 38.89 FEET; THENCE SOUTH 51 DEGREES 37'55" EAST, 42.97 FEET; THENCE SOUTH 49 DEGREES 09'17" EAST, 42.27 FEET; THENCE SOUTH 55 DEGREES 48'05" EAST, 37.32 FEET; THENCE SOUTH 48 DEGREES 21'48" EAST, 53.12 FEET; THENCE SOUTH 30 DEGREES 59'06" EAST, 14.17 FEET; THENCE SOUTH 30 DEGREES 59'05" EAST, 33.48 FEET; THENCE SOUTH 42 DEGREES 11'29" EAST, 55.26 FEET; THENCE SOUTH 38 DEGREES 14'08" EAST, 45.52 FEET; THENCE SOUTH 61 DEGREES 55'29" EAST, 45.96 FEET; THENCE SOUTH 61 DEGREES 55'29" EAST, 6.34 FEET; THENCE SOUTH 81 DEGREES 37'54" EAST, 45.38 FEET; THENCE SOUTH 14 DEGREES 57'13" EAST, 45.09 FEET; THENCE SOUTH 61 DEGREES 46'14" EAST, 51.00 FEET; THENCE SOUTH 80 DEGREES 16'21" EAST, 67.20 FEET; THENCE SOUTH 03 DEGREES 38'29" WEST, 40.24 FEET; THENCE SOUTH 69 DEGREES 18'10" EAST, 30.62 FEET; THENCE SOUTH 53 DEGREES 03'52" EAST, 79.78 FEET; THENCE SOUTH 81 DEGREES 23'48" EAST, 34.53 FEET; THENCE SOUTH 84 DEGREES 33'05" EAST, 37.16 FEET; THENCE SOUTH 66 DEGREES 22'32" EAST, 55.47 FEET; THENCE SOUTH 41 DEGREES 22'04" EAST, 42.68 FEET; THENCE SOUTH 45 DEGREES 03'34" EAST, 51.19 FEET; THENCE SOUTH 66 DEGREES 17'21" EAST, 40.33 FEET; THENCE SOUTH 82 DEGREES 51'42" EAST, 34.58 FEET; THENCE SOUTH 72 DEGREES 23'02" EAST, 54.68 FEET; THENCE SOUTH 69 DEGREES 02'07" EAST, 49.58 FEET; THENCE SOUTH 38 DEGREES 09'54" EAST, 61.47 FEET; THENCE SOUTH 72 DEGREES 46'04" EAST, 63.33 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 163.71 FEET, AN ARC DISTANCE OF 60.96 FEET, SAID ARC BEING

(END OF PAGE 22)

(BEGIN PG 23)
 SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43 DEGREES 27'26" EAST, 60.61 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A

RADIUS OF 180.00 FEET AN ARC DISTANCE OF 141.89 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15 DEGREES 33'18" EAST, 138.25 FEET; THENCE NORTH 42 DEGREES 33'03" WEST, 14.67 FEET; THENCE NORTH 53 DEGREES 34'16" WEST, 69.31 FEET; THENCE NORTH 01 DEGREES 52'16" WEST, 26.55 FEET; THENCE NORTH 65 DEGREES 07'30" EAST, 21.80 FEET; THENCE NORTH 32 DEGREES 22'06" EAST, 24.94 FEET; THENCE SOUTH 82 DEGREES 26'27" EAST, 41.28 FEET; THENCE NORTH 87 DEGREES 39'31" EAST, 41.61 FEET; THENCE SOUTH 65 DEGREES 25'23" EAST, 36.82 FEET; THENCE NORTH 65 DEGREES 34'44" EAST, 43.74 FEET; THENCE NORTH 32 DEGREES 32'47" EAST, 54.74 FEET; THENCE NORTH 00 DEGREES 14'56" WEST, 64.46 FEET; THENCE NORTH 72 DEGREES 30'27" EAST, 26.69 FEET; THENCE SOUTH 01 DEGREES 33'55" WEST, 72.47 FEET; THENCE SOUTH 36 DEGREES 58'36" EAST, 42.78 FEET; THENCE SOUTH 70 DEGREES 31'05" WEST, 25.58 FEET; THENCE SOUTH 84 DEGREES 31'21" EAST, 1.08 FEET TO A POINT OF CURVATURE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 205.44 FEET, AN ARC DISTANCE OF 87.04 FEET; SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 57 DEGREES 59'28" EAST, 86.39 FEET; THENCE SOUTH 73 DEGREES 26'55" EAST, 17.32 FEET; THENCE SOUTH 69 DEGREES 39'18" EAST, 25.34 FEET; THENCE SOUTH 36 DEGREES 22'40" EAST, 30.55 FEET; THENCE NORTH 87 DEGREES 50'30" EAST, 49.25 FEET; THENCE SOUTH 24 DEGREES 42'36" EAST, 50.10 FEET; THENCE SOUTH 17 DEGREES 29'47" EAST, 53.31 FEET; THENCE SOUTH 68 DEGREES 19'24" WEST, 56.50 FEET; THENCE SOUTH 59 DEGREES 58'07" WEST, 42.03 FEET; THENCE SOUTH 45 DEGREES 52'05" WEST, 37.28 FEET; THENCE SOUTH 89 DEGREES 46'12" EAST, 79.52 FEET; THENCE SOUTH 88 DEGREES 52'34" EAST, 59.46 FEET; THENCE SOUTH 15 DEGREES 58'11" EAST, 36.37 FEET; THENCE SOUTH 01 DEGREES 07'14" EAST, 57.89 FEET; THENCE SOUTH 35 DEGREES 50'16" WEST, 41.38 FEET; THENCE NORTH 79 DEGREES 09'49" WEST, 70.92 FEET; THENCE NORTH 55 DEGREES 13'55" WEST, 56.14 FEET; THENCE NORTH 62 DEGREES 13'06" WEST, 28.14 FEET; THENCE NORTH 49 DEGREES 20'15" WEST, 11.87 FEET; THENCE SOUTH 44 DEGREES 56'46" WEST, 3.24 FEET; THENCE SOUTH 23 DEGREES 47'58" WEST, 2.95 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET, AN ARC DISTANCE OF 257.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 39 DEGREES 19'48" WEST, 254.20 FEET; THENCE SOUTH 31 DEGREES 44'46" EAST, 47.17 FEET; THENCE SOUTH 14 DEGREES 26'26" WEST, 63.82 FEET; THENCE SOUTH 16 DEGREES 25'57" EAST, 60.80 FEET; THENCE SOUTH 51 DEGREES 39'28" EAST, 66.50 FEET; THENCE SOUTH 01 DEGREES 40'05" WEST, 66.34 FEET; THENCE SOUTH 35 DEGREES 46'56" EAST, 22.96 FEET; THENCE SOUTH 37 DEGREES 46'30" WEST, 34.45 FEET; THENCE SOUTH 34 DEGREES 58'54" WEST, 15.38 FEET; THENCE SOUTH 34 DEGREES 45'23" WEST, 9.50 FEET; THENCE SOUTH 57 DEGREES 41'39" EAST, 33.74 FEET; THENCE SOUTH 30 DEGREES 41'54" WEST, 98.92 FEET; THENCE SOUTH 64 DEGREES 13'04" EAST, 18.04 FEET; THENCE SOUTH 66 DEGREES 51'19" EAST, 17.40 FEET TO A POINT OF CURVATURE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 385.00 (END PAGE 23)

(BEGIN PG 24)
 FEET, AN ARC DISTANCE OF 105.25 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 75 DEGREES 58'50" EAST, 104.90 FEET; THENCE NORTH 06 DEGREES 14'57" EAST, 110.00 FEET TO A POINT ON A CURVE;

THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 275.00 FEET AN ARC DISTANCE OF 275.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 67 DEGREES 29'40" EAST, 263.88 FEET; THENCE NORTH 07 DEGREES 23'47" EAST, 17.40 FEET; THENCE NORTH 39 DEGREES 50'33" EAST, 47.17 FEET; THENCE NORTH 60 DEGREES 48'10" WEST, 14.70 FEET; THENCE NORTH 40 DEGREES 05'10" WEST, 30.64 FEET; THENCE SOUTH 88 DEGREES 56'46" WEST, 27.13 FEET; THENCE NORTH 57 DEGREES 48'27" WEST, 29.57 FEET; THENCE NORTH 17 DEGREES 34'46" EAST, 37.52 FEET; THENCE NORTH 13 DEGREES 52'07" EAST, 55.55 FEET; THENCE NORTH 59 DEGREES 56'06" EAST, 16.61 FEET; THENCE NORTH 01 DEGREES 30'46" EAST, 64.31 FEET; THENCE NORTH 69 DEGREES 22'30" WEST, 96.98 FEET; THENCE NORTH 01 DEGREES 53'34" EAST, 67.76 FEET; THENCE NORTH 08 DEGREES 15'11" WEST, 61.43 FEET; THENCE NORTH 23 DEGREES 45'27" EAST, 34.72 FEET; THENCE NORTH 37 DEGREES 39'48" EAST, 49.26 FEET; THENCE NORTH 14 DEGREES 18'43" WEST, 39.90 FEET; THENCE NORTH 01 DEGREES 12'40" EAST, 31.46 FEET; THENCE NORTH 87 DEGREES 07'05" EAST, 42.81 FEET; THENCE NORTH 00 DEGREES 55'22" WEST, 116.78 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.97 FEET AN ARC DISTANCE OF 308.24 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09 DEGREES 12'30" EAST, 271.93 FEET; THENCE NORTH 10 DEGREES 35'09" WEST, 23.41 FEET; THENCE NORTH 37 DEGREES 47'21" WEST, 131.34 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 67.95 FEET AN ARC DISTANCE OF 53.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15 DEGREES 22'22" WEST, 51.82 FEET; THENCE NORTH 07 DEGREES 01'36" EAST, 76.85 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 12.01 FEET AN ARC DISTANCE OF 6.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09 DEGREES 06'51" WEST, 6.67 FEET; THENCE NORTH 25 DEGREES 15'10" WEST, 49.28 FEET; THENCE NORTH 88 DEGREES 31'52" EAST, 252.15 FEET; THENCE SOUTH 87 DEGREES 42'34" EAST, 125.74 FEET; THENCE SOUTH 01 DEGREES 04'11" EAST, 2361.13 FEET; THENCE SOUTH 89 DEGREES 33'57" WEST, 972.15 FEET; THENCE NORTH 52 DEGREES 31'43" EAST, 16.14 FEET; THENCE NORTH 48 DEGREES 29'24" EAST, 52.45 FEET; THENCE NORTH 07 DEGREES 12'10" EAST, 27.89 FEET; THENCE NORTH 28 DEGREES 43'22" WEST, 30.25 FEET; THENCE NORTH 09 DEGREES 36'38" WEST, 36.42 FEET; THENCE NORTH 04 DEGREES 29'31" EAST, 47.78 FEET; THENCE NORTH 40 DEGREES 49'25" EAST, 39.75 FEET; THENCE NORTH 32 DEGREES 20'46" EAST, 53.71 FEET; THENCE NORTH 09 DEGREES 05'34" EAST, 16.49 FEET; THENCE NORTH 36 DEGREES 55'42" EAST, 30.52 FEET; THENCE NORTH 74 DEGREES 01'00" EAST, 26.05 FEET; THENCE SOUTH 87 DEGREES 01'18" EAST, 2.27 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 205.00 FEET, AN ARC DISTANCE OF 139.03 FEET, SAID ARC BEING

(END PG 24)

(BEGIN PG 25)
 SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56 DEGREES 21'41" EAST, 136.38 FEET; THENCE NORTH 11 DEGREES 44'18" EAST, 53.88 FEET; THENCE NORTH 55 DEGREES 00'43" WEST, 28.88 FEET; THENCE NORTH 75 DEGREES 57'17"

WEST, 23.16 FEET; THENCE NORTH 24 DEGREES 01'13" EAST, 50.44 FEET; THENCE NORTH 37 DEGREES 10'28" WEST, 25.85 FEET; THENCE NORTH 15 DEGREES 21'16" WEST, 50.10 FEET; THENCE NORTH 13 DEGREES 49'06" EAST, 59.85 FEET; THENCE NORTH 44 DEGREES 31'38" EAST, 37.37 FEET; THENCE NORTH 21 DEGREES 32'55" WEST, 45.31 FEET; THENCE NORTH 27 DEGREES 15'55" WEST, 26.02 FEET; THENCE SOUTH 83 DEGREES 17'54" WEST, 26.71 FEET; THENCE NORTH 79 DEGREES 55'45" WEST, 47.06 FEET; THENCE NORTH 45 DEGREES 42'49" WEST, 24.58 FEET; THENCE NORTH 17 DEGREES 46'11" EAST, 18.53 FEET; THENCE NORTH 72 DEGREES 13'49" WEST, 1.81 FEET; THENCE NORTH 62 DEGREES 56'00" WEST, 3.04 FEET; THENCE NORTH 62 DEGREES 29'03" WEST, 1.48 FEET; THENCE NORTH 61 DEGREES 29'02" WEST, 13.04 FEET; THENCE NORTH 59 DEGREES 41'40" WEST, 12.92 FEET; THENCE NORTH 58 DEGREES 05'39" WEST, 10.29 FEET; THENCE NORTH 13 DEGREES 39'22" EAST, 2.51 FEET; THENCE SOUTH 65 DEGREES 10'27" WEST, 24.05 FEET; THENCE SOUTH 29 DEGREES 37'43" EAST, 27.39 FEET; THENCE SOUTH 12 DEGREES 18'32" WEST, 29.70 FEET; THENCE NORTH 71 DEGREES 34'43" WEST, 24.03 FEET; THENCE NORTH 00 DEGREES 43'28" EAST, 64.29 FEET; THENCE SOUTH 45 DEGREES 52'16" WEST, 34.23 FEET; THENCE SOUTH 43 DEGREES 13'52" WEST, 50.03 FEET; THENCE SOUTH 66 DEGREES 52'17" WEST, 35.04 FEET; THENCE SOUTH 84 DEGREES 25'24" WEST, 52.28 FEET; THENCE NORTH 69 DEGREES 34'18" WEST, 25.65 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 600.00 FEET AN ARC DISTANCE OF 95.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 02 DEGREES 37'43" EAST, 96.70 FEET; THENCE NORTH 61 DEGREES 20'07" EAST, 20.80 FEET; THENCE SOUTH 20 DEGREES 24'39" EAST, 46.89 FEET; THENCE SOUTH 62 DEGREES 40'20" EAST, 44.79 FEET; THENCE SOUTH 71 DEGREES 16'16" EAST, 36.11 FEET; THENCE SOUTH 53 DEGREES 39'57" EAST, 52.35 FEET; THENCE SOUTH 15 DEGREES 38'11" EAST, 27.11 FEET; THENCE SOUTH 46 DEGREES 09'31" EAST, 18.32 FEET; THENCE SOUTH 04 DEGREES 14'13" EAST, 37.37 FEET; THENCE SOUTH 30 DEGREES 14'14" WEST, 19.95 FEET; THENCE NORTH 46 DEGREES 45'14" WEST, 43.18 FEET; THENCE SOUTH 18 DEGREES 57'47" WEST, 3.54 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 184.42 FEET, AN ARC DISTANCE OF 72.53 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 04 DEGREES 28'19" WEST, 72.06 FEET; THENCE SOUTH 25 DEGREES 34'01" EAST, 9.18 FEET; THENCE SOUTH 81 DEGREES 25'46" EAST, 34.58 FEET; THENCE SOUTH 13 DEGREES 32'35" WEST, 113.26 FEET; THENCE SOUTH 25 DEGREES 16'07" WEST, 43.75 FEET; THENCE NORTH 59 DEGREES 19'06" WEST, 52.27 FEET; THENCE NORTH 68 DEGREES 44'34" WEST, 43.03 FEET; THENCE SOUTH 82 DEGREES 04'22" WEST, 45.28 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 179.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 73 DEGREES 01'54" WEST, 172.14 FEET; THENCE SOUTH 67 DEGREES 45'29" WEST, 52.13 FEET; THENCE NORTH 43 DEGREES 43'04" WEST, 40.32 FEET; THENCE NORTH 47 DEGREES 03'45" WEST, 56.01 FEET; THENCE NORTH 18 DEGREES 14'57" WEST, 24.86

(END PG 25)

(BEGIN PG 26)

FEET; THENCE NORTH 34 DEGREES 51'24" EAST, 61.26 FEET; THENCE NORTH 06 DEGREES 45'17" WEST, 36.87 FEET; THENCE NORTH 35 DEGREES 53'16" EAST, 43.77

FEET; THENCE NORTH 42 DEGREES 35'02" WEST, 58.19 FEET; THENCE NORTH 49 DEGREES 17'37" EAST, 36.60 FEET; THENCE NORTH 26 DEGREES 39'46" WEST, 48.82 FEET; THENCE NORTH 51 DEGREES 23'03" WEST, 54.62 FEET; THENCE NORTH 10 DEGREES 32'40" EAST, 33.21 FEET; THENCE NORTH 75 DEGREES 20'57" WEST, 68.57 FEET; THENCE NORTH 57 DEGREES 13'43" WEST, 56.54 FEET; THENCE SOUTH 54 DEGREES 38'07" WEST, 47.24 FEET; THENCE SOUTH 28 DEGREES 58'08" WEST, 42.13 FEET; THENCE SOUTH 16 DEGREES 31'41" WEST, 60.26 FEET; THENCE SOUTH 07 DEGREES 46'28" EAST, 64.09 FEET; THENCE SOUTH 04 DEGREES 40'52" EAST, 65.92 FEET; THENCE SOUTH 13 DEGREES 37'25" EAST, 58.32 FEET; THENCE SOUTH 09 DEGREES 36'16" EAST, 41.14 FEET; THENCE SOUTH 24 DEGREES 57'12" WEST, 33.11 FEET; THENCE NORTH 85 DEGREES 19'22" WEST, 46.90 FEET TO A POINT ON A CURVE; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET AN ARC DISTANCE OF 207.59 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 27 DEGREES 53'04" WEST, 205.88 FEET; THENCE SOUTH 63 DEGREES 05'04" EAST, 39.17 FEET; THENCE SOUTH 03 DEGREES 19'49" EAST, 52.15 FEET; THENCE SOUTH 53 DEGREES 25'01" WEST, 33.32 FEET; THENCE SOUTH 24 DEGREES 10'20" WEST, 41.54 FEET; THENCE SOUTH 19 DEGREES 32'13" EAST, 45.55 FEET; THENCE SOUTH 16 DEGREES 30'55" WEST, 23.00 FEET; THENCE SOUTH 89 DEGREES 33'57" WEST, 1755.53 FEET TO THE POINT OF BEGINNING.

PARCEL 2B CONTAINING 123.80 ACRES, MORE OR LESS.

TOGETHER WITH A 10 FT. STRIP further described as follows:

A PART OF SECTIONS 9 AND 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING FOR PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SAID SECTION 9; THENCE SOUTH 89 DEGREES 12'49" WEST, ALONG THE SOUTHERLY LINE OF SAID SECTION 9, A DISTANCE OF 480.28 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 2-15-2002) AND THE POINT OF BEGINNING; THENCE NORTH 51 DEGREES 03'28" EAST ALONG SAID PARALLEL LINE, 6466.74 FEET TO SAID SOUTHEASTERLY RIGHT-OF-WAY LINE OF COUNTY ROAD NO. 210, AND THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG LAST SAID LINE AND ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 243.31 FEET, AN ARC DISTANCE OF 70.00 FEET; SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 59 DEGREES 17'59" WEST, 69.76 FEET TO THE POINT OF TANGENCY OF LAST SAID CURVE; THENCE SOUTH 51 DEGREES 03'28" WEST, ALONG SAID SOUTHEASTERLY RIGHT-OF-WAY LINE, 6410.43 FEET TO SAID (END PG 26)

(BEGIN PG 27)

SOUTHERLY LINE OF SECTION 9; THENCE NORTH 89 DEGREES 12'49" EAST, ALONG LAST SAID LINE, 16.19 FEET TO THE POINT OF BEGINNING, CONTAINING 1.48 ACRES, MORE OR LESS.

TOGETHER WITH THAT CERTAIN RECIPROCAL GRANT OF EASEMENT FOR
DRAINAGE RECORDED IN OFFICIAL RECORD BOOK 2586, PAGE 136, AND THAT
CERTAIN ACCESS AND UTILITY EASEMENT RECORDED IN OFFICIAL RECORD
BOOK 2586, PAGE 69, PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA.

(THE END)

COPY

Exhibit 'B'

G. Site Development Criteria

1. Community Design Standards


The following table provides design and dimensional standard by land use category. All setbacks are measured to the furthest projection. There shall be a minimum separation of ten (10) feet from the further projection on one structure to the furthest projection on any other structure, or as allowed under LDC Sec. 6.03.01.

Land use Category	Min. Lot Width	Min Lot Area	Floor Area Ratio	Max Lot Coverage by Buildings	Impervious Surface Ratio	Min. Yard Requirements: Front/Side/Rear	Max. Height of Structures
Single Family Residential	40 feet	4,000 sq. ft.	N/A	65%	70%	15'5"/10' ^{(2),(3),(4),(5)}	35 feet
Multi-family	18 feet	2,000 sq. ft.	N/A	70%	70%	5'/10'/10'	60 feet
Commercial/Retail	None	None	50%	N/A	70%	0'/0'/0' ⁽¹⁾	60 feet
Office	None	None	50%	N/A	70%	0'/0'/0'	60 feet
Accessory Structures	None	None	70%	N/A	75%	-/5'/5'	25 feet
Entry Monument	None	None	N/A	N/A	None	5'/5'/5'	45 feet
Entry Columns	None	None	N/A	N/A	None	-/-*	12 feet
Community Clubhouse	None	None	70%	N/A	75%	-/5'/5'	55 feet

*In accordance with LDC Section 2.02.04.B.12 and 6.04.04

- (1) Twenty (20) foot setbacks are required for Commercial buildings, parking and/or storage areas along property lines adjacent to road right-of-way and adjacent to road right of way and adjacent to Residential uses.
- (2) Alleys that are secondary access shall have a building setback of three (3) feet
- (3) A reduction of the front yard setback is permitted on those single family structures that have porches that are at least one half (1/2) of the width of the main structure. Porches may abut the sidewalk but must be set back a minimum of five feet from the property line. Garages facing the street right-of-way shall be set back a minimum of twenty (20) feet.
- (4) Side yard may be reduced to zero (0) feet on one side, so long as a ten (10) foot separation is maintained between buildings. A five (5) foot Easement shall be provided along the Lot perimeter adjacent to a zero setback Dwelling for maintenance of the Structure. The Easement shall be shown

THIS IS A TRUE AND CORRECT COPY AS APPEARS ON RECORD IN ST. JOHNS COUNTY, FLORIDA
 WITNESS MY HAND AND OFFICIAL SEAL
 THIS 7th DAY OF June February 21, 2017
 ST. JOHNS COUNTY CLERK OF COURT
 Ex-Officio Clerk of the Board of County Commissioners



BY: Wynne King D.C.

THE ST. AUGUSTINE RECORD

ENGLAND THIMS & MILLER INC
14775 OLD SAINT AUGUSTINE RD
JACKSONVILLE FL 32258

Ref.#: 17195133D
P.O.#:

PUBLISHED EVERY MORNING SUNDAY THRU SATURDAY
ST. AUGUSTINE AND ST. JOHNS COUNTY, FLORIDA

STATE OF FLORIDA,
COUNTY OF ST. JOHNS

Before the undersigned authority personally appeared **JAMIE WILLIAMS** who on oath says that he/she is an Employee of the St. Augustine Record, a daily newspaper published at St. Augustine in St. Johns County, Florida; that the attached copy of advertisement being a **NOTICE OF HEARING** In the matter of **MAJMOD 2017-01 BEACO - MAJMOD 2017-01 BEAC** was published in said newspaper on **03/29/2017**

Affiant further says that the St. Augustine Record is a newspaper published at St. Augustine, in said St. Johns County, Florida, and that the said newspaper heretofore has been continuously published in said St. Johns County, Florida each day and has been entered as second class mail matter at the post office in City of St. Augustine, in said St. Johns County, for a period of one year preceding the first publication of the copy of advertisement; and affiant further says that he/she has neither paid nor promised any person, firm or corporation any discount, commission or refund for the purpose of securing the advertisement for publication in the said newspaper.

Sworn to and subscribed before me this _____ day of **MAR 29 2017**

by Jamie Williams
or who has produced as identification

who is personally known to me

[Signature]

ERIC DAMIEN MCBRIDE
MY COMMISSION # FF925198
EXPIRES October 07, 2019
FloridaNotaryService.com

(Signature of Notary Public)


(Seal)

NOTICE OF A PROPOSED MAJOR MODIFICATION

NOTICE IS HEREBY GIVEN that a public hearing will be held on 4/20/2017 at 1:30 pm before the Planning and Zoning Agency in the St. Johns County Auditorium located at 500 San Sebastian View, St. Augustine, Florida and on 5/16/2017 at 9:00 am before the Board of County Commissioners in the St. Johns County Auditorium located at 500 San Sebastian View, St. Augustine, Florida to consider a Request for a Major Modification to the Twin Creeks (Heartwood) PUD to establish design standards for Entry Monuments, Entry Columns, and Community Clubhouse, including Floor Area Ratio, Impervious Surface Ratio, Setbacks, and Maximum Height.

AN ORDINANCE OF THE COUNTY OF ST. JOHNS, STATE OF FLORIDA, APPROVING A MAJOR MODIFICATION TO TWIN CREEKS (HEARTWOOD) PLANNED UNIT DEVELOPMENT (PUD); ORDINANCE NO. 2015-51, AS AMENDED; MAKING FINDINGS OF FACT; PROVIDING A SAVINGS CLAUSE; REQUIRING RECORDATION; AND PROVIDING AN EFFECTIVE DATE. MAKING FINDINGS OF FACT; REQUIRING RECORDATION; AND PROVIDING FOR AN EFFECTIVE DATE.

The subject property is located on County Road 210 West, within the Twin Creeks Planned Unit Development (PUD). See attached map (Exhibit A). This file and the proposed ordinance are maintained in the Planning and Zoning Section of the Growth Management Department located at the St. Johns County Permit Center, 4040 Lewis Speedway, St. Augustine, Florida 32084 and may be inspected by interested parties prior to said public hearing. Items not heard by 6 pm shall automatically be continued until 9 am the following day, unless otherwise directed by the Board.



Interested parties may appear at the meeting and be heard with respect to the proposed ordinance.

If a person decides to appeal any decision made with respect to any matter considered at such meeting or hearing, he or she will need a record of the proceedings, and for such purpose, he or she may need to ensure that a verbatim record of the proceedings is made, which record includes the testimony and evidence upon which the appeal is to be based.

This matter is subject to court imposed quasi-judicial rules of procedure. Interested parties should limit contact with the Board of County Commissioners or the Planning and Zoning Agency members on this topic, except in compliance with Resolution 95-126, to properly noticed public hearings or to written communication, care of SJC Planning and Zoning Section, 4040 Lewis Speedway, St. Augustine, Florida, 32084.

NOTICE TO PERSONS NEEDING SPECIAL ACCOMMODATIONS AND TO ALL HEARING IMPAIRED PERSONS: In accordance with the Americans with Disabilities Act, persons needing special accommodations or an interpreter to participate in this proceeding should contact the County's ADA Coordinator at (904) 209-0650 or at the County Administration Building, 500 Sebastian View, St. Augustine, Florida, 32084. Hearing impaired persons, call Florida Relay Service (1 800 955 8770), no later than 5 days prior to the meeting.

BOARD OF COUNTY COMMISSIONERS
ST. JOHNS COUNTY, FLORIDA
JAMES K. JOHNS, CHAIR

PLANNING AND ZONING AGENCY
ST. JOHNS COUNTY, FLORIDA
JEFF MARTIN, CHAIR
FILE NUMBER: MAJMOD-2017000001
PROJECT NAME: Beacon Lake Entry Monument

17195133A March 29, 2017



FLORIDA DEPARTMENT of STATE

RICK SCOTT
Governor

KEN DETZNER
Secretary of State

May 22, 2017

Honorable Hunter S. Conrad
Clerk of Court
St. Johns County
500 San Sebastian View
St. Augustine, Florida 32084

Attention: Ms. Yvonne King

Dear Mr. Conrad:

Pursuant to the provisions of Section 125.66, Florida Statutes, this will acknowledge receipt of your electronic copy of St. Johns Ordinance No. 2017-24, which was filed in this office on May 19, 2017.

Sincerely,

Ernest L. Reddick
Program Administrator

ELR/lb

FILED *May 19, 2017*
ST. JOHNS COUNTY
CLERK OF COURT
BY: *Yvonne King*
DEPUTY CLERK