RESOLUTION NO. 88-322

RESOLUTION OF THE BOARD OF COUNTY COMMISSIONERS, OF ST. JOHNS COUNTY, FLORIDA

whereas, Marst Creek Partnershyp, as Owner, has applied to the Board of County Commissioners of St. Johns County, Florida, for approval to record a subdivision plat known as Marst Creek Unt Two and,

WHEREAS, the Owner and Mortgagee have dedicated certain roads, streets, easements, rights-of-way or other areas as shown on the subdivision plat for the uses and purposes thereon stated,

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, as follows:

Section 1. The above-described subdivision plat is conditionally approved by the Board of County Commissioners of St. Johns County, Florida, subject to Section #6.

Section 2. The dedicated roads, streets, easements, rights-of-way and other areas shown on the plat are conditionally accepted by the Board of County Commissioners of St. Johns County on behalf of the beneficiaries to the dedication. This acceptance shall not be deemed an acceptance requiring construction or maintenance of the roads, streets, easements, rights-of-way or other areas by the County. This acceptance is subject to Section #6.

Section 3. The Construction Bond is set in the amount of \$600,800 and shall be submitted to the Clerk of Courts for his approval prior to recording the plat.

Section 4. The Warranty Bond is set in the amount of \$\frac{2ERU}{}\$ and the record title owner has agreed that it will, upon request, provide such Bond.

Section 5. The Clerk is instructed to file the title \mathcal{OPINON} .

Section 6. The approval described in Section #1 and the Acceptance described in Section #2 shall not take effect until the plat has been signed by each of the following departments, persons or offices;

- a) Chairman or Vice-Chairman of the Board of County Commissioners of St. Johns County, Florida
- b) County Attorney
- c) County Planning Department or Office
- d) County Zoning Department of Office
- e) Clerk of Courts

The Clerk shall not sign or accept the plat <u>for recording</u> until it has been signed by each of the above persons or entities described in a) through d) above and the construction bond, unless waived, has been delivered to the Clerk and approved by him. If the plat is not signed and accepted by the Clerk <u>for recording</u> within 14 days from the date hereof, then the above-described conditional approval and acceptance shall automatically terminate. If the plat is signed by the Clerk on or before such time, the conditions described herein shall be deemed to have occurred.

ADOPTED by the Board of County Commissioners of St. Johns County, Florida, this 13 day of December 198 &

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

Its ghairman

ATTEST: Connie C. ME Daniel

Deputy Clerk

Gallagher. Baumer. Mikals, Bradford. Cannon & Walters

PROFESSIONAL ASSOCIATION ATTORNEYS AND COUNSELORS 2000 INDEPENDENT SQUARE POST OFFICE BOX 4788 JACKSONVILLE, FLORIDA 32201

THOMAS M. BAUMER
DANIEL J. GALLAGHER
JOHN J. MIKALS
DANA G. BRADFORD II
L. KINDER CANNON III
MICHAEL A. WALTERS
LINDA CONNOR KANE
LAWRENCE J. HAMILTON II
MARTHA MCMAHON WIRTZ
CHRISTINE C. WHITNEY
SHARON STRAYER LEARCH
MARK G. ALEXANDER
DEBORAH D. BARTON
VALERIE C. CHRITTON
CLAUDIA D. BAKER
LEE S. HARAMIS
W. DAVID TALBERT II
ALAN B. ALMAND
KELLY B. MATHIS

TELEPHONE 19041 353 - 2000

TELEX 56391 LAW JAX

TELECOPIER (904) 358-1872

December 8, 1988

St. Johns County Commissioners St. Johns County Courthouse St. Augustine, Florida 32084

Re: Marsh Creek, Unit Two

Dear Gentlemen:

The undersigned is the attorney for Marsh Creek Partnership. Based upon a search of the title records performed by the Title Insurance Company of Minnesota (File No. 5586-108) the undersigned hereby states that as of December 2, 1988 at 5:00 p.m., title to the property described in Exhibit "A" attached hereto is vested in Marsh Creek Partnership subject to the following:

- 1. Mortgage from Marsh Creek Partnership and Marsh Commercial Partnership to First Federal Savings and Loan Association of Jacksonville, dated October 27, 1987 and recorded October 28, 1987 in Official Records Book 761, page 1443 of the public records of St. Johns County, Florida as modified by that certain First Amendment to Mortgage and Security Agreement recorded in Official Records Book 780, page 1314 of the public records of St. Johns County, Florida.
- 2. UCC-Financing Statement from Marsh Creek Partnership and Marsh Creek Commercial Partnership recorded in Official Records Book 761, page 1486 of the public records of St. Johns County, Florida.

Taxes for the year 1987 are paid; 1988 taxes are due and owing but are not in default until April 1, 1989.

This certificate is issued solely for the purpose of complying with Section 177.041, Florida Statutes, St. Johns County Ordinance No. 78-38, as amended from time to time.

The undersigned has reviewed the Adoption and Dedication language contained on the front page of the referenced proposed plat and the language is in compliance with the requirements of Florida Statutes 177.081. In addition, I have reviewed the revised signature block and it contains the correct partnership designations.

GALLAGHER, BAUMER, MIKALS, BRADFORD, CANNON & WALTERS, P. A.

BY:

. -- -

its Shareholder

Moush Preek UNI'T' 'TWO

A portion of Section 33, Township 7 South, Ronge 30 East and Section 4, Township 8 South, Runge 30 East, both in St. Johns County, Florida, being more particularly described as follows: [COMMENT] at the Northeast former of the 244, Unit time, according to plat recorded in Map 1000 20, Pages 72 Amelow, on the Correct College Percent of Said County; there along and around the off of a curve concave Mesterly and having a Northerly radius of 399.19 feet, an arc distance of 105.76 feet, sold arc being subteneed by a chord bearing and distance of North 1973/104" Most to the point of tangency of said curve; thence North 20728/07" Nest, 92.45 feet to the point of Curvature of a curve leading to the right; thouce Northerly along and around the arc of a curve reading to the right; there Bertherly along and around the arc of a curve concave Easterly, having a radius of 477.57 feet, an arc distance of 24.50 feet to the POINT OF PROPERTY. Find arc being subtended by a chord bearing and distance of North 21.5750° West, 24.50 feet. From the POINT OF REGIMENTS thus described continue forthwesterly along the arc of last mentioned curve, an aid distance of 200.08 feet to the point of tangency of curve, said are being subtended by a chord bearing and distance or North 27" West, 204.00 feet; thence Borth 05 51'10" West, 113.37 feet to the 18 11/27" point of curvature of a curve leading to the left; thence Horthwesterly along and around the arc of a curve concave Southwesterly and biving a radius of 379.87 feet, an arc distance of 206.54 feet to the point of tangency of said said are being subtended by a chord bearing and distance of Horth 25"57"14" West, 261.11 reet; thence North 46 02/18" West, 180.47 feet to the point of curvature of a curve leading to the right; thence Northwesterly along and around the arc of a curve concave Northeasterly and having a radius of 180.00 feet, an arc distance of 75.53 feet to the point of tangency of said said arc being subtended by a chord bearing and distance of North West, 139.29 feet; thence North 00°31'49" West, 764.17 feet to the foreverture of a curve leading to the left; thence Northwesterly along 23⁶17134" and around the arc of a curve concave Southwesterly and having a radius of 269.36 feet, an arc distance of 317.30 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of North point of curvature of a curve leading to the right west, 120.73 feet to the curvature of a curve leading to the right; thence Morthoesterly along point of curvature of a curve leading to the right; thence Northoesterly along and around the arc of a curve concave Northeasterly and having a radius of 675.53 feet, an arc distance of 214.78 feet, said arc being subtended by a chord bearing and distance of North 58°54'55' West, 213.80 feet; thence North 83°19'57" West, 501.60 feet; thence North 83°19'57" West, 503.42 feet; thence North 71°00'54" West, 132.65 feet; thence South 82°57'27" West, 101.69 feet; thence South 84°11'31" West, 68.64 feet; thence North 85°23'57" West, 101.69 feet; thence North 86°54'52" West, 85.23 feet; thence North 86°33'48" West, 283.04 feet; thence North 03°26'23" West, 1038.30 feet; thence North 40°02'20" East, 317.42 feet; thence South 80°53'50" East, 156.02 feet; thence Northeasterly along and around the arc of a curve concave Southeasterly and Northeasterly along and around the arc of a curve concave Southeasterly and having a radius of 520.93 feet, an arc distance of 202.60 feet to a point of having a radius of 520.93 feet, an arc distance of 252.65 feet to a point of compound curvature, said arc being subtended by a chord bearing and distance or North 51.06.39" East, 259.89 feet; thence Easterly along and around the arc of a curve concave Southerly and having a radius of 307.91 feet, an arc distance of 164.19 feet to the point of tangency of said curve, said point hereinafter referred to as Reference Point "A", said arc being subtended by a chord bearing and distance of North 77 22.26" East, 163.03 feet; thence North 99 11.52" East, 250.16 feet to the point of curvature of a curvature o 320.16 feet to the point of curvature of a curve leading to the right; thence Easterly glong and around the arc of a curve concave Southerly and having a radius of 314.69 feet, an arc distance of 191.70 feet, said arc being subtended by a chord bearing and distance of South 73 street contains and distance of South 73 street contains and distance of South 73 street contains

Morth 77°48'49" East, 171.73 feet; thence South 24°34'39" East, 194.31 feet; thence South 04°30'17" West, 440.95 feet; thence South 00°33'21" Mest, 450.85 feet; thence South 06°49'29" East, 440.40 feet; thence South 06°49'29" West, 450.80 feet; thence Southeasterty along and around the arr 24 a turbe tentage Southeasterty along and around the arr 24 a turbe tentage. Morth 77⁰46/49* Southwesterly and having a radius of 607.34 rest, an irc distance of 192.23 feet to the point of tangency of said curve, said arc being subtended by a therd bearing and distance of South 50°55'07" Fast, 191.42 feet; thence South 41°51'39" East, 178.65 feet; thence North 38°20'24" Last, 210.95 feet; thence 41 S1/30" East, 178.65 feet; thence North 20 20 24" Last, 210.7's feet; thence North 20 25:29" West, 257.40 feet to the Southeast corner of the West 177 of the West 1/2 of the Southeast 1/4 or said Section 23; thence South U. 17'05" along the Southerly line of said Section 33, a distance of 655.86 feet to the Southeast corner of the East 1/2 or the West 1/2 of the Southeast 1/4 or said Section 20; theree South on 3/100 bast along the Westerl, line of George South 1/4 or bast along the Westerl, line of Section 1/4 or 1, cold Section 1, - Sections of dollars test; thence North BS 20139" West, 008.70 feet; thence forth 00 colors west, 00.41 feet; thence South 00 28/14" West, 109.06 feet; thence Southeasterly along and around the arc of a curve concave Northeasterly and having a radius of 615.50 feet, an arc distance of 253.98 feet to the point of tengency of hard sorve, hard arc being subtended by a chord bearing and distance of South SC 1.711" East, 252.10 feet; thence South 68°01'25" East, 120.73 feet to the point of curvature of a curve loading to the right; thence Southeasterly along and around the arc of a curve concave Southwesterly and having a radius of 329.06 feet, an arc distance of 337.90 feet to the point of tangency of said curve, said arc being subtended by a chord bearing and distance of South 34 10 37" Fast, 365.93 feet; thence South 30 31149" Fact 364 17 feet to the colot of tangency of said curve. 31'49" East, 264.17 (eet to the point of curvature of a curve leading to the left; thence Southeasterly along and around the arc of a curve leading to the left; thence Southeasterly along and around the arc of a curve concave Northeasterly and having a radius of 120.00 feet, an arc distance of 35.05 feet to the point of tangency of said curve, said arc being subtended by a chord begring and distance of South 23 17/34" East, 32.86 feet; thence South 46 03/18" East, 180.47 feet to the point of curvature of a curve leading to the right; thence Southeasterly along and around the arc of a curve concave Southwesterly and having a radius of 439.87 feet, an arc distance of 208.64 teet to the point of tangency of said curve, said are being subtended by a

there bearing and distance of South 25°57'14" East, 202.25 feet; thence South 25°57'14" East, 202.25 feet; thence South 95°51'10" East, 113.37 feet to the point of curvature of a force leading to the left; thence Southerly along and around the arc of a curve concave (oterly and having a radius of 417.57 feet, an arc distance of 179.84 feet, said arc being subtended by a chord bearing and distance of South 10°11'27" Last, 178.45 feet; thence South 50°28'16" West, 60.00 feet to the POSH OF MGS18886.

LESS AND FROEPT the following described land: A portion of said Section 32, Jownship 7 South, Range 30 East, and said Section 4, Journal D South, Range 30 East, both in St. Johns County, Florida, being more particularly described an follows: COMMENCE at aforementioned Journal Point "A"; thence South op 48708" East, 60.00 Treet to the POINT OF INCOMMENCE From the POINT OF INCOMPANS
East, 60.00 Treet to the POINT OF INCOMPANS from the POINT OF ETGINFING
East, 60.00 Treet to the POINT OF INCOMPANS
East, 70.10 Treet; thence Easterly along and around the arc of a curve concave Souther of 141.54
Feet, said arc being subtended by a chord bearing and distance of 21044 West, 195.87 feet; thence South 10 14144 West, 870.16 feet; thence
South 60 21044 West, 195.87 feet; thence South 10 14144 West, 870.16 feet; thence
Westerly along and around the arc of a curve concave Scatherly and having a radius of 1269.24 feet, an arc distance of 1800.53 feet to the point of tangency of soild curve, said arc being subtended by a chord bearing and distance of South 85 05/12" West, 180.02 feet; thence South 78 45/12" West, 172.48 feet to the point of curvature of a curve leading to the right; thence
Westerly along and around the arc of a curve concave Booth Frience South 60 15/15 feet; thence Morth 60 15/15 feet; thence Morth 60 15/15 feet; thence North 60 15/15 feet; thence Horth 60 15/16 feet; thence North 60 15/16 feet; thence Horth 60 15/16 feet; thence North 60 15/16 feet; thence Horth 60 15/16 feet; thence North 60 15/16 feet; thence Morth 60 15/16 feet; thence North 60 15/16 feet to a point of compound curvature, said arc being subtended by a ch

Containing 41.59 acres, more or less.