RESOLUTION NO. 2010- 132

A RESOLUTION OF THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, APPROVING A RESOLUTION DECLARING THE PUBLIC PURPOSE AND NECESSITY FOR EXERCISING THE RIGHT AND POWER OF EMINENT DOMAIN TO ACQUIRE CERTAIN PROPERTY INTERESTS FOR THE CONSTRUCTION OF A COUNTY ROADWAY AND AUTHORIZING THE COUNTY ATTORNEY TO INSTITUTE CONDEMNATION PROCEEDINGS.

RECITALS

WHEREAS, St. Johns County, in cooperation with the Florida Department of Transportation (FDOT), is in the process of negotiating for property needed for Phase II of the I-95 at CR210 roadway improvement project; and

WHEREAS, owners of two properties located along County Road 210, from which strips are needed for this project, have indicated they will not negotiate until the County has initiated eminent domain procedures; and

WHEREAS, per Chapter 127, Florida Statutes, the County of St. Johns ("County") is authorized to exercise the right and power of eminent domain for certain public uses and purposes; and

WHEREAS, the County's exercise of the power to condemn real property for the purpose of the construction of a county roadway is a proper public purpose;

NOW THEREFORE, BE IT RESOLVED by the Board of County Commissioners of St. Johns County, Florida that:

- Section 1. <u>Findings.</u> The above Recitals are incorporated herein by reference and are hereby adopted as Findings in support of this Resolution.
- Section 2. <u>Declaration of Necessity.</u> The County declares the public purpose and the necessity for that purpose of acquiring, through condemnation by right of eminent domain, a modified fee parcel, temporary construction easements and a permanent easement upon real property identified as Parcels 103, 703 A & B, 705 and 803 in the attached Exhibit "A" for the construction of a county roadway.

Section 3. Acquisition of Fee Simple Title. The County is authorized to acquire, through condemnation by right of eminent domain, a modified fee parcel, temporary construction easements and a permanent easement upon the real property identified as Parcels 103, 703 A & B, 705 and 803 in the attached Exhibit "A" for the construction of a county roadway from the owners and any other persons required by law to be joined in such proceedings.

Section 4. <u>Institution of Legal Proceedings.</u> The County Attorney is authorized to institute legal proceedings to acquire, through condemnation by right of eminent domain, a modified fee parcel, temporary construction easements and a permanent easement upon the real property identified as Parcels 103, 703 A & B, 705 and 803 in the attached Exhibit "A" and is authorized to join the owners and any other persons required by law to be joined in such proceedings. The County Attorney is authorized to employ outside counsel to assist in the acquisition as necessary.

Section 5. To the extent that there are typographical errors that <u>do not</u> change the tone, tenor, or concept of this Resolution, then this Resolution may be revised without subsequent approval by the Board of County Commissioners.

BOARD OF COUNTY COMMISSIONERS OF STJOHNS COUNTY, FLORIDA

Y: Ron Sanchez, Chair

ATTEST: Cheryl Strickland, Clerk

By: Nam Nation Deputy Clerk

RENDITION DATE 6/16/10

Exhibit "A"

SKETCH AND LEGAL DESCRIPTION OF

A PART OF SECTIONS 16, 17 AND THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5, SOUTH, RANGE 28 EAST ST. JOHNS COUNTY, FLORIDA

PARCEL 103 (FEE SIMPLE RIGHT OF WAY)

A PART OF SECTIONS 16, 17 AND THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 1816, OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 0175'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17, A DISTANCE OF 1,785.07 FEET TO THE NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A VARIABLE WIDTH RIGHT OF WAY AS NOW ESTABLISHED) AND THE POINT OF BEGINNING; THENCE CONTINUE NORTH 0175'88" WEST, ALONG SAID EASTERLY LINE OF SECTION 17 AND A PROLONGATION THEREOF, A DISTANCE OF 32.07 FEET; THENCE SOUTH 84'56'28" EAST, A DISTANCE OF 21.81 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,219.28 FEET, THROUGH A TOTAL BEARING AND DISTANCE OF NORTH 75'12'59" EAST, 42.80 FEET; THENCE SOUTH 13'46'37" EAST, A DISTANCE OF SOUTHEASTERLY, HAVING A RADIUS OF 1,209.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF NORTH 75'12'59" EAST, 42.80 FEET; THENCE SOUTH 13'46'37" EAST, A DISTANCE OF SOUTHEASTERLY, HAVING A RADIUS OF 1,209.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 10'39'22". AN ARC DISTANCE OF 224.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH S1'33'04" EAST, 224.58 FEET TO A POINT OF TANGENCY; THENCE NORTH 86'52'44" EAST, A DISTANCE OF 98.62 WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,196.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 13'30'00', AN ARC DIST

CONTAINING 5,839 SQUARE FEET, MORE OR LESS.

PARCEL 703 PART "A" (TEMPORARY CONSTRUCTION EASEMENT)

A PART OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 1147, PAGE 974 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01'15'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17. A DISTANCE OF 1,785.07 FEET TO THE NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A VARIABLE WIDTH RIGHT OF WAY AS NOW ESTABLISHED); THENCE CONTINUE NORTH 01'15'58" WEST, ALONG SAID EASTERLY LINE OF SECTION 17 AND A PROLONGATION THEREOF, A DISTANCE OF 32.07 FEET; THENCE SOUTH 84'56'28" EAST, A DISTANCE OF 21.81 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,219.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 02'00'42", AN ARC DISTANCE OF 42.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 75'12'59" EAST, 42.80 FEET; THENCE SOUTH 13'46'37" EAST, A DISTANCE OF 10.00 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,209.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 02'19'45", AN ARC DISTANCE OF 49.16 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 77'23'16" EAST, 49.16 FEET TO THE POINT OF A DEGINNING; THENCE NORTH 11'26'51" WEST, A DISTANCE OF 2.82 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,212.10 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 02'54'29", AN ARC DISTANCE OF 61.52 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 80'00'23" EAST, 61.51 FEET; THENCE SOUTH 08'32'23" EAST, A DISTANCE OF 2.82 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,212.10 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 02'54'29", AN ARC DISTANCE OF 61.52 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 80'00'23" EAST, 61.51 FEET; THENCE SOUTH 68'32'23" EAST, A DISTANCE OF 2.82 FEET TO A POINT ON A CURVE; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVI

CONTAINING 173 SQUARE FEET, MORE OR LESS.

SHEET 2 OF 3

4		RENAME 703C TO 703A, ADO 803	ÆS
3	04-14-10	REVISE PARCEL 703A	ÆS
2	02-01-10	REVISE PARCEL 103 & 763A,	ÆS
1	11-24-09	ADD PARCEL 703 & SHEET 2	ÆS
YO.	DATE	DESCRIPTION	BY

JOB NO. 2008-811-8

DRAFTER JES

P.C. N/A

F.B. N/A PG. N/A

SCALE 1"=80'

DATE APRIL 30, 2010

CHECKED BY:

THIS MAP OR SURVEY WRETS THE MINIMUM TECHNICAL STANDARDS SET FORTH BY THE FLORDA ROUND OF PROFESSIONAL SURVEYORS & MAPPERS, N. CHAPTER SICTI-S. FLORDA JAMMESTRATIVE COOK, PURSUANT OS SCHOOL 472,627, FLORDA STATUTES, URLESS OTHERWISE SHOWN AND STATED HEROM.

THIS DRAWNG, SKITCH, PLAT OR MAP IS FOR INFORMATIONAL PURPOSES CRAY AND IS NOT VALID. (CHAPTER 61617—6, FLORDA ADMINISTRATIVE CODE), UPLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA DUCENSED SURVEYOR AND MAPPER.

DENNIS E. ELSWICK, P.L.S. CERT. NO. 3190

1

Clary & Associates
PROFESSIONAL SURVEYORS & MAPPERS
18 NO. 3751
3330 CROWN FOOTH TOUGH
MCGSONVILE FLORODA 322257
(904) 260–2703
WWGLAFTASSOC.COM

SKETCH AND LEGAL DESCRIPTION OF

A PART OF SECTIONS 18, 17 AND THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5, SOUTH, RANGE 28 EAST ST. JOHNS COUNTY, FLORIDA

PARCEL 703 PART "B" (TEMPORARY CONSTRUCTION EASEMENT)

A PART OF SECTION 16, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 1147, PAGE 971 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 0115'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17, A DISTANCE OF 1,785.07 FEET TO THE NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A VARIABLE WIDTH RIGHT OF WAY AS NOW ESTABLISHED); THENCE NORTHEASTERLY ALONG SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 THE FOLLOWING THREE COURSES AND DISTANCES: (1) THENCE NORTH 73'22'44" EAST, 11.04 FEET TO A POINT OF CURVATURE; (2) THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1,196.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 13'30'00", AN ARC DISTANCE OF 281.87 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 80'07'44" EAST, 281.22 FEET TO A POINT OF TANGENCY; (3) THENCE NORTH 86'52'44" EAST, 98.64 FEET; THENCE NORTH 03'11'54" WEST, DEPARTING SAID NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210, A DISTANCE OF 13.00 FEET TO THE POINT OF BEGINNING. THENCE SOUTH 86'52'44" EAST, A DISTANCE OF 50.00 FEET; THENCE NORTH 03'11'54" WEST, A DISTANCE OF 20.00 FEET; THENCE NORTH 86'52'44" EAST, A DISTANCE OF 50.00 FEET; THENCE NORTH 03'11'54" EAST, A DISTANCE OF 20.00 FEET TO THE POINT OF BEGINNING.

CONTAINING 1,000 SQUARE FEET, MORE OR LESS.

PARCEL 803 (PERPETUAL EASEMENT)

A PART OF SECTION 17 AND THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 1816, PAGE 1249, AND OFFICIAL RECORDS VOLUME 1147, PAGE 974 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA: THENCE NORTH 0115'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17, A DISTANCE OF 1,785.07 FEET TO THE NORTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A VARIABLE WIDTH RIGHT OF WAY AS NOW ESTABLISHED): THENCE CONTINUE NORTH 01'15'58" WEST, ALONG SAID EASTERLY LINE OF SECTION 17 AND A PROLONGATION THEREOF, A DISTANCE OF 32.07 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 01'15'58" WEST, A DISTANCE OF 17.71 FEET; THENCE NORTH 86'44'37" EAST, A DISTANCE OF 60.62 FEET; THENCE SOUTH 13'46'37" EAST, A DISTANCE OF 12.51 FEET TO A POINT ON A CURVE: THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,219.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 02'00'42", AN ARC DISTANCE OF 42.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 75'12'59" WEST, 42.80 FEET; THENCE NORTH 84'56'28" WEST, A DISTANCE OF 21.81 FEET TO THE POINT OF BEGINNING,

CONTAINING 1,087 SQUARE FEET, MORE OR LESS.

SHEET 3 OF 3

4	04-30-10	RENAME 703C TO 703A, ADD 803	v€S
3	04-14-10	REVISE PARCEL 703A	ÆS
2	02-01-10	REVISE PARCEL 103 & 7034, ADD PARCEL 703C	æs
1	11-24-09	ADD PARCEL 703 & SHEET 2	*£2
NO.	DATE	DESCRIPTION	BY

JOB NO. 2008-811-8

DRAFTER JES

P.C. N/A

F.B. N/A PG. N/A

SCALE 1"=80'

DATE APRIL 30, 2010

CHECKED BY:

THIS MAP OR SURVEY MEETS THE MINIMUM TECHNICAL STANDARDS SET FORTH BY THE FURDAL BOARD OF PROFESSIONAL SURVEYORS & MAPPERS, IN CHAPTER 6107-6, FLORIDA ADJUSTANTIVE COCK, PURSUANT DISCINCIA 472.027, FLORIDA STATUTES, UNLESS OTHERMISE SHOWN AND STATED HERCON.

THIS DRAWING, SKETCH; PLAT OR MAP IS FOR INTORMATIONAL PURPOSES ONLY AND IS NOT VALID. (CHAPTER BIGIT-B, FLORIDA ADMINISTRATIVE COOC), UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.

DENNIS E. ELSWICK, P.L.S. CERT. NO. 3190

Clary Associates
PROFESSIONAL SURVEYORS & MAPPERS
18 NO. 3731
3430 CROWN POHT ROW ASSOCIATE
(904) 250-2703
WWW.CLAYASSOC.COM

SKETCH AND LEGAL DESCRIPTION OF

A PART OF THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5, SOUTH, RANGE 28 EAST ST. JOHNS COUNTY, FLORIDA

PARCEL 105 (FEE SIMPLE RIGHT OF WAY)

A PART OF THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 3139, PAGE 426 OF THE PUBLIC RECORDS OF SAID ST JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA: THENCE NORTH 01°15'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17, A DISTANCE OF 1,681,37 FEET TO THE SOUTHERLY EXSTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A RIGHT OF WAY LINE OF COUNTY ROAD 210 THE FOLLOWING TWO COURSES AND DISTANCES: (1) THENCE NORTH SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,096.28 FEET, ALONG THE ARC OF ANGLE OF 93'45'12", AN ARC DISTANCE OF 186.62 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING BEGINNING: THENCE CONTINUE NORTHEASTERLY ALONG SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF SAID CURVE, CONCAVE SOUTHEASTERLY ALONG THE ARC OF ANGLE OF 09'45'12", AN ARC DISTANCE OF 186.62 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING BEGINNING: THENCE CONTINUE NORTHEASTERLY ALONG SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF FEET, THROUGH A TOTAL CENTRAL ANGLE OF 03'44'48", AN ARC DISTANCE OF 71.69 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 85'02'0" EAST, 180.92 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 85'02'0" EAST, 190.6.28 SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 85'02'0" EAST, 167 FEET TO A POINT OF ROAD 210, A DISTANCE OF 79.66 FEET; THENCE SOUTH 03'12'22" EAST, DEPARTING SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210, A DISTANCE OF 79.66 FEET; THENCE SOUTH 03'12'22" EAST, DEPARTING SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210, A DISTANCE OF 25.00 FEET; THENCE SOUTH 86'52'44" WEST, A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,071.28 FEET, THENCE SOUTH 86'52'44" WEST, A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,071.28 FEET, THENCE SOUTH 86'52'44" WEST, A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,071.28 FEET, THENCE SOUTH 86'52'44" WEST, A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,071.28 FEET, THENCE SOUTH BEARING AND DISTANCE OF 50.01 BEARING AND DISTANCE OF 50.01 BEARING CONTY WEST, A DISTANCE OF 50.01 BEARING AND DISTANCE OF 50.

CONTAINING 3,795 SQUARE FEET, MORE OR LESS.

PARCEL 705 (TEMPORARY CONSTRUCTION EASEMENT)

A PART OF THE F.J. FATIO GRANT, SECTION 40, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, (ALSO BEING A PART OF THOSE LANDS DESCRIBED IN OFFICIAL RECORDS VOLUME 3139, PAGE 426 OF THE PUBLIC RECORDS OF SAID ST JOHNS COUNTY, FLORIDA), AND BEING MORE PARTICULARLY DESCRIBED

AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF SECTION 17, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 0115'58" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 17, A DISTANCE OF 1,681,37 FEET TO THE SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 (A VARIABLE WIDTH RIGHT OF WAY AS NOW ESTABLISHED); THENCE EASTERLY ALONG SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210 THE FOLLOWING THREE COURSES AND DISTANCES: (1) THENCE NORTH 7322'44" EAST, 38.50 FEET TO A POINT OF CURVATURE; (2) THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1,096.28 FEET, THROUGH A TOTAL BEARING AND DISTANCE OF NORTH 8070'44" EAST, 257.70 FEET TO A POINT OF TANCENCY; (3) THENCE NORTH 86'52'44" EAST, 79.66 FEET; THENCE SOUTH 0312'22" EAST, DEPARTING SAID SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD 210, A DISTANCE OF 25.00 FEET TO THE POINT OF BEGINNING. THENCE OF 16.17 FEET; THENCE SOUTH 03'07'16" EAST, A DISTANCE OF 20.66 FEET; THENCE SOUTH 85'52'44" WEST, A DISTANCE OF 10.07'16" EAST, A DISTANCE OF 20.66 FEET; THENCE SOUTH 85'52'44" WEST, A DISTANCE OF 51.53 FEET TO A POINT OF CURVATURE; THENCE SOUTH 85'52'44" WEST, A DISTANCE OF 51.53 FEET TO A POINT OF CURVATURE; THENCE SOUTH MESTERLY ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1,066.28 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 00'43'42", AN ARC DISTANCE OF 13.56 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 86'30'53" WEST, 13.56 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 86'30'53" WEST, 13.56 FEET, THENCE NORTH 80'45'30" WEST, A DISTANCE OF 73.60 FEET, THROUGH A TOTAL CENTRAL ANGLE OF 00'43'42", AN ARC DISTANCE OF 13.56 FEET, THENCE NORTH 80'45'30" WEST, A DISTANCE OF NORTH 80'45'30" WEST, A DISTANCE OF NORTH 80'55'45" EAST, 34.27 FEET TO A POINT OF TANGENCY; THENCE NORTH 86'52'44" EAST, A DISTANCE OF NORTH 85'57'45" EAST, 34.27 FEET TO A POINT OF TANGENCY; THENCE NORTH 86'52'44" EAST, A DISTANCE OF NORTH 85'57'45

CONTAINING 767 SQUARE FEET, MORE OR LESS.

SHEET 2 OF 2

3	04-14-10	REVISE PARCEL 705	ÆS
	11-30-09	REVISE PARCEL 705	ÆS
1	11-10-09	ADD PARCEL 705 & SHEET 2	JES
NO.	DATE	DESCRIPTION	BY

JOB NO. 2008-811-3 MJB DRAFTER_ N/A

F.B. N/A PG. N/A

SCALE ____1"=60"

DATE __APRIL 14, 2010 CHECKED BY:

THES MAP OR SURVEY MESTS THE MISHAUM TECHNICAL STANDARDS SET FORTH BY THE FLORDA BOARD OF PROFESSIONAL SURVEYORS & MAPPERS, HE CHAPTER 61677-9, FLORDA ADMINISTRATIVE CODE, PURSIMANT TO SECTION 472.037, FLORDA STATUTES, UNLESS OTHERMSE SHOWN AND STATUTE OF THE STATUTE MESCO.

THIS DRAWING, SKETCH, PLAT OR MAP IS FOR INFORMATIONAL PURPOSES ONLY JUD IS NOT VAILD. (CHAPTER 61617-6, FLORIDA ADMINISTRATIVE COCO.) UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYER AND MAPPER.

Elson XI leus DENNIS E. ELSWICK, P.L.S. CERT. NO. 3190

