

RESOLUTION NO. 2012 - 334

A RESOLUTION BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, AUTHORIZING THE COUNTY ADMINISTRATOR, OR DESIGNEE, TO PURCHASE ONE VACUUM/JET SEWER CLEANING TRUCK

RECITALS

WHEREAS, the County desires to purchase One 2012 Vac-Con Sewer Truck; and

WHEREAS, in accordance with applicable cooperative purchasing provisions, this unit may be purchased through use of the Florida Sheriff's Association, Florida Association of Counties & Florida Fire Chief's Association contract #11-19-0907 ("Contract"); and

WHEREAS, the project is being funded by the Utility Department; and

WHEREAS, the County has reviewed the terms, provisions, conditions and requirements of Contract # 11-19-0907(attached hereto, and incorporated herein) and finds that use of this Contract serves a public purpose. This contract provides for the purchase of the cab & chassis from one firm and the Vacuum/Jet Unit from another firm.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, as follows:

Section 1. The above Recitals are incorporated by reference into the body of this Resolution and such Recitals are adopted as finds of fact.

Section 2. The County Administrator, or designee, is hereby authorized to execute a purchase order with Maudlin International Trucks, Inc., for the purchase of one Cab & Chassis at a cost of \$88,977.00 and to execute a purchase order with Southern Sewer Equipment Sales for the Vacuum/Jet Sewer Cleaning Machine at a cost of \$218,807.45 for a total cost of \$307,784.45. The unit will be assembled by Southern Sewer Equipment Sales.

Section 3. To the extent that there are typographical and/or administrative errors that do not change the tone, tenor, or concept of this Resolution, then this Resolution may be revised without subsequent approval by the Board of County Commissioners.

Section 4. This Resolution shall become effective upon its execution.

PASSED AND ADOPTED by the Board of County Commissioners of St. Johns County, Florida, this 20th day of November, 2012.

ATTEST: Cheryl Strickland, Clerk

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

By: *Cheryl Strickland*
Deputy Clerk



By: *Jay Morris*
Chair

RENDITION DATE 11/28/12

AWARDED DEALERS

ACF Standby Systems, LLC

9311 Solar Drive
Tampa, FL 33619
Contact: Larry Davis
Phone: 800-282-5359 ext. 194
813-621-9671
Mobile: 321-693-4935
Fax: 813-621-6549
Email: l.davis@acfpower.com

Agricon Equipment Co.

5211 W. Hwy. 40
Ocala, FL 34482
Contact: Gary King
Phone: 352-368-2400
Mobile: 813-385-1844
Fax: 352-368-1658
Email: gary@agriconequipment.com

Al-Jon Manufacturing, LLC

15075 Al-jon Ave.
Ottumwa, IA 52501
Contact: Denise Stottemyre
Phone: 641-455-5658
Mobile: 641-680-6169
Fax: 641-682-6294
Email: dstottemyre@aljon.com
drice@aljon.com

Alamo Sales Corp.

1502 E. Walnut Street
Sequin, TX 78155
Contact: Jamie Wilson
Phone: 800-882-5762
Mobile: 830-305-2673*
Fax: 830-379-0864
Email: jwilson@alamo-group.com
bids@alamo-group.com
**Mike Pereny*

Alan Jay Chevrolet, Buick, GMC, Cadillac

P.O. Box 9200
Sebring, FL 33871-9200
Contact: Chris Wilson
Phone: 863-402-4234
Mobile: 863-381-3411
Fax: 863-402-4221
Email: chris.wilson@alanjay.com

Alan Jay Ford Lincoln

P.O. Box 9200
Sebring, FL 33871
Contact: Dave Wilson
Phone: 863-402-4281
Mobile: 863-381-0982
Fax: 863-402-4221
Email: dave.wilson@alanjay.com

Alan Jay Nissan

P.O. Box 9200
Sebring, FL 33871
Contact: Chris Wilson
Phone: 863-402-4234
Mobile: 863-381-3411
Fax: 863-402-4221
Email: chris.wilson@alanjay.com

Alan Jay Toyota

P.O. Box 9200
Sebring, FL 33871
Contact: Chris Wilson
Phone: 863-402-4234
Mobile: 863-381-3411
Fax: 863-402-4221
Email: chris.wilson@alanjay.com

Atlantic Truck Center

2840 Center Port Circle
Pompano Beach, FL 33064

Freightliner:

Contact: Drew Ellison
Phone: 407-886-6704
Mobile: 407-375-3304
Fax: 407-886-6719
Email: georgeordrew@aol.com

Western Star:

Contact: Kyle Rathbun
Phone: 561-602-2100
Email: krathbun@atlantictrucks.com

Freightliner Step Vans:

Contact: Albert Johnsen
Phone: 772-530-3159
Email: ajohnsen@atlantictrucks.com

Sprinter Vans:

Contact: Marcia Mulford
Phone: 954-545-1003
Email: mmulford@atlantictrucks.com

AWARDED DEALERS (continued)


Kelly Tractor Co.
8255 NW 58th Street
Miami, FL 33166
Contact: Greg Bennett
Phone: 305-592-5360 ext. 1121
Mobile: 786-229-7037
Fax: 305-477-2024
Email: greg_bennett@kellytractor.com

Kenworth of Central Florida
1800 N. Orange Blossom Trail
Orlando, FL 32804
Contact: Richard Smith
Phone: 407-425-3170
Mobile: 407-341-6637
Fax: 407-648-2786
Email: r.smith@kwcf.net

Kenworth of Jacksonville
833 Pickettville Road
Jacksonville, FL 32220
Contact: Jerry Yeomans
Phone: 904-739-2296
Mobile: 904-735-4795
Fax: 904-730-3461
Email: jerryyeomans@kwjax.com

Kingline Equipment.
11393 Hwy. 29 South
Cantonment, FL 32533
Contact: Richard Walther
Phone: 850-937-9693
Mobile: 850-380-7822
Fax: 850-937-9235
Email: richard@kinglineequipment.com

Landig Tractor Co., Inc.
6429 Causeway Blvd.
Tampa, FL 33619
Contact: Marti Albritton
Phone: 813-623-3673
Mobile: 813-727-4180
Fax: 813-628-4282
Email: malbritton@landigtractor.com
sales@landigtractor.com



Linder Industrial Machinery Co.
1601 South Frontage Road
Plant City, FL 33563
Contact: Michelle Fain
Phone: 813-754-2727
Mobile: 704-320-4310
Fax: 813-754-6090
Email: michelle.fain@linderco.com

Maroone Dodge of Pembroke Pines
13601 Pines Blvd.
Pembroke Pines, FL 33027
Contact: Steve Henry
Phone: 954-441-2034
Mobile: 954-383-1009
Fax: 954-441-2004
Email: schenry1@comcast.net

Maroone Honda - Miami
5925 N.W. 167th Street
Miami, FL 33015
Contact: Steve Henry
Phone: 954-441-2034
Mobile: 954-383-1009
Fax: 954-441-2004
Email: schenry1@comcast.net

Maroone Nissan - Miami
17304 S. Dixie Hwy.
Palmetto Bay, FL 33157
Contact: Steve Henry
Phone: 954-441-2034
Mobile: 954-383-1009
Fax: 954-441-2004
Email: schenry1@comcast.net

Maudlin International Trucks
4900 N. Orange Blossom Trail
Orlando, FL 32810
Contact: Jeff Rotella
Phone: 407-295-9777
Mobile: 407-466-6951
Fax: 407-292-8542
Email: jarotella@maudlinintl.com



MAUDLIN INTERNATIONAL TRUCKS, INC.

1881 Pickettville Road • Jacksonville, Florida 32220
(904) 783-9822 • FAX: (904) 783-9830 • 1-888-355-5007



ST JOHNS COUNTY

10/24/12

2446 DOBBS ROAD

ST. AUGUSTINE, FL 32086

REF: 2012 INTERNATIONAL 7400 CHASSIS FOR VAC CON

TO WHOM IT MAY CONCERN,

THE QUOTE REFERENCING THE 2012 INTERNATIONAL 7400 UTILIZING THE FLORIDA SHERIFF CONTRACT 11-19-0907 WILL BE HONORED THROUGH NOV 30, 2012 AT THIS TIME. THE TOTAL FOR THE CHASSIS IS \$88977.00 AS STATED ON THE ORIGINAL QUOTE AND IT IS AVAILABLE IMMEDIATELY.

PLEASE LET ME KNOW IF YOU NEED ANY FURTHER INFORMATION. WE APPRECIATE THE OPPORTUNITY TO PROVIDE A CHASSIS FOR YOUR NEEDS.

THANK YOU

JEFF ROTELLA

FLEET SALES MANAGER

Orlando/Corporate
2300 South Division Ave.
Orlando, Florida 32805
407-849-6440
FAX 407-423-0235
800-226-6440

North Orlando
6647 N. Orange Blossom Trail
Orlando, Florida 32810
407-295-6777
Fax 407-295-5222
888-876-9886

Ocala
5221 Highway 40 West
Ocala, Florida 34462
352-732-8151
FAX 352-622-3950
800-226-4228

Prepared For:
VAC-CON
TOM JODY
969 Hall Park Drive
Green Cove Springs, FL 32043-4935
(904)284 - 4200
Reference ID: FSA

Presented By:
Maudlin International Trucks, Inc.
Jeff Rotella
1881 Pickettville Road
Jacksonville FL 32220 -
(904)783-9822

Model Profile
2012 7400 SFA 6X4 (SF525)

APPLICATION:	Sewer Vac
MISSION:	Requested GVWR: 80000. Calc. GVWR: 60000 Calc. Start / Grade Ability: 20.00% / 1.93% @ 55 MPH Calc. Geared Speed: 67.1 MPH
FUEL ECONOMY:	N/A
DIMENSION:	Wheelbase: 256.00, CA: 181.00, Axle to Frame: 75.00
ENGINE, DIESEL:	{MaxxForce 9} EPA 10, 315 HP @ 2000 RPM, 960 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed
TRANSMISSION, AUTOMATIC:	{Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 6.14
CAB:	Conventional
TIRE, FRONT:	(2) 425/65R22.5 HTC (CONTINENTAL) 468 rev/mile, load range L, 20 ply
TIRE, REAR:	(8) 11R22.5 HDL ECO PLUS (CONTINENTAL) 493 rev/mile, load range H, 16 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GM Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF52500	Base Chassis, Model 7400 SFA 6X4 with 256.00 Wheelbase, 181.00 CA, and 75.00 Axle to Frame.
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLK	BUMPER, FRONT Omit Item
1WGC	WHEELBASE RANGE 228" (580cm) Through and Including 270" (685cm)
1WTU	FRAME ADDITION, FRONT 1" Integral; Increases BBC, BA and OAL Vehicle Dimensions By 1"
2ARY	AXLE, FRONT NON-DRIVING (Meritor MFS-20-133A) Wide Track, I-Beam Type, 20,000-lb Capacity

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

3708	SHOCK ABSORBERS, FRONT
3ACS	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
------	---

Includes

: BRAKE LINES Color and Size Coded Nylon
 : DRAIN VALVE Twist-Type
 : DUST SHIELDS, FRONT BRAKE
 : DUST SHIELDS, REAR BRAKE
 : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
 : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
 : PARKING BRAKE VALVE For Truck
 : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
 : SLACK ADJUSTERS, FRONT Automatic
 : SLACK ADJUSTERS, REAR Automatic
 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4

Notes

: Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.

4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers
------	--

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

4732	DRAIN VALVE (Berg) Manual; With Pull Chain, for Air Tank
------	--

Includes

: DRAIN VALVE Mounted in Wet Tank

<u>Code</u>	<u>Description</u>
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) Full Vehicle Wheel Control System (4-Channel)
4EBT	AIR DRYER (Bendix AD-IP) With Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4ETE	BRAKE CHAMBERS, FRONT AXLE (Haldex) 24 SqIn
4EVL	BRAKE CHAMBERS, REAR AXLE (Haldex GC3030LHDHO) 30/30 Spring Brake <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq. In. Long Stroke Brake Chamber and Spring Actuated Parking Brake <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SBC	AIR COMPRESSOR (Bendix Tu-Flo 550) 13.2 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PTB	STEERING GEAR (2) (Sheppard M-100/M-80) Dual Power
7BDS	EXHAUST SYSTEM Single, Vertical Aftertreatment Device Frame Mounted Right Side; Includes Vertical Tail Pipe & Guard <u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height) : MUFFLER/TAIL PIPE GUARD Non-Bright Finish
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel
7WZY	SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, ON/OFF Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is In ON Position
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : BATTERY BOX Steel with Plastic Lid : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics in Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated

<u>Code</u>	<u>Description</u>
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8518	CIGAR LIGHTER Includes Ash Cup
8GGN	ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mounted
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total
8RJV	RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers
	<u>Includes</u>
	: SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
	: SPEAKERS IN CAB (4) Coaxial with Premium Interior
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WXD	ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9585	FENDER EXTENSIONS Rubber
9HBM	GRILLE Stationary, Chrome
9WBC	FRONT END Tiling, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u>
	: PAINT SCHEMATIC ID LETTERS "GM"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12712	OIL FILTER, ENGINE {Hudgins Model 960 Spinner}
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted
12NUV	ENGINE, DIESEL {MaxxForce 9} EPA 10, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon
12UBB	RADIATOR Aluminum, Front to Back Cross Flow, Series System; 1663 SqIn Core and 885 SqIn Charge Air Cooler and 470 SqIn Low Temperature Radiator Down Flow <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12UXE	FEDERAL EMISSIONS for 2010; MaxxForce 9 & 10 Engines
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce post 2007 Emissions Electronic Engines
12WZC	EMISSION COMPLIANCE 5 Min., Tamper-Proof Engine Shutdown System, Complies With California Clean Air Regulations, Does Not Certify Engine for Low-NOx Extended Idling
13AMB	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEE MAT Transmission
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission

<u>Code</u>	<u>Description</u>
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
13WYL	SHIFT CONTROL PARAMETERS Allison Performance Programming in Primary and Allison Economy Programming in Secondary
14GVY	AXLE, REAR, TANDEM (Meritor MT-40-14X-4DFR) Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 6.14 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UHC	SUSPENSION, REAR, TANDEM (Hendrickson RT-403) Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings <u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
15SET	FUEL TANK Top Draw; D Style, Non Polished Aluminum, 100 U.S. Gal., 378.5 L Capacity, 23.0" Tank Depth, Mounted Left Side Under Cab
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HGH	GAUGE, OIL TEMP, ALLISON TRAN

<u>Code</u>	<u>Description</u>
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16JNT	SEAT, DRIVER (National 2000) Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16PJH	SEAT, PASSENGER (Gra-Mag) Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type
16SDJ	MIRRORS (2) (Lang Mekra) Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Black Heads, Brackets & Arms
16VHX	CAB MOUNTING HEIGHT EFFECTS High Cab in Lieu of Mid High Cab Mounting (Approx. 4.5")
16WCT	AIR CONDITIONER (Blend-Air) With Integral Heater & Defroster <u>Includes</u> : CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : HEATER HOSES Premium : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WRX	CAB INTERIOR TRIM Deluxe <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
27DNP	WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, 5 Hand Hole, Flanged Nut, Metric Mount, 12.25 DC Rims; With Steel Hubs, with 5.375" Offset <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White <u>Notes</u> : Compatible Tire Sizes: 385/65R22.5, 425/65R22.5
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White <u>Notes</u>

<u>Code</u>	<u>Description</u>
	: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5
7382135401	(8) TIRE, REAR 11R22.5 HDL ECO PLUS (CONTINENTAL) 493 rev/mile, load range H, 16 ply
7752665410	(2) TIRE, FRONT 425/65R22.5 HTC (CONTINENTAL) 468 rev/mile, load range L, 20 ply
	Cab schematic 100GM
	Location 1: 9219, Winter White (Std)
	Chassis schematic N/A
	Services Section:
40BKB	SERVICES, TOWING To 36-Month/150,000 Miles (240,000 km), 5400 Hours; Service Call to the Vehicle or Towing to the Nearest International Dealership for a Non-Drivable Unit in Conjunction with an International Warrantable Failure; \$250 (USA) Maximum Benefit per Incident
40CNH	SRV CONTRACT, EXT VEH COVERAGE To 24-Month/ 200,000 Miles (320,000 km), for Use with Allison Transmission, Covers 100% Parts and Labor, Excludes Extending Warranty for Engine, and Transmission
1	
	75 DAYS FLOORPLAN

INTERNATIONAL®

Financial Summary
2012 7400 SFA 6X4 (SF525)

March 25, 2011

(USA DOLLAR)

Description

Price

Net Sales Price:

\$88,977.00

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller
without Seller's Authorized Signature


Official Title and Date



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

**52,000 LB. GVWR CAB & CHASSIS - 4X6 TANDEM AXLE TRUCK
SPECIFICATION #50**

2012 American LaFrance Condor
2012 Caterpillar CT660
2012 Crane Carrier COE2
2012 Freightliner M2-112
2012 International Workstar
2012 Kenworth T800
2012 Mack C or G Series
2012 Peterbilt 367
2012 Volvo V Series
2012 Western Star 4700



ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. ENGINE:

- a. 350 HP 6 cylinder diesel engine, manufacturer's 11L minimum

2. TRANSMISSION & CLUTCH:

- a. The following or approved equivalents are acceptable:
b. Fuller 14210B 10 Speed Manual with OD

3. ENGINE EQUIPMENT:

- a. Alternator – 12 volt 100A
b. Premium engine hoses
c. Injection pump – electronic engine control
d. Radiator – aluminum core
e. Air restriction monitor – intake mounted

4. CAB:

- a. Cab – welded steel galvanized or aluminum shell with rust preventative coating.
b. Floor covering – black rubber mats
c. Seating – driver air suspension mid back, passenger fixed mid back.
d. Steering wheel – 18" two spoke
e. Standard air conditioning

5. FRAME:

- a. Frame – steel construction matched to GVW and mounted body of truck.
b. Wheelbase – 187"
c. Front bumper – painted steel
d. Fuel tank – 70 gallon, minimum
e. Air dryer – bendix AD9 heated, or approved equivalent.

6. SAFETY:

- a. Horn – single air trumpet
- b. Mirrors – West Coast to include 7.5" convex mounted to lower mirror bracket.
- c. Windshield wipers – 2 speed with intermittent feature
- d. Brakes – Meritor "S" cam type 16.5" x 5" Q + front and Meritor 16.5" x 7" Q + rear with anti-lock without automatic traction control, or approved equivalent.
- e. Slack adjusters – Haldex automatic front and rear.
- f. Daytime running lights.
- g. Backup alarm – pollak 41-722 constant audible, or approved equivalent (mounted on rear cross member).

7. FRONT AXLE:

- a. Front axle – 12,000 lb.
- b. Front wheels – steel 10 hole hub piloted
- c. Front tires – 11R22.5 Goodyear G397LHS, steer or approved equivalent.
- d. Front hubs – Ferrous, or approved equivalent.

8. REAR AXLE:

- a. Rear axle – 40,000 lb.
- b. Rear wheels – steel 10 hole hub piloted
- c. Rear tires – 11R22.5 Goodyear G124 unisteeel traction or approved equivalent.
- d. Hubs – Ferrous, or approved equivalent.
- e. Power divider with warning light and buzzer (includes in cab control)

9. ELECTRICAL:

- a. Circuit protection – fuses except headlamp and wiper circuits which utilize circuit breakers.
- b. Hand throttle – electronic hand throttle operated through cruise control when in PTO mode only.
- c. Engine protection – engine shut down system monitoring high water temp, low oil pressure, high exhaust temp, high transmission temp.



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

**52,000 LB. GVWR CAB & CHASSIS - 4X6 TANDEM AXLE TRUCK
SPECIFICATION #50**

2012 International Workstar

The International Workstar purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$87,043.00	\$87,043.00	\$87,043.00	\$87,043.00

While the Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

87,043.00 *
 3,910.00 *
 1,070.00 *
 86,973.00 *

VEHICLE:	Workstar			
DEALER:	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$87,043.00	\$87,043.00	\$87,043.00	\$87,043.00

Order Code	Delete Options	All Zones
7400 6X4 270 ¹	Engine/transmission - specify 7400 6X4 CHASSIS WITH 270 HP 860 TORQUE MF DT ENGINE AND CHOICE OF 3000 RDS 6 SPEED OR 3500 RDS ¹	\$9,473.00 ¹
7400 6X4 315 ¹	Engine/transmission - specify 7400 6X4 CHASSIS WITH 315 HP 950 TORQUE MF 9 ENGINE WITH 3000 RDS ¹	\$8,532.00 ¹
7500 6X4 330 ¹	Engine/transmission - specify 7500 6X4 CHASSIS WITH 330 HP 1150 TORQUE MF 10 ENGINE WITH 3000 RDS ¹	\$5,008.00 ¹
7500 6X4 350 ¹	Engine/transmission - specify 7500 6X4 CHASSIS WITH 350 HP 1150 TORQUE MF 10 ENGINE WITH 3000 RDS ¹	\$4,523.00 ¹

Order Code	Add Options	All Zones
12BAU ¹	Engine upgrade - specify 410 HP MAXXFORCE 13 W/1450 TORQUE ¹	\$1,580.00 ¹
12BAV ¹	Engine upgrade - specify 430 HP MAXXFORCE 13 W/1550 TORQUE ¹	\$1,763.00 ¹
12BAW ¹	Engine upgrade - specify 475 HP MAXXFORCE 13 W/1700 TORQUE ¹	\$2,420.00 ¹
	Engine upgrade - specify	NA
	Engine upgrade - specify	NA
13GHW ¹	Transmission upgrade - specify RTO14908LL ¹	\$1,970.00 ¹
13GHX ¹	Transmission upgrade - specify RTO16908LL REQUIRES 430 HP+ ¹	\$2,170.00 ¹
13GHS ¹	Transmission upgrade - specify FRO-16210C REQUIRES 430 HP+ ¹	\$780.00 ¹
	Transmission upgrade - specify	NA
	Transmission upgrade - specify	NA
58000 GVW ¹	58,000 lb. GVWR package 18000 FRONT AXLE, 40000 REAR AXLE, DOUBLE FRAME, 385 FRONT FLOAT TIRES ¹	\$5,570.00 ¹
64K ¹	64,000 lb. GVWR package 18000 FA, 46000 RA, RT-463 SUSPENSION, DOUBLE FRAME, 385 FLOAT FRONT TIRES, FENDER EXT. ¹	\$7,607.00 ¹
66K ¹	GVWR upgrade - specify 66000 GVW INCL 20000 FA, 46000 RA, RT-463 SUSPENSION, DOUBLE FRAME, 425 FLOAT FRONT TIRES, FENDER EXT ¹	\$8,557.00 ¹
60K ¹	GVWR upgrade - specify 60000 GVW INCL 20000 FA, 40000 RA, RT-403 SUSPENSION, DOUBLE FRAME, 425 FLOAT FRONT TIRES, FENDER EXTENSIONS ¹	\$8,177.00 ¹
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA
	GVWR upgrade - specify	NA

VEHICLE:	Workstar			
DEALER:	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$87,043.00	\$87,043.00	\$87,043.00	\$87,043.00

CNG 7400 ¹	CNG model - specify 7400 6X4 DT466 CNG 300 HP 860 TORQUE W/ 3000 RDS TRANS INCL FUEL TANKS BEHIND CAB. ADD TO BASE SPEC. NOTE, THIS IS A MIDRANGE ENGINE, NOT BIG BORE. ¹	\$34,674.00 ¹
	CNG conversion (discuss with dealer)	NA
	LPG conversion (discuss with dealer)	NA
15DMV ¹	Dual fuel tanks, or equivalent DUAL 70 GALLON NON POLISHED ALUMINUM ¹	\$943.00 ¹
	Nitrogen filled tires including spare tire	NA
13AMT ¹	Allison 4000RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent 4000 RDS 6 SPEED ¹	\$12,821.00 ¹
13AMN ¹	Allison 4500RDS Auto Transmission to include synthetic oil, TES 295 or approved equivalent 4500 RDS 6 SPEED ¹	\$15,220.00 ¹
1GBP ¹	Double Frame: full steel insert	\$1,700.00 ¹
2ARV ¹	Front Axle: 14,000 lb rating to include equal capacity steering gear and springs USES BASE TIRES ¹	\$700.00 ¹
	Front Axle: 14,600 lb rating to include equal capacity steering gear and springs	NA
2ARU ¹	Front Axle: 16,000 lb rating to include equal capacity steering gear and springs INCL 315 FLOAT TIRES, 9 IN RIMS AND DOUBLE FRAME ¹	\$4,800.00 ¹
2ARZ ¹	Front Axle: 18,000 lb rating to include equal capacity steering gear and springs INCL 385 FLOAT TIRES, 12.25 RIMS, DOUBLE FRAME AND FENDER EXT ¹	\$5,590.00 ¹
2ARY ¹	Front Axle: 20,000 lb. rating to include equal capacity steering gear and springs INCL 425 FLOAT TIRES, 12.25 RIMS, DOUBLE FRAME AND FENDER EXT ¹	\$6,540.00 ¹
14HRB ¹	Rear Axle: 46,000 lb Arvin Meritor, Eaton, Mack, or equivalent RT46-164EH ¹	\$3,230.00 ¹
14WLM-2 ¹	Rigid Lift Axle: Pusher / Tag 13,200 lb rating air lift to include 11R-22.5 tires with steel wheels 14WLM WITH 2 TIRES AND RIMS 13200 RATING ¹	\$6,800.00 ¹
14WMA ¹	Steerable Lift Axle: Pusher / Tag 13,200 lb rating air lift to include 11R-22.5 tires with steel wheels 14WMA WITH 2 TIRES AND RIMS 13200 RATING ¹	\$9,794.00 ¹
14WLM-4 ¹	Rigid Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels 14WLM WITH 4 TIRES AND RIMS 20000 RATING ¹	\$8,410.00 ¹
14WME ¹	Steerable Lift Axle: Pusher / Tag 20,000 lb rating air lift to include 11R-22.5 tires with steel wheels 14WME STEERABLE AXLE WITH 4 TIRES AND RIMS 20000 RATING ¹	\$14,100.00 ¹
14ULU ¹	Rear Suspension: 40,000 lb air ride HAS-402-54 INCLUDES DASH MOUNTED DUMP SWITCH ¹	\$1,580.00 ¹
14ULY ¹	Rear Suspension: 46,000 lb Chalmers, Hendrickson, Mack, Volvo "T" ride or equivalent HMX 460-54 ¹	\$1,560.00 ¹
14ULT ¹	Rear Suspension: 46,000 lb air ride HAS-460-55 INCLUDES DASH MOUNTED DUMP SWITCH ¹	\$1,700.00 ¹
12 DUMP ¹	12 yd. dump body with hoist and electric tarp system. State model bid. REQUIRES DOUBLE FRAME. INCL ELECTRIC TARP, AIR TAILGATE AND HOTSHIFT PTO FOR ALLISON ¹	\$16,280.00 ¹

VEHICLE:	Workstar			
DEALER:	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.	Navistar, Inc.
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$87,043.00	\$87,043.00	\$87,043.00	\$87,043.00

18 DUMP ¹	18 yd. dump body with hoist and electric tarp system. State model bid. <i>REQUIRES 66000 GVW, INCLUDES HOTSHIFT PTO FOR ALLISON, AIR TAILGATE, ELECTRIC TARP¹</i>	\$17,500.00 ¹
ROLLOFF ¹	Rolloff hoist system and tarp system. State model bid. <i>GALBREATH U5 OR 174 CABLE HOIST OR EQUAL. INCLUDES TARP SYSTEM. 48 IN TOOL BOX AND STEEL FENDERS. BASE SPEC WITH 186 IN CT¹</i>	\$39,680.00 ¹
	Cab suspension - air ride	Incl.
14GVN ¹	Driver controlled differential lock <i>40000# DRIVER CONTROLLED DIFFLOCK BOTH DIFF¹</i>	\$1,340.00 ¹
14HRE ¹	Optional mounted body - specify <i>46000# DRIVER CONTROLLED DIFFLOCK BOTH DIFF- UPGRADE TO 66K PACKAGE¹</i>	\$2,060.00 ¹
SEWER VAC CHASSIS ¹	Optional mounted body - specify <i>7400 6X4, 60000 GVW, 315 HP, 3000RDS 6SPD, 181 CT, AIR DRIER, DOUBLE FRAME, THIS BASE SEWER VAC SPEC WILL MOUNT WITH MOST 10-11 YARD COMBO SEWER VACS IN SPEC¹</i>	\$3,910.00 ¹
25 YD REAR LOADER ¹	Optional mounted body - specify <i>NEW WAY COBRA MAGNUM 25RL REAR LOADER REFUSE BODY. REQUIRES 60000 GVW, AUTO TRANS AND 160 IN CT¹</i>	\$61,900.00 ¹
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
	Optional mounted body - specify	NA
14HRC ¹	Optional equipment - specify <i>46000 LB DRIVER CONTROLLED DIFFLOCK FRONT AND REAR AXLE UPGRADE TO 14HRB REAR AXLE¹</i>	\$1,190.00 ¹
16XWD ¹	Optional equipment - specify <i>FIBERGLASS SUNSHADE PAINTED TO MATCH CAB¹</i>	\$200.00 ¹
16WJU ¹	Optional equipment - specify <i>POWER WINDOWS AND DOOR LOCKS¹</i>	\$366.00 ¹
5708 ¹	Optional equipment - specify <i>TILT STEERING COLUMN¹</i>	\$125.00 ¹
7SDA ¹	Optional equipment - specify <i>JACOBS ENGINE COMPRESSION BRAKE¹</i>	\$2,155.00 ¹
8GGT ¹	Optional equipment - specify <i>200 AMP ALTERNATOR I.L.O. STANDARD¹</i>	\$540.00 ¹
8MKX ¹	Optional equipment - specify <i>2775 CCA BATTERIES¹</i>	\$178.00 ¹
8WPH, 8TKB ¹	Optional equipment - specify <i>L.E.D. MARKER AND TAIL LIGHTS¹</i>	\$261.00 ¹
8RKH ¹	Optional equipment - specify <i>CD RADIO UPGRADE¹</i>	\$150.00 ¹


AWARDED DEALERS (continued)

Palm Peterbilt Truck Centers

2441 S. State Road 7
Ft. Lauderdale, FL 33317
Contact: Rudy Mangino, Jr.
Phone: 954-584-3200
Mobile: 954-817-8058
Fax: 954-584-3228
Email: rmangino@palmtruck.com

Palmetto Ford Truck Sales, Inc.

7245 NW 36th Street
Miami, FL 33166
Contact: Charlie Rodgers
Phone: 305-470-1334
Mobile: 305-972-7133
Fax: 305-470-1344
Email: crodgers@palmettotruck.com



Pat's Pump & Blower, LLC

630 West Church Street
Orlando, FL 32805
Contact: Kevin Fender
Phone: 407-841-7867
Mobile: 407-468-4094
Fax: 407-648-2096
Email: patspump@aol.com
davidp@patspump.com

Ring Power Corporation

10421 Fern Hill Drive
Riverview, FL 33578
Contact: Alan Thomas
Phone: 813-671-3700
Mobile: 352-427-0252
Fax: 813-672-6680
Email: alan.thomas@ringpower.com

Robinson Equipment Co., Inc.

P.O. Box 156; 3030 Cuyler Street
Mims, FL 32754
Contact: Don Robinson, Jr.
Phone: 321-267-2023
Mobile:
Fax: 321-385-1274
Email: robinsoncq@cfl.rr.com

Rush Truck Centers of Florida

12475 W. Colonial Drive
Winter Garden, FL 34787
Contact: Mike Crouse
Phone: 407-877-3636
Mobile: 321-689-3926
Fax: 407-614-6097
Email: crousem@rushenterprises.com

Southern Sewer Equipment Sales

3409 Industrial 27th Street
Ft. Pierce, FL 34946
Contact: Mike Wood
Phone: 800-782-4134
Mobile: 772-201-9839
Fax: 772-595-9171
Email: info@southernsewer.com

Tampa Truck Center, LLC

7528 U.S. Hwy. 301 North
Tampa, FL 33637
Contact: Scott Endris
Phone: 813-262-0890
Mobile: 813-293-0866
Fax: 813-262-0983
Email: sendris@tampafll.com

Texas Trailers Sales & Service

1650 NW 55th Place
Gainesville, FL 32653
Contact: Rick Croft/Kelli Gatti
Phone: 352-378-4756
Mobile: 352-222-8665
Fax: 352-377-8933
Email: rick@texastrailersfl.com
kelli@texastrailersfl.com

Tradewinds Power Corp.

600 State Road 66
Sebring, FL 33875
Contact: Paul Staples
Phone: 800-206-2224
Mobile: 786-402-9994
Fax: 305-675-3725
Email: pstaples@tradewindspower.com



SOUTHERN SEWER EQUIPMENT SALES

3409 Industrial 27th St. • Ft. Pierce, FL 34946
(772) 595-9171 FAX • 1-800-782-4134 • (772) 595-6940

"A Certified MBE Woman Owned Business"

Mr. Floyd Register
St. Johns County Utility Department
1205 State Road 16
St. Augustine, FL 32084
Via email: fregister@sjcfl.us

October 24, 2012

Dear Mr. Register,

The quote referencing the 2012 Vac-Con sewer cleaner utilizing the Florida Sheriffs Contract 11-19-0907 will be honored through November 21, 2012 at this time. The total for the body is \$218,807.45 as stated on the original quote.

Please let me know if you need any additional information.

Sincerely,

Mike Wood
General Manager



SOUTHERN SEWER EQUIPMENT SALES

3409 Industrial 27th St. • Ft. Pierce, FL 34946
(772) 595-9171 FAX • 1-800-782-4134 • (772) 595-6940

"A Certified MBE Woman Owned Business"

Mr. Floyd Register
St. Johns County
860 W. 16th Street
St. Augustine, FL 32085
Via email: fregister@co.st-johns.fl.us

October 3, 2012


Dear Mr. Register,

****Please note: The Florida Sheriffs Contract has separate specifications for the Sewer Cleaner Body and Chassis. This proposal does not include the cost for the chassis.**

Southern Sewer Equipment Sales is pleased to announce the opportunity for St. Johns County to purchase a new Vac-Con Sewer Combination Cleaner Body from the Florida Sheriff's Contract No. 11-19-0907, Specification #81.

The base Vac-Con model on Specification #81 includes the following items:

New Vac-Con Sewer Combination Cleaner Model V311HN/1000
11 Yard Debris Tank ^{3000?}
80 GPM @ 2500 PSI Water System (Hydrostatically Powered by Chassis Engine)
3 Stage Centrifugal Compressor
1000 Gallon Fresh Water Capacity
Hydraulic Rear Door Locks
Front Mounted Fixed Boom ?
Front Mounted Fixed Hose Reel ?
400' of Sewer Hose ?
20' Aluminum Tubes with Quick Clamps
Sanitary Nozzle, Penetrator Nozzle
Fire Extinguisher
Triangle Kit



Base Bid Price: \$146,134.00

Optional Equipment:

600' x 1" Hose Reel Capacity	(\$2,141.00)
60 GPM @ 2,000 PSI Water Pump	(\$2,185.00)
Upgrade to 1300 Gallon Water Capacity (with Behind the Cab Toolbox)	\$4,488.00
Articulating Hose Reel (includes Hose Footage Counter)	\$11,541.00
Wireless Remote	\$3,800.00
Variable Flow Valve (Includes 2 Additional Nozzles)	\$1,025.00
Hydraulic Pump Off System, 450 GPM, Mounted on Rear Door	\$10,407.00

Dual Engine Configuration, Includes 160cc Hydrostatic Pump Upgrade and Auxiliary Engine Remote Oil Drain	\$9,439.00
Lighting Package: Boom Mounted Flood Lights, Rear Mounted Flood Lights, Front & Rear Mounted Strobe Lights with Limb Guards, Arrowstick & Hand-Held Spotlight	\$3,919.00
Municipal Performance Package #1: Storage Box Behind Cab, Debris Body Power Flush System, 50' Capacity Hand Gun Hose Reel, Low Water Alarm with Light, Body Load Limit Alarm, Back Up Alarm, 2 1/2" Water Drain Gate Valve, 6" Knife Valve	\$7,243.00
Municipal Performance Package #2: Lazy Susan or Folding Pipe Rack, Additional 10' Tubes, Dual Roller Level Wind Guide, Additional 100' Hose, Nozzle Rack, Rear Tow Hooks	\$3,795.00
Remote Grease Zerk Assembly Package: Boom, Debris Tank & Articulating Hose Reel	\$4,957.00
10' Telescoping Boom Assembly with Pendant Control Station, Replaces Fixed Boom Assembly	\$11,200.00
Back Up Camera System with Monitor	\$2,990.00
Gravity Drain: Plumbing to Mid Passenger Side of Unit, Allowing Return of Liquids to Manhole	\$1,539.00
8" Adjustable Air Gap <i>(unpublished option, includes 5% discount)</i>	\$333.45 -
Cone Storage Rack <i>(unpublished option, includes 5% discount)</i>	\$323.00 -

Final Model After Options: V311LHA/1300

PRICE FOR VAC-CON BODY: \$218,807.45


The body price includes mounting the Vac-Con body to the chassis. Please review specification #50 on the Florida Sheriffs Contract for chassis options. The chassis supplier should drop ship the chassis to Vac-Con in Green Cove Springs, FL. The specifications should be approved by Vac-Con before ordering the chassis.

We appreciate the opportunity to provide this equipment to St. Johns County. Please feel free to contact Bill Stinson at (772) 216-2173, if you have any questions.

Sincerely,

Jenny Mitchem

Jenny Mitchem
Sales Coordinator



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

Name of Dealership	Type of Vehicle	Zone	Base Unit Price
<u>10 CUBIC YARD COMBINATION SEWER CLEANING/VACUUMING MACHINE (Specification #81)</u>			
Pat's Pump & Blower, LLC	2012 Aquatech B-10	* Western	\$141,852.00
Pat's Pump & Blower, LLC	2012 Aquatech B-10	*Northern	\$141,852.00
Pat's Pump & Blower, LLC	2012 Aquatech B-10	* Central	\$141,852.00
Pat's Pump & Blower, LLC	2012 Aquatech B-10	* Southern	\$141,852.00
G S Equipment, Inc.	2012 Vacall AJV 1010	Western	\$143,549.00
G S Equipment, Inc.	2012 Vacall AJV 1010	Northern	\$143,549.00
G S Equipment, Inc.	2012 Vacall AJV 1010	Central	\$143,549.00
G S Equipment, Inc.	2012 Vacall AJV 1010	Southern	\$143,549.00
Southern Sewer Equipment Sales	2012 Vac-Con 11 Yard	Western	\$146,134.00
Southern Sewer Equipment Sales	2012 Vac-Con 11 Yard	Northern	\$146,134.00
Southern Sewer Equipment Sales	2012 Vac-Con 11 Yard	Central	\$146,134.00
Southern Sewer Equipment Sales	2012 Vac-Con 11 Yard	Southern	\$146,134.00
Environmental Products of Florida	2012 Vactor 2100 Plus	Western	\$145,483.00
Environmental Products of Florida	2012 Vactor 2100 Plus	Northern	\$145,483.00
Environmental Products of Florida	2012 Vactor 2100 Plus	Central	\$145,483.00
Environmental Products of Florida	2012 Vactor 2100 Plus	Southern	\$145,483.00

146,134.00
 2,146,134.00
 2,146,134.00
 4,468,000.00
 11,541,000.00
 3,900,000.00
 1,025,000.00
 10,407,000.00
 9,439,000.00
 3,919,000.00
 7,243,000.00
 3,795,000.00
 4,957,000.00
 11,200,000.00
 2,990,000.00
 1,539,000.00
 533,650.00
 323,000.00
 2,800,000.00



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

**10 CUBIC YARD COMBINATION SEWER CLEANING/VACUUMING
MACHINE
SPECIFICATION #81**

2012 Aquatech B-10
2012 Vacall AJV 1010
2012 Vac-Con 11 Yard
2012 Vactor 2100 Plus



NOTE TO PURCHASERS: This is an INCOMPLETE UNIT. This is a bid award on a combination Sewer Cleaning/Vacuum Unit to be mounted on an appropriate sized cab & chassis truck. Agencies purchasing this unit will need to provide a cab & chassis truck of appropriate size, GVW, and, options necessary to have the selected combination Sewer Cleaner/Vacuuming Unit to be mounted on, or have the truck provider assist in ordering the correctly outfitted truck. Listed above you will find the model numbers of the units that will be included in the years contract.

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: Listed above, you will find the model numbers of the vehicles that will be included in this year's contract.

1. AIR/VACUUM SYSTEM:

- a. Positive displacement vacuum pump or centrifugal compressor
- b. 3500 CFM @ 14.5 inches of mercury, minimum
- c. Muffler
- d. Vacuum relief valves
- e. Centrifugal separator with clean out
- f. PTO or hydrostatic drive

2. DEBRIS TANK:

- a. 10 cu. yard capacity
- b. 45 degree hydraulic dump
- c. Top hinged
- d. Hydraulic door locks
- e. Sight glass or indicator
- f. Drain valve with hose
- g. Check ball system or vacuum breaker

3. BOOM ASSEMBLY:

- a. 270 degree hydraulic rotation
- b. Hydraulic up/down

- c. Clean out port
- d. Transport cradle
- e. 8" boom hose
- f. Pendant control

4. WATER PUMP:

- a. 2500 PSI, 80 GPM
- b. Pressure relief valve
- c. Wash down gun with relief valve

5. WATER TANK:

- a. 1000 gallon capacity
- b. Curb side fill
- c. Level indicators

6. HOSE REEL:


- a. 800' of 1" hose capacity
- b. 400' of 1", 2500 PSI hose supplied
- c. Power in/out
- d. Reel speed control system
- e. Position lock system
- f. Engine and hose reel controls
- g. Level wind

7. DRIVE SYSTEM:

- a. Hydrostatic, split PTO, or auxiliary engine

8. MISCELLANEOUS:

- a. Nozzles 15 degree and 30 degree for jet
- b. Wash down gun
- c. 8" intake tube 20' minimum
- d. Flexible hose guide
- e. Hose storage rack



**FLORIDA SHERIFFS ASSOCIATION,
FLORIDA ASSOCIATION OF COUNTIES &
FLORIDA FIRE CHIEFS' ASSOCIATION**

**10 CUBIC YARD COMBINATION SEWER CLEANING/VACUUMING
MACHINE
SPECIFICATION #81**

2012 Vac-Con 11 Yard

The Vac-Con 11 Yard purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$146,134.00	\$146,134.00	\$146,134.00	\$146,134.00

While the Florida Sheriffs Association, Florida Association of Counties and Florida Fire Chiefs' Association have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

VEHICLE:	11 Yard			
DEALER:	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$146,134.00	\$146,134.00	\$146,134.00	\$146,134.00

Order Code	Delete Options	All Zones
	Downgrade to smaller unit - specify <i>Model V390HN/1000, 9 Yard Debris Tank To Be Mounted On Single Rear Axle Chassis</i> ¹	(\$6,610.00) ¹
	Downgrade to smaller unit - specify <i>600' x 1" Hose Reel Capacity</i> ¹	(\$2,141.00) ¹ —
	Downgrade to smaller unit - specify <i>60 GPM @ 2,000 PSI FMC Water Pump</i> ¹	(\$2,185.00) ¹ —
	Delete option - specify <i>FMC Water Pump in lieu of Giant Water Pump</i> ¹	NC ¹
	Delete option - specify <i>50 GPM @ 3,000 PSI Water System with 400' x 3/4" Hose</i> ¹	NC ¹
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA

Order Code	Add Options	All Zones
	Upgrade to larger unit - specify <i>Model V311HN/1300, Upgrade to 1300 Gallon Water Capacity (Replaces side mounted tool boxes with behind the cab tool box)</i> ¹	\$4,488.00 ¹ —
	Upgrade to larger unit - specify <i>Model V312HN/1000, Upgrade to 12 Yard Debris Tank</i> ¹	\$4,395.00 ¹
	Upgrade to larger unit - specify <i>Model V311SHN/1000, Upgrade to 6' Telescoping Boom with Pendant Control Station (Tube in Tube), Replaces Fixed Boom Assembly</i> ¹	\$7,462.00 ¹
	Articulating hose reel <i>Includes Hose Footage Counter</i> ¹	\$11,541.00 ¹ —
	Hi-dump	\$16,926.00
	Wireless remote	\$3,800.00 —
	Variable flow water system <i>Includes 2 Additional Nozzles</i> ¹	\$1,025.00 ¹ —
	Hydraulic pump-off system <i>450 GPM, Mounted on Rear Door</i> ¹	\$10,407.00 ¹ —
	Positive displacement blowers <i>824 PD Blower Driven Hydraulically, No PTOs or Transfer Cases to Engage</i> ¹	\$19,093.00 ¹
	Optional equipment - specify <i>Dual Engine Configuration, Includes 160cc Hydrostatic Pump Upgrade and Auxiliary Engine Remote Oil Drain</i> ¹	\$9,439.00 ¹ —
	Optional equipment - specify <i>John Deere Auxiliary Engine in lieu of Deutz Engine (Requires Dual Engine Configuration)</i> ¹	\$1,485.00 ¹
	Optional equipment - specify <i>Lighting Package: Boom Mounted Flood Lights, Rear Mounted Flood Lights, Front & Rear Mounted Strobe Lights with Limb Guards, Arrowstick & Hand Held Spotlight</i> ¹	\$3,919.00 ¹ —

VEHICLE:	11 Yard			
DEALER:	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales	Southern Sewer Equipment Sales
ZONE:	Western	Northern	Central	Southern
BASE PRICE:	\$146,134.00	\$146,134.00	\$146,134.00	\$146,134.00

	Optional equipment - specify <i>LED Lighting Package Upgrade: ICC LED Lights, Upgrade to LED Front & Rear Strobe Lights, Upgrade to LED Arrowboard, LED 4 Corner Strobe System - Bumper Mount (Requires Lighting Package) ¹</i>	\$4,106.00 ¹
	Optional equipment - specify <i>Municipal Performance Package #1: Storage Box Behind Cab, Debris Body Power Flush System, 50' Capacity Hand Gun Hose Reel, Low Water Alarm, Body Load Limit Alarm, Back Up Alarm, 2.5" Water Drain Valve, 6" Knife Valve ¹</i>	\$7,243.00 ¹ -
	Optional equipment - specify <i>Municipal Performance Package #2: Lazy Susan or Folding Pipe Rack, Additional 10' Tubes, Dual Roller Level Wind Guide, Additional 100' Hose, Nozzle Rack, Rear Tow Hooks ¹</i>	\$3,795.00 ¹ -
	Optional equipment - specify <i>Hydro Excavation Package: 50' High Press Hand Gun Reel, High Press Unloader Valve & High Press Extendable (5') Excavation Nozzle with Quick Disconnect ¹</i>	\$4,846.00 ¹
	Optional equipment - specify <i>Remote Grease Zerk Assembly Package: Boom, Debris Tank & Articulating Hose Reel ¹</i>	\$4,957.00 ¹ -
	Optional equipment - specify <i>10' Telescopic Boom Assembly with Pendant Control Station (Tube in Tube), Replaces Fixed Boom Assembly ¹</i>	\$11,200.00 ¹ -
	Optional equipment - specify <i>80 GPM @ 3,000 PSI Water System, Includes 500' x 1" Sewer Hose (Requires Dual Engine Configuration) ¹</i>	\$4,691.00 ¹
	Optional equipment - specify <i>Back Up Camera System with Monitor ¹</i>	\$2,990.00 ¹ -
	Optional equipment - specify <i>Centrifugal Compressor Quiet Package ¹</i>	\$2,985.00 ¹
	Optional equipment - specify <i>Hydraulic Rear Door Opener ¹</i>	\$3,090.00 ¹
	Optional equipment - specify <i>Gravity Drain: Plumbing to Mid-Passenger Side of Unit, Allowing Return of Liquids to Manhole ¹</i>	\$1,539.00 ¹ -
	Optional equipment - specify <i>Heavy Reinforced Elbow ¹</i>	\$904.00 ¹
	Optional equipment - specify	NA
	New state tag (specify state, county, city, sheriff, etc.)	NA
	Transfer existing registration (must provide tag number)	NA
	Temporary tag	NA
	Maintenance Plan - specify <i>Vac-Con Body Only (price is per year based on 5 years maximum) ¹</i>	\$6,420.00 ¹
	Maintenance Plan - specify	NA
	Warranty - specify <i>Vac-Con Body Extended Warranty (price is per year up to 5 year maximum total warranty) ¹</i>	\$4,000.00 ¹
	Warranty - specify	NA
% Discount ¹	Discount percentage off manufacturer's current published retail prices for non-specified options and any optional models bid. This discount ONLY APPLIES to a downgrade or an upgrade to the model listed in this specification. It does not apply to a completely different make or model. (The discount is applied to the manufacturer's current published retail prices.)	\$5.00 ¹