

RESOLUTION NO. 2016 - 308

A RESOLUTION BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, AUTHORIZING THE COUNTY ADMINISTRATOR, OR DESIGNEE, TO PURCHASE AND TO EXECUTE A PURCHASE ORDER FOR TWO NEW 2017 BRAUN AMBULANCES

RECITALS

WHEREAS, the County seeks to purchase of two (2) 2017 Braun Ambulances; and

WHEREAS, in accordance with section 302.6.5.4 of the St. Johns County Purchasing Manual, entitled "Piggyback or Cooperative Purchasing", the County is authorized make said purchase subject to the terms and conditions of Florida Sheriff's Association, Florida Association of Counties & Florida Fire Chief's Association Contract #FSA16-VEF12.0 ("Contract"); and

WHEREAS, purchase of the ambulances will be funded by the EMS Department and Fire impact Fees; and

WHEREAS, the County has reviewed the terms, provisions, conditions and requirements of the Contract and finds that entering into the Contract for purchase of the ambulances serves a public purpose.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, as follows:

Section 1. The above Recitals are incorporated by reference into the body of this Resolution and such Recitals are adopted as finds of fact.

Section 2. The County Administrator, or designee, is hereby authorized to purchase two (2) 2017 Braun Ambulances.


Section 3. In accordance with the terms and conditions of the Contract, the County Administrator, or designee, is further authorized to execute a purchase order in the amount of \$538,042.00 for purchase of the ambulances from Ten-8 Fire Equipment, Inc.

Section 4. To the extent that there are typographical and/or administrative errors that do not change the tone, tenor, or concept of this Resolution, then this Resolution may be revised without subsequent approval by the Board of County Commissioners.

PASSED AND ADOPTED by the Board of County Commissioners of St. Johns County, Florida, this 4th day of October, 2016.

ATTEST: Hunter S. Conrad, Clerk

By: Pam Halterm
Deputy Clerk



BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

By: Jeb S. Smith
Jeb S. Smith, Chair

RENDITION DATE 10/5/16

Fire Rescue Vehicles & Other Equipment

CONTRACT: FSA16-VEF12.0

Contract Period: April 1, 2016 - March 31, 2017

Bid Award

Bid Support Documents

Dealer Directory

Vendor Forms

Contract Terms and Conditions

Archive

Need Assistance?

fleet@flsheriffs.org



850-877-2165



Protecting, Leading & Uniting...since 1893

FLORIDA SHERIFFS ASSOCIATION

2617 Mahan Drive, Tallahassee, Florida 32308
P.O. Box 12519 • Tallahassee, Florida 32317-2519

p: (850) 877-2165
f: (850) 878-8665
www.flsheriffs.org  

March 31, 2016

NOTICE OF AWARD

of

CONTRACT NUMBER FSA16-VEF12.0

Florida Sheriffs Association

announces the award of the contract for

FIRE RESCUE VEHICLES & OTHER EQUIPMENT

Effective: April 1, 2016 – March 31, 2017

The Florida Sheriffs Association is pleased to announce the successful results of the 13th competitive bid for Fire Rescue Vehicles & Other Equipment. This year's bid added one new specification and commodity to help meet the needs of the end-users. Awarded Vendors have complied with the Invitation to Bid and the contract bid process and have, after review, met the specifications within the contract. Terms and Conditions can be found by visiting [FSA Fire Bid Contract Terms and Conditions](#).

Competitive bidding is designed to benefit the public body of the State of Florida and is administered to accomplish its purposes with sole reference to the public interest. This bid is extended and guaranteed to any and all units of local government/political subdivision, including but not limited to county, local county boards of public instruction, municipalities and other local public or public safety agencies or authorities.

Out of state purchases may be made under the Contract Terms and Conditions by governmental entities located outside of the State of Florida. (Terms and Conditions Sec 1.09)

All agencies, regardless of location, are bound by their local governing purchasing ordinances, rules and regulations and shall apply these to purchases made under this contract. Awarded Vendors are governed by their manufacturer agreements.

A copy of the Contract Award Document can be viewed by visiting the [FSA Fire Rescue/EMS Bid Award](#) page. Note: An official listing of all add/delete options and their process should be obtained from the awarded vendor.

Awarded Vendors include the following Dealers/ Manufacturers:

Ambulance Dealer

Demers Ambulance USA
Quality Emergency Vehicles (QEV)
Quality Emergency Vehicles (QEV)
ETR, LLC
Hall-Mark, RTC
Hall-Mark, RTC
Hall-Mark, RTC
Hall-Mark, RTC
Ten-8
Ten-8
Ten-8

Ambulance Manufacturer

Demers Ambulance USA
Demers Ambulance USA
Life Line Ambulance
American Emergency Vehicles (AEV)
Horton Emergency Vehicles
McCoy Miller
Road Rescue
Wheeled Coach
Braun Industries
Medix Specialty Vehicles
Osage Industries

Fire Apparatus Dealer

Florida Apparatus Sales Headquarters
Hall-Mark, RTC
Hall-Mark, RTC
HME, Inc.
KME
Rosenbauer
South Florida Emergency Vehicles
Spartan Emergency Response
Tactical Fire
Ten-8

Fire Apparatus Manufacturer

Smeal Fire Apparatus
E-One
Hall-Mark, RTC
HME, Inc.
KME
Rosenbauer
Sutphen
Spartan Motors, Inc.
Toyne, Inc.
Pierce Manufacturing

Thank you to the Awarded Vendors for their responsiveness to this competitive process.
Questions may be directed to undersigned or e-mail fleet@flsheriffs.org.

Sincerely,



Andrew E. Terpak,
Business Operations Manager

Specification #01 - Type I Ambulance - 2 Wheel Drive - 4 Wheel Drive Optional (Diesel Engine, Dual Rear Wheel, Cab & Chassis)							
DEALER	MANUFACTURER	CHASSIS MAKE	CHASSIS MODEL	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.	Ford	F350	150"x95"x72"HR	\$149,317.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Ford	F450	150"x95"x72"HR	\$159,006.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Ford	F550	169"x96"x72"HR	\$184,377.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Dodge	Ram 4500	150"x95"x72"HR	\$157,597.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Dodge	Ram 5500	169"x96"x72"HR	\$182,127.00	Build Sheet	
Specification #02 - Type I Ambulance - 2 Wheel Drive - 4 Wheel Drive Optional (Gas Engine, Dual Rear Wheel, Cab & Chassis)							
DEALER	MANUFACTURER	CHASSIS MAKE	CHASSIS MODEL	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.				NO BID		
Specification #03 - Type I Ambulance - 2 Wheel Drive Medium Duty (Dual Rear Wheel, Cab & Chassis)							
DEALER	MANUFACTURER	MODEL	MAKE	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.	Ford	F650	170"x96"x73"HR	\$212,858.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Freightliner	M2	170"x96"x73"HR	\$233,062.00	Build Sheet	
Ten-8	Braun Industries, Inc.	International	Durastar	170"x96"x73"HR	\$233,472.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Spartan	Metro	170"x96"x73"HR	\$511,520.00	Build Sheet	
Specification #04 - Type II Ambulance - 2 Wheel Drive - Van							
DEALER	MANUFACTURER	MODEL	MAKE	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.				NO BID		
Specification #05 - Type III Ambulance - 2 Wheel Drive (Diesel Engine, Dual Rear Wheel, Cab & Chassis)							
DEALER	MANUFACTURER	MODEL	MAKE	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.	Mercedes	Sprinter	150"x85"72"HR	\$145,987.00	Build Sheet	
Specification #06 - Type III Ambulance - 2 Wheel Drive (Gas Engine, Dual Rear Wheel, Cab & Chassis)							
DEALER	MANUFACTURER	MODEL	MAKE	MODULAR BOX DIMENSIONS	BASE PRICE	BASE SPECIFICATION LINK	
Ten-8	Braun Industries, Inc.	Chevy	3500	144"x95"x68"HR	\$129,599.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Chevy	4500	169"x96"x72"HR	\$166,129.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Ford	E350	144"x95"x68"HR	\$121,407.00	Build Sheet	
Ten-8	Braun Industries, Inc.	Ford	E450	169"x96"x72"HR	\$158,281.00	Build Sheet	
Specification #07 - 70' Mid Mounted Aerial Platform							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #08 - 75' Mid Mounted Aerial Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #09 - 75' Rear Mounted Aerial Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #10 - 100' Mid Mounted Aerial Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #11 - 100' Rear Mounted Aerial Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #12 - Mid Mounted Aerial Platform							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #13 - Rear Mounted Aerial Platform							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #14 - Medium Duty Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #15 - Heavy Rescue Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #16 - 2500 Gallon Mobile Water Supply Fire Apparatus							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.					NO BID	
Specification #17 - Wildland Fire Apparatus							

DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.				NO BID		
Specification #18 - Commercial Pumper (2 Door)							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.				NO BID		
Specification #19 - Level I Custom Pumper (Medium 4 Door Custom Chassis)							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.				NO BID		
Specification #20 - Level II Custom Pumper (Medium 4 Door Custom Chassis)							
DEALER	MANUFACTURER	MODEL	MAKE	LADDER TYPE	BODY TYPE	BASE PRICE	BASE SPECIFICATION LINK
Ten-8	Braun Industries, Inc.				NO BID		

FINALIZED COPY 02/17/2016

**FLORIDA SHERIFFS ASSOCIATION, FLORIDA FIRE CHIEFS'
ASSOCIATION, & FLORIDA ASSOCIATION OF COUNTIES****SPECIFICATION #01 – TYPE I AMBULANCE****2 WHEEL DRIVE – 4 WHEEL DRIVE OPTIONAL
(DIESEL ENGINE, DUAL REAR WHEEL, CAB & CHASSIS)**

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: In the first column labeled “Manufacturer’s Base Vehicle Standard Equipment”, check the applicable areas where the manufacturer’s base vehicle standard equipment meets the minimum specifications of the base vehicle bid.

Scope & General Requirements: This specification describes an ambulance configuration as defined in the **FEDERAL SPECIFICATION FOR AMBULANCES, KKK-A-1822F, or most current revision.** Unless otherwise specified, described vehicle shall comply with KKK-A-1822F and the current **National Truck Equipment Association/Ambulance Manufacturers Division Standards, as well as the Chassis Manufacturers Incomplete Vehicle Manual, Body Builders Layout Book and Ford Motor Company Qualified Vehicle Modifiers (QVM) Program Truck Guidelines.**

The bidder is to understand that the Florida Sheriffs Association does not guarantee any quantity of vehicles will be ordered off this contract. The bidder will further understand that this program operates under a split bid award system which allows the end user authority to purchase from any of the responsive bidders authorized and awarded to do business off this contract. **The end user authority will contract directly and individually with the awarded bidder of their choice for any and all vehicles offered on this contract and any other features, options and equipment items required to meet their individual needs. Customers shall choose from options furnished to them by the manufacturer.**

Delivery of the vehicles shall be accomplished by factory or dealer drive away programs. However, the right is reserved for the individual end users to pick up the vehicles at either the factory or the dealership.

Prospective bidder(s) are advised that the following documentation is to be included and made a part of the bid submission. The Bid Coordinator reserves the right to disqualify any bidder(s) who are in non-compliance with this provision.

Bid Bond: A five percent (5%) Bid Bond issued by a bonding company licensed to conduct business in the state of Florida is required for base vehicle price and shall be provided as part of the bid package. Bid bond will be made out to the Florida Sheriffs Association as coordinator of this bid unless otherwise indicated or approved by FSA’s Bid Coordinator.

Performance Bond: The contractor is required to notify the customer of the availability of a one hundred percent performance bond at an additional cost to the customer. The company submitting the performance bond must have a minimum A rating as determined by A.M. Best Company. The cost of the performance bond will be based on the final price of the contract and must be provided to the customer in writing.

Note: A letter from a bonding company licensed to do business in Florida must be submitted with the bid stating that the manufacturer will provide a 100% Performance Bond between the bidder and the end user authority upon award of this bid.

The manufacturer of this vehicle:

- Shall be a current member in good standing of the Ford Motor Company Qualified Vehicle Modifier Program, and shall submit a copy of the membership certificate as part of the bid proposal.
- Shall be a Participating Member of the National Truck Equipment Association's Ambulance Manufacturers Division and submit a copy of his membership certificate as part of the bid proposal.
- Must be in compliance with Fed. Spec. KKK-A-1822F, or most current revision, for the type vehicle described herein, as prepared by an independent third party testing laboratory, and must have "Star of Life" certification affixed to ambulance upon delivery. (In-house certification will not be acceptable.)
- Shall carry not less than ten million dollars (\$10,000,000.00) in product liability insurance, listing the Florida Sheriffs Association as additional insured, and shall submit a copy of this insurance with the bid proposal.
- Shall possess a Florida Motor Vehicle Department license as a Manufacturer of Motor Vehicles and shall provide a copy of the license with the bid proposal.
- Shall be or have a Florida Dealer Representative who shall possess a Florida Motor Vehicle Dealers license and shall provide a copy of the license with the bid proposal.
- Shall employ full-time parts personnel with toll-free access number.
- Shall employ a full-time electrical troubleshooter with toll-free access number.
- Shall employ a full-time warranty representative with toll-free access number.
- Bidder shall submit how warranty service claims will be handled in the State of Florida.

**Manufacturer's
Base Vehicle
Standard
Equipment**

1. ENGINE

- a. Turbo diesel engine, minimum 5.9L displacement.
- b. Must include the chassis manufacturer's "AMBULANCE PREP PACKAGE" which is intended to be an ambulance or components where available.
- c. Heavy-duty alternator, minimum 200 amp.
- d. Maintenance free heavy-duty batteries, 750 CCA minimum, 2 battery minimum.
- e. Manufacturer's heavy-duty engine cooling.

2. TRANSMISSION

- a. Automatic transmission, 4 speed minimum with overdrive.
- b. Manufacturer's heavy-duty cooling.

3. AXLES

- a. Manufacturer's standard drive axle ratio for ambulance prep.

Manufacturer's
Base Vehicle
Standard
Equipment

4. PERFORMANCE ITEMS

- a. Power steering
- b. Anti-lock brakes
- c. Power brakes, disc type front, disc or drum rear.
- d. Fuel capacity, 250 miles minimum without refueling
- e. Heavy-duty front and rear shocks.
- f. Front stabilizer bar.

5. COMFORT ITEMS

- a. Factory installed air conditioning
- b. Tinted glass (factory tint)
- c. Minimum seating for two
- d. Rubber floor mat instead of carpeting
- e. AM/FM radio
- f. Power door locks
- g. Power windows
- h. Speed control and tilt wheel.

6. SAFETY ITEMS

- a. Driver and passenger lap and shoulder belt with retractor.
- b. Driver and passenger air bags
- c. Dual electric horns
- d. Outside mirrors to provide vision for vehicles 96" wide.
- e. Two speed wipers with intermittent.
- f. Interior dome lights wired to right and left doors.

7. TIRES AND WHEELS

- a. BSW, all season tread radial 17 inch tires, minimum.
- b. Conventional spare tire and wheel
- c. Jack and wheel wrench

8. CHASSIS, FRAME, CAB

- a. Minimum GVWR 13,200 lbs.
- b. Cab and chassis only
- c. Cab to center of axle 84 inches, minimum

9. MODULAR BODY CONSTRUCTION

- a. The ambulance body and patient compartment shall be sufficient in size and meet requirements of this specification and those of paragraph 3.10.1 and the cot fastener system to meet or exceed requirements of paragraph 3.11.6 of the current KKK-A-1822F, including all change notices.



August 18, 2016

Deputy Chief David Reams
St. John's County Fire Service
3657 Gaines Road
St. Augustine, FL 32084

RE: (1) One Braun 2017 Chief XL Rescue Ambulance w/ Ram Chassis

Chief Reams,

Thank you for your support of Ten-8 Fire Equipment and Braun Industries for the purchase of an additional rescue. We are pleased to offer the following quote for your consideration.

Final Quote

(1) One 2017 Braun Chief XL Type I Rescue/Ambulance on a 2017 Ram Chassis per your current design and specifications

Unit Price: \$228,547.00

Per Florida Sheriff's Association Bid FSA 16-VEF12.0

This quote is per your existing units currently in production with the Change Notice #8 seat belt changes included.

We appreciate the opportunity to serve you again by providing this quote. Should you have any additional questions, comments or requests please feel free to contact me. We look forward to working with you again.

Sincerely,

Wayne Stowell

Wayne Stowell
727-746-7442

Ten-8 Fire Equipment
2904 59th Ave. Dr. E.
Bradenton, FL 34203
www.ten8fire.com



St. John's County Fire Rescue
Braun Chief XL Ram
Florida Sheriff's Association Bid FSA16-VEF12.0
Wednesday, August 17, 2016

P/N	DESCRIPTION	
20-10-0103	Liquid Spring Suspension	\$ 3,050.00
20-10-0209	Battery Three "D" series	\$ 804.00
20-20-0126	Floor Console Angled Removable Plates	\$ 950.00
20-SP-0001	Aluminum Rims for Chassis	\$ 1,492.00
30-10-0012	Air Horns- Buell Dual Trumpets	\$ 1,860.00
30-10-0073	Camera Patient Area	\$ 542.00
30-10-0262	Inverter Vanner 1050 Watt	\$ 1,403.00
30-10-0412	OSS Compartment Lights LED rope	\$ 578.00
30-10-0431	Step Well Lights	\$ 116.00
30-10-0738	Refrigerator - Norcold	\$ 1,726.00
30-25-0201	Running board - Whelen Mini-LED lights	\$ 198.00
30-25-3114	Whelen Grill Lights Total (4)	\$ 359.00
30-27-4151	Lights Above Rub Rail	\$ 287.00
40-09-0164	Zico SCBA Holders	\$ 352.00
40-10-0030	Dock Bumpers	\$ 181.00
40-10-0100	Rubber Fenderettes	\$ 252.00
40-10-0386	Vehicle ID Placards	\$ 225.00
40-10-0506	Rear Sliding Windows	\$ 251.00
40-SP-0001	Battery Compt. To Streetside	\$ 892.00
41-01-0207	OSS #1 Streetside Forward Transverse Backboard Storage	\$ 1,719.00
42-01-0202	OSS #2 Streetside Center Modifications	\$ 1,102.00
43-01-0204	OSS #3 Streetside Rear Double Doors	\$ 3,321.00
43-02-0112	OSS #3 Compt. Three Shelves	\$ 430.00
43-03-0102	OSS #3 Fixed Divider	\$ 284.00
43-04-0102	OSS #3 Slide Out Board	\$ 1,345.00
44-01-0208	OSS #4 Right Rear Compt.	\$ 1,641.00
45-01-0203	OSS #5 Outside Storage Curbside Forward	\$ 1,855.00
50-10-0112	Upper Cabinet Rear #1 Restocking	\$ 289.00
50-10-0230	Upper Cabinet Over Panel #2 Restocking	\$ 241.00
50-10-0303	Left Wall Cabinet Modifications	\$ 2,209.00
50-20-0142	Medivault Knox Box	\$ 3,477.00
50-30-0137	Squad Bench Cabinet	\$ 889.00
50-41-0203	Hoseline 125 V/12V Combination AC unit	\$ 6,424.00
50-50-0001	Squad Bench w/Bolsters CN8 Compliant	\$ 1,801.00
50-50-0102	Attn Child Safety Seat with 4-Pt. Harness	\$ 477.00
50-50-0316	CPR Seat CN8 compliant	\$ 697.00
50-50-0522	Sharps and Trash Squad Bench	\$ 310.00
50-51-2002	Cabinet Doors Lexan	\$ 143.00
50-60-0030	Assist Handles "V" Stainless Steel	\$ 102.00
50-60-0097	Clock Trin Tec	\$ 86.00
50-60-0437	Cast IV Hangers	\$ 194.00
50-60-0590	Net Squad Bench	\$ 210.00

50-60-0166	Customer Supplied Performance Load Cot Fastner credit	\$ (2,533.00)
60-10-0110	Paint Module Red	\$ 1,873.00
60-10-0170	Paint Cab Red	\$ 1,962.00
60-SP-0011	Graphics	\$ 2,353.00
SP-99-4001	Buss Bar	\$ 75.00
SP-99-0001	Prewires (3) 12V	\$ 360.00
	Drop Down Cabinet Above Walk Thru	\$ 1,033.00
	OPTIONS TOTAL	\$ 52,420.00
	FLORIDA SHERIFF'S ASSOCIATION BID RAM	\$ 182,127.00
	Braun Discount	\$ (6,000.00)
	FINAL PRICE	\$228,547.00

QUOTATION

Ten 8 Fire Equipment Inc.

St John's County Fire Rescue
 Assistant Chief Jeffery Prevatt
 3657 Gaines Road
 St Augustine, FL 32084
 904-209-1700
 jrobshaw@sjcfi.us


Ten-8
 Wayne Stowell
 2904 59th Ave. Dr. E.
 Bradenton, FL 34203
 727-647-7442
 wayne.stowell@yahoo.com

Exp. Date: 09/04/2016
 Quote No: 10026-0003
 AMB I: 16CHXL I Chief XL 2016 Type I / 169" Module

09/07/2016

Page 1

PART NO	S	DESCRIPTION	QTY	BI
== Chief XL 2016 Type I / 169" Module - 16.400 07/13/16 ==				
00-01-0007	<	KKK-A-1822F CHANGE NOTICE 8 COMPLIANT	1	BI
00-01-0008	< >	KKK-A-1822F CHANGE NOTICE 9 COMPLIANT	1	BI
00-01-0091	< >	REQUIRED REMAINING EQUIPMENT PAYLOAD:	1	BI
00-01-0097		IS YOUR STATE COMPLIANT WITH KKK CHANGE NOTICE #8	1	BI
00-01-0098		KKK CHANGE NOTICE #8 COMPLIANCE REQUIRED	1	BI
00-01-0244	<	TYPE I - AMBULANCE - CHIEF XL I - 72" INTERIOR HEADROOM	1	BI
		CHASSIS PACKAGES	1	BI
10-04-0039	<	CHASSIS - 2017 RAM 5500 192.5" WB 4X2	1	BI
10-08-0000	<	** NO CUSTOM CHASSIS REQUIRED **	1	BI
20-10-0099		FUEL TANK - FULL UPON FACTORY RELEASE	1	BI
20-10-0103	XS <	SUSPENSION - LIQUID SPRING	1	BI
20-10-0112	S < >	INBOARD ARM RESTS FOR ALUMINUM CONSOLE	1	BI
20-10-0209	XS <	BATTERY - THREE SYSTEM - D SERIES CHASSIS	1	BI
20-10-0603		ENGINE BLOCK HEATER - OEM PLUG	1	BI
20-20-0126	XS < >	FLOOR CONSOLE - ANGLED FRONT - REMOVABLE PLATES - ALUMINUM-MODIFIED	1	BI
20-20-0251		HEAT SHIELDS	1	BI
20-30-0210	<	MIRRORS, EXTERIOR OEM POWER TRAILER TOW MIRRORS	1	BI
20-30-0806		RUNNING BOARDS - STAR PUNCHED DIAMOND PLATE	1	BI
20-40-0208	< >	OEM WHEELS - WITH VALVE STEM EXTENSIONS	1	BI
20-SP-0001	XS < >	ALUMINUM WHEELS W/HUB & NUT COVERS	1	BI
		ELECTRICAL SYSTEM FEATURES	1	BI
30-06-0002		ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED	1	BI
30-06-0010		VISTA IV MCC - PUSH BUTTON	1	BI
30-06-0015		VISTA IV ACP - PUSH BUTTON	1	BI
30-06-0026		WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM	1	BI
30-06-0050		DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM	1	BI
30-06-0076		MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM	1	BI



PART NO	DESCRIPTION	QTY
30-06-0175	WIRING HARNESS CONNECTORS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0200	RADIO TIE-IN POINTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0225	EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0250	CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0275	MODULE POWER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0285	MODULE DISCONNECT - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0300	VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0325	FLASHER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0350	FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0375	PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0400	LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRIC	1
30-06-0410	WARNING LIGHTS FLASH PATTERN SIGNAL ALERT 75 - MULTIPLEX ELEC SYS	1
30-06-0425	WARNING LIGHTS SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0450	FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0475	CURBSIDE SCENE LIGHTS "ON" WITH CURBSIDE DOOR - MULTIPLEX EL	1
30-06-0500	REAR SCENE LIGHTS "ON" WITH REAR DOORS OPEN - MULTIPLEX ELEC	1
30-06-0525	DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL	1
30-06-0550	DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL	1
30-06-0575	REVERSE (TRANSMISSION) FUNCTIONS - MULTIPLEX ELECTRICAL	1
30-10-0012	AIR HORNS - BUELL DUAL TRUMPETS 10" & 12", UNDR BMPR W/SW	1
30-10-0030	BACKUP ALARM	1
30-10-0071	CAMERA REAR VIEW - SINGLE SYSTEM - VISTA SCREEN	1
30-10-0073	CAMERA PATIENT AREA SINGLE SYSTEM - VISTA SCREEN	1
30-10-0110	ELECTRICAL CIRCUITS	1
30-10-0190	GROUND FAULT CIRCUIT INTERRUPTER (GFCI)	1
30-10-0262	INVERTER, VANNER - 1050 WATT, #20-1050CUL-DC CHARGER	1
30-10-0291	LIGHT, ATTENDANT CONTROL PANEL AREA - LED - WARM WHITE	1
30-10-0310	LIGHT, ELECTRICAL COMPARTMENT (PDQ)	1
30-10-0412	LIGHT OSS COMPARTMENT - LED ROPE	1
30-10-0431	LIGHT, STEPWELL - CURBSIDE DOORWAY - 2" LED SURFACE MNT	2
30-10-0534	OUTLETS, 125VAC - FOUR (4) INTERIOR DUPLEX	1
30-10-0560	OUTLETS, 12VDC - THREE (3) INTERIOR POWERPOINT	1
30-10-0657	RADIO ANTENNA BASES - TWO (2)	1
30-10-0721	RECEPTACLE SHORELINE INLET-20 AMP, NON-AUTO EJECT	1
30-10-0738	REFRIGERATOR - NORCOLD 1.7 CU FT BUILT-IN	1
30-10-0753	SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE	1
30-10-0814	SIREN SPEAKERS, WHELEN SA315 - IN THE BUMPER OPENING	1
30-10-0901	SYSTEM ACTIVE AND CHECK OUT LIGHTS - 5 MINUTES	1
30-11-0104	LIGHTS, DOME LED (6) Whelen Dimmable	1
30-11-0153	LIGHTS, GROTE (4) 61E61 in ceiling	1
30-11-0176	DELETE LIGHTS, TECNIQ LED PANEL (2) CURBSIDE - ANGLED	1
	EXTERIOR LIGHTING	1
30-25-0122	LIGHTS, ICC / LED CLEARANCE - ON MODULE FRONT - TECNIQ	1
30-25-0123	LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ	1
30-25-0201	LIGHTS, RUNNING BOARD - WHELEN MINI - LED (1) EACH SIDE	1
30-25-3114	LIGHTS, FRONT GRILLE - (4) WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-25-4201	LIGHTS, FRONT MODULE - WHELEN (7)900 - (6)RED, (1)CLEAR LED W/CLEAR LENS	1
30-26-3002	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, HALOGEN BK-UP	1

PART NO	DESCRIPTION	QTY
30-26-5101	LIGHTS, REAR WINDOW-LEVEL - WHELEN (2)900 LED - RED W/CLR LENS	1
30-26-6168	LIGHTS, REAR MODULE -WHELEN (5)900, (2)RED, (1)AMB LED, (2)HALO SCN CLR L	1
30-26-7002	LIGHT, LICENSE PLATE LED	1
30-27-1102	LIGHTS, WHELEN 70BTT RED DOT TURN IPOS ICC	1
30-27-1114	LIGHTS, INTERSECTION FRONT - WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-27-2007	LIGHTS, SIDE MODULE SCENE - WHELEN 900 HALOGEN - CLEAR (4)	1
30-27-3009	LIGHTS, SIDE MODULE WARNING - WHELEN 900 SUPER LED - RED W/CLR LENS	1
30-27-4115	LIGHTS, INTERSECTION REAR - WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-27-4151	LIGHTS, ABOVE RUB RAIL - TECNIQ LED - 4 EACH SIDE	1
MODULE BODY CONSTRUCTION AND CONNECTIONS		1
39-00-0001	MODULE BODY CONSTRUCTION - SEAMLESS	1
39-00-0002	SOLE SOURCE MODULE BODY CONSTRUCTION	1
39-00-0005	AWS ALUMINUM CERTIFIED WELDERS	1
39-10-0003	CONNECTIONS, MODULE	1
MODULE FEATURES / EXTERIOR		1
40-00-0009	ALUMINUM PARTS - MODULE EXTERIOR	1
40-00-0010	CORROSION MINIMIZATION - MODULE	1
40-00-0019	DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS - DIAMOND PLATE INTERIOR SKINS	1
40-00-0020	DOOR CONSTRUCTION - GASKET PLACEMENT	1
40-00-0030	EXTERIOR COMPARTMENTS DESIGN	1
40-00-0050	EXTERIOR COMPARTMENTS, VENTING	1
40-00-0055	EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE	1
40-00-0060	EXTERIOR COMPARTMENTS - SWEEP-OUT	1
40-00-0070	HANDLES, EBERHARD - CHROME FREE FLOATING TYPE	1
40-00-0080	INSULATION - POLYURETHANE SPRAY FOAM	1
40-00-0091	THRESHOLD, STAINLESS STEEL - EXTERIOR STORAGE COMPARTMENT	1
40-09-0164	ZICO SCBA HOLDERS TWO (2)	1
40-10-0030	DOCK BUMPERS, REAR	1
40-10-0066	DOOR SLIDING - MODULE CURBSIDE PASSAGE	1
40-10-0072	LOWERED MODULE SIDES	1
40-10-0088	DOORS - REAR PASSAGE	1
40-10-0100	FENDERETTES - RUBBER	1
40-10-0120	HOLD-OPEN - REAR DOORS - GRABBERS	1
40-10-0151	SWITCH DOOR UNLOCK - HIDDEN IN FRONT GRILLE AREA	1
40-10-0189	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS	1
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - THREE COLOR BRAUN LOGO	1
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED AND ANODIZED	1
40-10-0280	RUB RAILS, ANODIZED ALUMINUM	1
40-10-0321	STEPWELL, CURBSIDE DOORWAY - MID STEP AREA	1
40-10-0340	STONE GUARDS, MODULE FRONT - ANODIZED DIAMOND PLATE (24" H)	1
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE	1
40-10-0381	TOW HOOKS, MODULE REAR	1
40-10-0386	VEHICLE ID PLACARDS (Total 3)	1

PART NO	DESCRIPTION	QTY
40-10-0506	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR SLIDING)	1
40-SP-0001	BATTERY COMPARTMENT	1
41-01-0207	OUTSIDE STORAGE #1 - STREETSIDE FORWARD -Modified dims and transverse BB storage	1
42-01-0202	OUTSIDE STORAGE #2 - STREETSIDE CENTER	1
42-02-0054	Delete SHELF TRACK - EXPOSED - OSS #2	1
42-02-0107	Delete -SHELF ONE (1) IN OSS #2	1
43-01-0204	OUTSIDE STORAGE #3 - STREETSIDE REAR - DOUBLE DOORS / OXYGEN STORAGE	1
43-02-0051	SHELF TRACK - EXPOSED - OSS #3	1
43-02-0112	SHELVES THREE (3) IN OSS #3	1
43-03-0102	DIVIDER, FIXED - ONE (1) IN OSS #3	1
43-04-0102	TRAY (1) SLIDE OUT BOARD W/TREMPRO LINING OUTSIDE STORAGE #3	1
44-01-0208	OUTSIDE STORAGE #4A RT. REAR	1
45-01-0203	OUTSIDE STORAGE #5 - CURBSIDE FORWARD - modified	1
	MODULE INTERIOR / PATIENT COMPARTMENT FEATURES	1
50-00-0202	ROUNDED INTERIOR CORNERS	1
50-01-0407	LATCHES CABINET - CHROME / STAINLESS STEEL	1
50-10-0112	CABINET - LEFT WALL, UPPER REAR #1 - RESTOCKING HINGE (UP)-MODIFIED	1
50-10-0229	LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL - MODIFIED	1
50-10-0230	CABINET - LEFT WALL, UPPER OVER PANEL #2 RESTOCKING HINGE-MODIFIED	1
50-10-0303	Cabinet - Left wall upper #3	1
50-10-0342	DELETE - CABINET - LEFT WALL, LOWER REAR - INSIDE/OUTSIDE	1
50-10-0421	CABINET #4 IN PLACE OF THE DRAWER ASSY- LEFT WALL - REAR ACTION AREA-MODIFIED	1
50-10-0522	LEFT WALL CABINET #5	1
50-10-0602	PRIMARY ACTION AREA - MODIFIED	1
50-10-0634	DELETE SECONDARY ACTION AREA	1
50-10-0705	DELETE DRAWER - SLIDE-OUT / WRITING TABLE STREETSIDE INTERIOR	1
50-20-0142	Cabinet Medvault	1
50-20-0145	DELETE CABINET - FRONT WALL, UPPER	1
50-20-0279	CABINET - FRONT WALL, LOWER #1- INSIDE/OUTSIDE ACCESS	1
50-20-0381	DELETE STD CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE VENTED DOOR)	1
50-20-0507	PASS THROUGH - CAB TO MODULE	1
50-30-0111	DELETE CABINET - RIGHT WALL, REAR WITH (1) DOOR FACING AISLE #1	1
50-30-0137	CABINET - RIGHT WALL, #1 & #2 ABOVE SQUAD BENCH	1
50-41-0203	HEAT/AC 125V/12V COMBINATION UNIT FT-454 W/TMC2007 CONDENSER	1
50-50-0001	SEATING - SQUAD BENCH BASE W/ STORAGE CN8 COMPLIANT	1
50-50-0102	ATTN SEAT - EVS HiBAC, INTEGRAL CHILD, SWIVEL BASE	1
50-50-0105	Att seat 4 pt harness	1
50-50-0316	CPR SEAT FIXED - CN8 COMPLIANT w/storage below	1
50-50-0522	SQUAD BENCH LID - NO SHARPS AND TRASH ACCESS	1

09/07/2016

PART NO	S	DESCRIPTION	QTY	ID
50-60-0017	XS < >	ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - COUNTER	1	BI
50-60-0030	XS <	ASSIST HANDLES, (2) 1/2" STAINLESS STEEL	1	BI
50-60-0097	<	CLOCK - TRIN TEC, 8" 12/24 HR, QUARTZ BATTERY - REAR HEADPAD	1	BI
50-60-0166	< >	COT FASTENER - CUSTOMER SUPPLIED STRYKER POWER LOAD SYSTEM - CENTER POSITION	1	BI
50-60-0220		EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1	BI
50-60-0256		EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0300		FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1	BI
50-60-0301		FLOORING - COVE	1	BI
50-60-0325	< >	DELETE - GLOVE, DISPENSER - (3) BOX - CURBSIDE ABOVE DOOR	1	BI
50-60-0351	<	GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENCH	1	BI
50-60-0391		HEADLINER - REAR PATIENT COMPARTMENT	1	BI
50-60-0435	XS < >	I V HANGERS - PERKO TWO (2), WITH VELCRO STRAPS	1	BI
50-60-0437	XS < >	I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (4)	1	BI
50-60-0590	<	NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)	1	BI
50-60-0612	<	OXYGEN OUTLETS (3) WALL - OHIO MEDICAL TYPE	1	BI
50-60-0629	<	FLOW METER, OXYGEN - THORPE STYLE	1	BI
50-60-0640		OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0660		PADDED EDGING PROTECTION	1	BI
50-60-0661		PADS, HEAD AND BACK	1	BI
50-60-0681	XS <	RADIO SPEAKERS, REAR HEADPAD (OEM RADIO FADER CONTROL)	1	BI
50-60-0709	XS <	SHARPS AND TRASH AND SQUAD BENCH SEATING	1	BI
50-60-0718		SQUAD BENCH FACE - VINYL FLOORING MATERIAL	1	BI
50-60-0730	<	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS	1	BI
50-60-0761		STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1	BI
50-60-0820		TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1	BI
		PAINT / GRAPHICS	1	BI
60-01-0001		PPG PAINT PROCEDURE	1	BI
60-01-0003		CLEAR COATING - MODULE PAINT	1	BI
60-01-0004	>	BUFFING, PAINT - MODULE	1	BI
60-01-0005		BRAUN STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE	1	BI
60-10-0110	XS < >	PAINT MODULE ALL ONE SOLID COLOR, PLUS CLEAR COAT	1	BI
60-10-0170	XS < >	PAINT CAB	1	BI
60-20-0303	XS <	CHEVRON STRIPING - PERIMETER - NO DOORS	1	BI
60-25-0101	<	BLACK REFLECTIVE MATERIAL IN RUB RAILS	1	BI
60-30-0200		DOOR REFLECTIVITY	1	BI
60-SP-0001	XS < >	PAINT AND GRAPHICS - SPECIAL OPTION	1	BI
60-SP-0011	X <	GRAPHICS	1	

PART NO	DESCRIPTION	QTY
50-50-0541	HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS	1
50-51-1001	CABINET CONSTRUCTION - INTERIOR - ALUMINUM	1
50-51-1011	RECESSED ADJUSTABLE SHELF TRACK - CABINETS	1
50-51-2002	CABINET DOORS - CLEAR LEXAN	1
50-51-3001	CABINETS/ WALLS - POLYCHROMATIC COATING - MARBLE STONE	1
50-51-4011	COUNTER TOP - SOLID ACRYLIC - RAVEN BOULDER (BLACK)	1
50-51-5001	UPHOLSTERY - SPRADLING "ARCTIC" CHARCOAL #9017	1
50-51-6003	LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424	1
50-60-0017	ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - COUNTER	1
50-60-0030	ASSIST HANDLES, (2) 'V' STAINLESS STEEL	1
50-60-0097	CLOCK - TRIN TEC, 8" 12/24 HR, QUARTZ BATTERY - REAR HEADPAD	1
50-60-0182	PERFORMANCE LOAD COT FASTNER	1
50-60-0220	EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1
50-60-0256	EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM	1
50-60-0300	FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1
50-60-0301	FLOORING - COVE	1
50-60-0325	DELETE - GLOVE, DISPENSER - (3) BOX - CURBSIDE ABOVE DOOR	1
50-60-0351	GRAB RAILS, 1-1/4" DIAMETER, (96") OVER COT & (64") SQ BENCH	1
50-60-0391	HEADLINER - REAR PATIENT COMPARTMENT	1
50-60-0435	I V HANGERS - PERKO TWO (2), WITH VELCRO STRAPS	1
50-60-0437	I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (4)	1
50-60-0590	NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)	1
50-60-0612	OXYGEN OUTLETS (3) WALL - OHIO MEDICAL TYPE	1
50-60-0629	FLOW METER, OXYGEN - THORPE STYLE	1
50-60-0640	OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	1
50-60-0660	PADDED EDGING PROTECTION	1
50-60-0661	PADS, HEAD AND BACK	1
50-60-0681	RADIO SPEAKERS, REAR HEADPAD (OEM RADIO FADER CONTROL)	1
50-60-0709	SHARPS AND TRASH AND SQUAD BENCH SEATING	1
50-60-0718	SQUAD BENCH FACE - VINYL FLOORING MATERIAL	1
50-60-0730	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS	1
50-60-0761	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1
50-60-0820	TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1
	PAINT / GRAPHICS	1
60-01-0001	PPG PAINT PROCEDURE	1
60-01-0003	CLEAR COATING - MODULE PAINT	1
60-01-0004	BUFFING, PAINT - MODULE	1
60-01-0005	BRAUN STANDARDS AND SPECIFICATIONS FOR VEHICLE PAINT APPEARANCE	1
60-10-0110	PAINT MODULE ALL ONE SOLID COLOR, PLUS CLEAR COAT	1
60-10-0170	PAINT CAB	1
60-20-0303	CHEVRON STRIPING - PERIMETER - NO DOORS	1
60-25-0101	BLACK REFLECTIVE MATERIAL IN RUB RAILS	1
60-30-0200	DOOR REFLECTIVITY	1
60-SP-0001	PAINT AND GRAPHICS - SPECIAL OPTION	1
60-SP-0011	GRAPHICS	1

PART NO	DESCRIPTION	QTY
80-10-0101	KKK-A-1822F COMPLIANCE	1
	VEHICLE MANUALS	1
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET	1
90-10-0004	WARRANTIES	1
SE-99-0002	HANSON ASSIST HANDLES	1
SP-99-0001	PREWIRES (3) 12V	1
SP-99-4001	Buss Bar	1
SP-99-4011	Cabinet , Drawer Curbside (2)	1
SP-99-4013	Cabinet , Drop down, pass thru	1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 110"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"

(7) WHELEN 900 SUPER LED WARNING LIGHTS
 RED/RED/WHITE/RED/RED/RED/RED
 WITH CLEAR LENSES

(5) TECNIQ S330 AMBER
 MINI-LED MARKER LIGHTS

HOSELINE TMC2007 AUXILIARY
 AC CONDENSER WITH PAINTED
 ALUMINUM PROTECTIVE BRUSH
 COVER

OEM POWER
 ADJUSTABLE
 MIRRORS

FLASHING HEADLIGHTS W/
 DAYTIME RUNNING LIGHTS

WHELEN MINI-LED
 RUNNING BOARD LIGHTS


BUELL AIR HORNS

(4) WHELEN 700 RED SUPER
 LED GRILLE LIGHTS WITH
 CLEAR LENSES TO FLASH
 IN "X" PATTERN


HIDDEN UNLOCK SWITCH
 IN GRILLE AREA

WHELEN SA315
 100-WATT
 SIREN SPEAKERS


OEM TOW LOOPS



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY		2016 FRONT EXTERIOR VIEW		DRAWING NO.
		CHIEF XL-1/RAM 4500 CHASSIS		
APPROVAL SIGNATURE:		DATE:	27 AUG 15	
		DWG:	GLF	REV:
		SCALE:	1:17	DATE:
		CASE:	GLF NR	ST JOHNS--1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 110"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

	2016 REAR EXTERIOR VIEW CHIEF XL-1/RAM 4500 CHASSIS		
	DATE: 27 AUG 15 DWG:	REV:	GLF NR
ST. JOHN'S COUNTY	1:16	ST JOHNS-2	DRAWING NO.

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 110"
 OVERALL LENGTH = 306.5"
 MODULE LENGTH = 169"

DROP-IN
 NUMBER PLATE

20 AMP MANUAL SHORELINE
 INLET FOR OUTLETS.
 20 AMP MANUAL SHORELINE
 INLET FOR AC UNIT

ALUMINUM
 PROTECTIVE COVER
 ON AC CONDENSER

WHELEN 700 RED SUPER
 LED INTERSECTION LIGHT
 WITH CLEAR LENS
 IN TILT HOUSING

AIR HORN COMPRESSOR IN UPPER CORNER

(2) WHELEN 900 RED SUPER LED
 WARNING LIGHTS WITH CLEAR LENSES

(2) WHELEN 900 CLEAR HALOGEN SCENE LIGHTS

EXHAUST VENT

INVERTER, 125 VOLT AC
 ELECTRICAL COMPONENTS
 WITH PROTECTIVE DIAMOND
 PLATE COVERS

SUCTION
 PUMP

DIESEL
 FILL

NON-SKID RUNNING
 BOARD SURFACE

ALUMINUM WHEELS WITH
 HUB/NUT COVERS

DEF FILL

BATTERY STORAGE FOR THIRD
 BATTERY (TWO BELOW HOOD)

WHELEN 700 RED SUPER
 LED WITH CLEAR LENS

(4) R/W/R/W FLASHING
 MINI-LED LIGHTS
 RUBBER FENDERETTE

OXYGEN
 VENT

WHELEN 70BIT
 RED LED DOT
 AND TURN
 LIGHT WITH
 CLEAR LENS

3

2

1

COMPARTMENT

O.S.S #1

CLEAR OPENING: 63.75h x 18.25w
 INSIDE DIM'S: 64.75h x 22.25w x 20.75d
 17.5" WIDE x 19" TALL TRANSVERSE BACKBOARD STORAGE
 WITH (1) CENTER VERTICAL DIVIDER
 BACKBOARD OPENING TO HAVE NYLON STRAP
 (2) ADJUSTABLE SHELVES ABOVE BACKBOARDS

O.S.S #2

CLEAR OPENING: 44.25h x 45.75w
 INSIDE DIM'S: 47.75h x 49.75w x 20.75d
 (2) SCBA BRACKETS ON REINFORCED BACK
 WALL OF COMPARTMENT

O.S.S #3

CLEAR OPENING: 63.50h x 28.25w
 INSIDE DIM'S: 65.25h x 32.50w x 20.75d
 DUAL "M" TANKS ON SLIDE-OUT BOARD WITH
 ZICO QR-MV BRACKETS
 VERTICAL DIVIDER NEXT TO OXYGEN SLIDE-OUT
 STORAGE FOR (2) "D" OXYGEN BOTTLES
 BELOW SLIDE-OUT OXYGEN

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY

2016 STREETSIDE EXTERIOR VIEW
 CHIEF XL-1/RAM 4500 CHASSIS


ST JOHN'S-3

DATE:	28 AUG 15	REV:	
DWG:	GLF	NR	
SCALE:	1:30		

SPORRASC, INC.




DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 110"
 OVERALL LENGTH = 306.5"
 MODULE LENGTH = 169"



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY		2016 CURBSIDE EXTERIOR VIEW CHIEF XL-1/RAM 4500 CHASSIS	DATE: 27 AUG 15	REV: 1	ST. JOHNS-4
			DRAWN: GLF	INR	

1:30



COMPARTMENTS #1 & #2 HAVE LIFT-UP RESTOCKING FRAMES

EVS V-4 HARNESS SEATING POSITION

(2) OHIO MED OXYGEN OUTLETS, OXYGEN BYPASS VALVE

PERKO IV HOOK/STRAP

WELDON VISTA CONTROL SCREEN MOUNTED ON ANGLED FLIP-DOWN PANEL WITH CHROME LOCKING LEVER LATCHES. TECHNIQ SILHO-X LED ACP LIGHT MOUNTED BELOW CABINET #2.

SOLID ACRYLIC COUNTERTOPS w/ ACCENT STRIPE

(2) 125 VAC OUTLET, (2) 12 VDC BATTERY HOT OUTLET

EVS SEAT WITH INTEGRAL CHILD SAFETY SEAT AND ADULT V-4 HARNESS, MOUNTED ON SWIVEL BASE. SEAT TO BE CENTERED WITH COU.

SSCOR SUCTION CONTROL; HOSELINE CM3000 CLIMATE CONTROL

UNDERSEAT STORAGE

STAINLESS STEEL COVERED FLOOR

EXHAUST VENT

OXYGEN ACCESS

HANSON ASSIST HANDLE

CABINET

COMPARTMENT

- #1 DOOR OPENING: 11.75h x 32.50w
INSIDE DIMS: 14.25h x 34.50w x 17.25d
FIXED CENTER DIVIDER
(1) ADJUSTABLE SHELF EACH SIDE OF DIVIDER
- #2 DOOR OPENING: 10.00h x 26.50w
INSIDE DIMS: 12.50h x 28.50w x 17.25d


- #3 = FLUSH-MOUNTED KNOX MEDVAULT
- #4 DOOR OPENING: 22.00h x 11.50w
INSIDE DIMS: 23.75h x 13.25w x 16.25d
(2) ADJUSTABLE SHELVES
LEFT HINGED ACRYLIC CABINET DOOR
LOCKING STAINLESS STEEL FLUSH PULL LATCH
- #5 DOOR OPENING: 12.00h x 14.25w
INSIDE DIMS: 14.00h x 16.00w x 16.25d
(1) ADJUSTABLE SHELF

CABINETS TO BE ALUMINIUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY	2016 STREETSIDE INTERIOR VIEW		DATE: 6-29-16 DWG: AAB REV: C	ST. JOHNS-5
	CHIEF XL-1			





(2) EVS V-4 HARNESS SEATING POSITIONS WITH FORWARD BOLSTERS, BELTS/RETRACTORS INSTALLED FOR SECOND PATIENT TRANSPORT.

COMPARTMENT #1 & #2 DOOR OPENINGS: 6.25h x 30.50w
 INSIDE DIMS: 6.25h x 30.50w x 10.50d
 LIFT-UP ACRYLIC DOORS
 LOCKING STAINLESS STEEL FLUSH PULL LATCHES

#3-#4 PULL-OUT DRUG STORAGE DRAWERS
 INSIDE DIMS: 12.00h x 14.00w x 14.00d
 (1) SOUTHCO STAINLESS STEEL FLUSH PULL LOCKING LATCH PER DRAWER
 (1) KV-70 CYLINDER LOCK PER DRAWER
 LOCKING SLIDES FOR OPEN POSITION


#5 = MISC. STORAGE BELOW BENCH CUSHION


CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY	2016 CURBSIDE INTERIOR VIEW		DATE: 6-3-16	REV. A	ST. JOHNS-6
	CHIEF XL-1				





DATE: 6-15-16	SCALE: 1/4"	ST. JOHNS-7
	CLASS: GLF	
2016 PARTITION INTERIOR VIEW CHIEF XL-1		
ST. JOHN'S COUNTY		

COMPARTMENT
 #1 DOOR OPENING: 24.00h x 25.50w
 INSIDE DIMS: 28.75h x 31.50w x 21.50d
 RECESSED RIGHT-HINGED 1/2" LEXAN DOOR
 (2) CHROME LOCKING LEVER LATCHES
 (2) ADJUSTABLE SHELVES
 DOOR TO HAVE (2) RUBBER BUMPERS ON HINGE
 SIDE SO CABINET DOOR DOESNT HIT ENTRY DOOR
 (REFERENCE PREVIOUS UNITS #6715/#6716)


#2 DOOR OPENING: 6.25h x 16.25w
 INSIDE DIMS: 7.75h x 18.00w x 20.00d
 DROP-DOWN ACRYLIC DOOR
 CHROME LOCKING LEVER LATCHES

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

PATIENT MONITORING CAMERA

RADIO SPEAKERS

TRINTEC BATTERY POWERED CLOCK



ATTENDANT NET

HANSON ASSIST HANDLE

ALUMINUM PANEL WITH LATCH ACCESS

ALUMINUM PANEL WITH LATCH ACCESS

STAINLESS STEEL V-BARS

RED/WHITE REFLECTIVE STRIP ON INSIDE OF EACH DOOR

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.



ST. JOHN'S COUNTY

2016 REAR INTERIOR VIEW
CHIEF XL-1

DATE: 6-15-16


REV: GLF B

1:12

ST JOHNS-8

(7) TECNIO 61E61 DIMMABLE LED LIGHTS MOUNTED IN CEILING. REARMOST LIGHT SHOWN CENTERED WITH COT, WITH REMAINING LIGHTS SHOWN STAGGERED 12" FROM COT CENTERLINE. LIGHTS TO ALSO FUNCTION WITH CHECK-OUT SWITCH.

BACKBOARD ACCESS FROM BOTH SIDES OF MODULE



= (4) RECESSED CEILING IV HANGER LOCATIONS

* = (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER POWERLOAD COT SYSTEM IN CENTER POSITION

MODULE WIDTH = 96"
 MODULE LENGTH = 169"
 MODULE HEAD ROOM = 72"

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION. DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY		2016 FLOOR INTERIOR VIEW		1:22	DATE: 6-15-16	DRAWING NO. ST JOHNS-9
		CHIEF XL-1				

6477

Prepared By:
administrator
Bob Cook-Tom Ahl Dealerships
2525 Allentown Road
Lima, OH 45805
Phone: (419) 303-1905
Fax: (419) 228-3064
Email: bobcook@tomahl.com

2014 Fleet/Non-Retail Ram 4500 2WD Reg Cab 192" WB 108" CA SLT DP4

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2014 Fleet/Non-Retail DP4L65 2WD Reg Cab 192" WB 108" CA SLT

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
DP4L65	2014 Ram 4500 2WD Reg Cab 192" WB 108" CA SLT	

SELECTED VEHICLE COLORS - 2014 Fleet/Non-Retail DP4L65 2WD Reg Cab 192" WB 108" CA SLT

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2014 Fleet/Non-Retail DP4L65 2WD Reg Cab 192" WB 108" CA SLT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
NAS	50 STATE EMISSIONS	\$0.00
ENGINE		
ETK	ENGINE: 6.7L I6 CUMMINS TURBO DIESEL -inc: 4.10 Rear Axle Ratio, Cummins Turbo Diesel Badge, 87 mph Maximum Speed, Current Generation Engine Controller, Diesel Exhaust Brake, Selective Catalytic Reduction (Urea), RAM Active Air (With the selection of NAS, requires XKH)	
TRANSMISSION		
DF2	TRANSMISSION: 6-SPEED AUTOMATIC AISIN AS69RC HD (Requires ETK)	
CPOS PKG		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 292.0, Data updated 8/27/2013
© Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared By:
 administrator
 Bob Cook-Tom Ahl Dealerships
 2525 Allentown Road
 Lima, OH 45805
 Phone: (419) 303-1905
 Fax: (419) 228-3064
 Email: bobcook@tomahl.com

2014 Fleet/Non-Retail Ram 4500 2WD Reg Cab 192" WB 108" CA SLT DP4

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2014 Fleet/Non-Retail DP4L65 2WD Reg Cab 192" WB 108" CA SLT

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CPOS PKG 29G	QUICK ORDER PACKAGE 29G -inc: Engine: 6.7L I6 Cummins Turbo Diesel, Transmission: 6-Speed Automatic Aisin AS69RC HD, Cloth 40/20/40 Bench Seat, Overhead Console, Power Black Trailer Tow Mirrors, Front 1-Touch Down Power Windows, Body Insulation, Exterior Mirrors w/Heating Element, Power Locks, Front Floor Mats, Bright Front Bumper, Temperature & Compass Gauge, Exterior Mirrors Courtesy Lamps, 1-Year SIRIUSXM Radio Service, Color Keyed Instrument Panel Bezel, Exterior Mirrors w/Supplemental Signals, For More Info, Call 888-539-7474, SLT Badge, Premium Vinyl Door Trim w/Map Pocket, Remote Keyless Entry, Bright Grille, Traveler/Mini Trip Computer, 6 Speakers *Upon selection of this pkg, the cost of powertrain components will be added* (Requires DF2 and ETK)	
AXLE RATIO DMF	4.10 REAR AXLE RATIO (Requires ETK)	INC
WHEELS WP3	WHEELS: 19.5" X 6.0" STEEL (STD)	\$0.00
TIRES TUY	TIRES: 225/70R19.5G ALL POSITION FT/RR TRACTION	
PRIMARY PAINT PR4	Flame Red	\$0.00
PAINT SCHEME	STANDARD PAINT	\$0.00
SEAT TYPE MAX8	DIESEL GRAY/BLACK, CLOTH 40/20/40 BENCH SEAT, <i>Power 10 way driver seat</i>	
GVWR Z4A	GVWR: 16,500 LBS (STD)	\$0.00
ADDITIONAL EQUIPMENT ADE	COLD WEATHER GROUP -inc: Engine Block Heater, Winter Front Grille Cover (Requires ETK)	

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 202.0, Data updated 8/27/2013
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

Prepared By:
 administrator
 Bob Cook-Tom Ahl Dealerships
 2525 Allentown Road
 Lima, OH 45805
 Phone: (419) 303-1905
 Fax: (419) 228-3064
 Email: bobcook@tomahl.com

2014 Fleet/Non-Retail Ram 4500 2WD Reg Cab 192" WB 108" CA SLT DP4

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2014 Fleet/Non-Retail DP4L85 2WD Reg Cab 192" WB 108" CA SLT

CATEGORY

Code	Description	MSRP
ADDITIONAL EQUIPMENT:		
XF7	DUAL ALTERNATORS RATED AT 440 AMPS -inc: 220 Amp Alternator (Requires ETK)	
AH2	AMBULANCE PREP GROUP -inc: Electronic Monitoring Module, Voltage Monitoring Auto Idle Up Sys	
BAJ	220 AMP ALTERNATOR	INC
NHK	ENGINE BLOCK HEATER	INC
TBB	FULL SIZE SPARE TIRE -inc: 19.5" Steel Spare Wheel	
GFD	REAR SLIDING WINDOW	
CKJ	BLACK VINYL FLOOR COVERING	\$0.00
XXS	ELECTRONIC MONITORING MODULE (With the selection of RCK, requires AH2) (With the selection of RA4, requires AH2)	INC
XF6	VOLTAGE MONITORING AUTO IDLE UP SYS	INC
CJT	DELETE FRONT CENTER SEAT *CREDIT* (With the selection of M9U1, requires AS8) (With the selection of V9U1, requires AS8) (With the selection of MJX8, requires AS8) (With the selection of MJU1, requires AS8)	

OPTIONS TOTAL

LM1 Day time running lights
 WP4 Aluminum wheels
 RR4 Flame Red
 M9XB Power driver seat

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 292.0, Data updated 8/27/2013
 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.
 Customer File:

**FLORIDA SHERIFFS ASSOCIATION, FLORIDA FIRE CHIEFS'
ASSOCIATION, & FLORIDA ASSOCIATION OF COUNTIES**

**SPECIFICATION #03 – TYPE I AMBULANCE
2 WHEEL DRIVE MEDIUM DUTY
(DUAL REAR WHEEL, CAB & CHASSIS)**

ALL ITEMS FACTORY INSTALLED UNLESS OTHERWISE INDICATED

INSTRUCTIONS: In the first column labeled “Manufacturer’s Base Vehicle Standard Equipment”, check the applicable areas where the manufacturer’s base vehicle standard equipment meets the minimum specifications of the base vehicle bid.

Scope & General Requirements: This specification describes an ambulance configuration as defined in the **FEDERAL SPECIFICATION FOR AMBULANCES, KKK-A-1822F, or most current revision.** Unless otherwise specified, described vehicle shall comply with KKK-A-1822F and the current **National Truck Equipment Association/Ambulance Manufacturers Division Standards, as well as the Chassis Manufacturers Incomplete Vehicle Manual, Body Builders Layout Book and Ford Motor Company Qualified Vehicle Modifiers (QVM) Program Truck Guidelines.**

The bidder is to understand that the Florida Sheriffs Association does not guarantee any quantity of vehicles will be ordered off this contract. The bidder will further understand that this program operates under a split bid award system which allows the end user authority to purchase from any of the responsive bidders authorized and awarded to do business off this contract. **The end user authority will contract directly and individually with the awarded bidder of their choice for any and all vehicles offered on this contract and any other features, options and equipment items required to meet their individual needs. Customers shall choose from options furnished to them by the manufacturer.**

Delivery of the vehicles shall be accomplished by factory or dealer drive away programs. However, the right is reserved for the individual end users to pick up the vehicles at either the factory or the dealership.

Prospective bidder(s) are advised that the following documentation is to be included and made a part of the bid submission. The Bid Coordinator reserves the right to disqualify any bidder(s) who are in non-compliance with this provision.

Bid Bond: A five percent (5%) Bid Bond issued by a bonding company licensed to conduct business in the state of Florida is required for base vehicle price and shall be provided as part of the bid package. Bid bond will be made out to the Florida Sheriffs Association as coordinator of this bid unless otherwise indicated or approved by FSA’s Bid Coordinator.

Performance Bond: The contractor is required to notify the customer of the availability of a one hundred percent performance bond at an additional cost to the customer. The company submitting the performance bond must have a minimum A rating as determined by A.M. Best Company. The cost of the performance bond will be based on the final price of the contract and must be provided to the customer in writing.

Note: A letter from a bonding company licensed to do business in Florida must be submitted with the bid stating that the manufacturer will provide a 100% Performance Bond between the bidder and the end user authority upon award of this bid.

The manufacturer of this vehicle:

- Shall be a current member in good standing of the Ford Motor Company Qualified Vehicle Modifier Program, and shall submit a copy of the membership certificate as part of the bid proposal.
- Shall be a Participating Member of the National Truck Equipment Association's Ambulance Manufacturers Division and submit a copy of his membership certificate as part of the bid proposal.
- Must be in compliance with Fed. Spec. KKK-A-1822F, or most current revision, for the type vehicle described herein, as prepared by an independent third party testing laboratory, and must have "Star of Life" certification affixed to ambulance upon delivery. (In-house certification will not be acceptable.)
- Shall carry not less than ten million dollars (\$10,000,000.00) in product liability insurance, listing the Florida Sheriffs Association as additional insured, and shall submit a copy of this insurance with the bid proposal.
- Shall possess a Florida Motor Vehicle Department license as a Manufacturer of Motor Vehicles and shall provide a copy of the license with the bid proposal.
- Shall be or have a Florida Dealer Representative who shall possess a Florida Motor Vehicle Dealers license and shall provide a copy of the license with the bid proposal.
- Shall employ full-time parts personnel with toll-free access number.
- Shall employ a full-time electrical troubleshooter with toll-free access number.
- Shall employ a full-time warranty representative with toll-free access number.
- Bidder shall submit how warranty service claims will be handled in the State of Florida.

**Manufacturer's
Base Vehicle
Standard
Equipment**

1. ENGINE

- | | |
|---|--------------------------|
| a. Diesel engine, 6 cylinder minimum. | <input type="checkbox"/> |
| b. Heavy-duty alternator, minimum 250 amp. | <input type="checkbox"/> |
| c. Maintenance free heavy-duty batteries, 750 CCA minimum, Group 31, 2 battery minimum. | <input type="checkbox"/> |
| d. Manufacturer's heavy-duty engine cooling. | <input type="checkbox"/> |

2. TRANSMISSION

- | | |
|---|--------------------------|
| a. Automatic Transmission or Ford Torque Shift. | <input type="checkbox"/> |
| b. Manufacturer's transmission oil cooler: water to oil heavy-duty cooling. | <input type="checkbox"/> |

3. AXLES

- | | |
|---------------------------|--------------------------|
| a. Front Axle: 7,000 lbs. | <input type="checkbox"/> |
| b. Rear Axle: 12,000 lbs. | <input type="checkbox"/> |

**Manufacturer's
Base Vehicle
Standard
Equipment**

- c. Front Suspension: 7,000 lbs.
- d. Rear Suspension: 12,000 lbs. air suspension with dual instant response leveling valves.

4. PERFORMANCE ITEMS

- a. Power Steering
- b. Anti-lock brakes
- c. Power brakes, disc type front, disc or drum rear.
- d. Fuel capacity, 250 miles minimum without refueling
- e. Heavy-duty front and rear shocks.

5. COMFORT ITEMS

- a. Factory installed air conditioning
- b. Tinted glass (factory tint)
- c. Dual air suspension seats with armrest, if available
- d. Rubber floor mat instead of carpeting
- e. AM/FM radio

6. SAFETY ITEMS

- a. Driver and passenger lap and shoulder belt with retractor.
- b. Dual electric horns
- c. Outside mirrors to provide vision for vehicles 96" wide
- d. Two speed wipers with intermittent
- e. Interior dome lights wired to right and left doors.
- f. Halogen headlights with daytime running feature.

7. TIRES AND WHEELS

- a. BSW, all season tread radial 19.5 inch tires

8. CHASSIS, FRAME, CAB

- a. Minimum GVWR 16,500 lbs.
- b. Cab to center of axle 100 inches minimum

9. MODULAR BODY CONSTRUCTION

- a. The ambulance body and patient compartment shall be sufficient in size and meet requirements of this specification and those of paragraph 3.10.1 and the cot fastener system to meet or exceed requirements of paragraph 3.11.6 of the current KKK-A-1 822F, including all change notices.



August 18, 2016

Deputy Chief David Reams
St. John's County Fire Service
3657 Gaines Road
St. Augustine, FL 32084

RE: (1) One Braun 2017 Super Chief Rescue Ambulance w/ 2017 Freightliner Chassis

Chief Reams,

Thank you for your support of Ten-8 Fire Equipment and Braun Industries for the purchase of an additional rescue. We are pleased to offer the following quote for your consideration.

Final Quote

(1) One 2017 Braun Super Chief Type I Rescue/Ambulance on a 4-Door 2017 Freightliner Chassis per your current design and specifications.

Unit Price: \$309,495.00

Per Florida Sheriff's Association: BID FSA 16-VEF12.0

This quote is per your existing units currently in production with the Change Notice #8 seat belt changes included and modifications to the 4-door cab for an additional storage compartment,

We appreciate the opportunity to serve you again by providing this quote. Should you have any additional questions, comments or requests please feel free to contact me. We look forward to working with you again.

Sincerely,

Wayne Stowell

Wayne Stowell
727-746-7442

Ten-8 Fire Equipment
2904 59th Ave. Dr. E.
Bradenton, FL 34203
www.ten8fire.com



St. John's County Fire Rescue
Braun Super Chief 4-Door Freightliner M2
Florida Sheriff's Association Bid FSA16-VEF12.0
Wednesday, August 17, 2016

P/N	DESCRIPTION	
15-SP-0002	4 Door Freightliner Chassis Upgrade	\$ 22,847.00
20-10-0101	Liquid Spring Suspension	\$ 4,500.00
20-10-0209	Battery Three "D" series	\$ 804.00
20-20-0128	Floor Console Angled Removable Plates	\$ 950.00
20-30-0811	Exterior Cab Diamond Plate Steps	\$ 3,400.00
30-10-0012	Air Horns- Buell Dual Trumpets	\$ 1,860.00
30-10-0073	Camera Patient Area	\$ 542.00
30-10-0262	Inverter Vanner 1050 Watt	\$ 1,403.00
30-10-0412	OSS Compartment Lights LED rope	\$ 578.00
30-10-0431	Step Well Lights	\$ 116.00
30-10-0738	Refrigerator - Norcold	\$ 1,726.00
30-25-0201	Running board - Whelen Mini-LED lights	\$ 198.00
30-25-3114	Whelen Grill Lights Total (4)	\$ 359.00
30-27-4151	Lights Above Rub Rail	\$ 287.00
40-09-0164	Zico SCBA Holders	\$ 352.00
40-10-0030	Dock Bumpers	\$ 181.00
40-10-0100	Rubber Fenderettes	\$ 252.00
40-10-0386	Vehicle ID Placards	\$ 225.00
40-10-0506	Rear Sliding Windows	\$ 251.00
40-SP-0001	Battery Compt. To Streetside	\$ 892.00
41-01-0207	OSS #1 Streetside Forward Transverse Backboard Storage	\$ 1,719.00
42-01-0202	OSS #2 Streetside Center Modifications	\$ 1,102.00
43-01-0204	OSS #3 Streetside Rear Double Doors	\$ 3,321.00
43-02-0108	OSS #3 Compt. Three Shelves	\$ 430.00
43-03-0102	OSS #3 Fixed Divider	\$ 284.00
43-04-0102	OSS #3 Slide Out Board	\$ 1,345.00
44-01-0607	OSS #4 Right Rear Compt.	\$ 1,641.00
45-01-0601	OSS #5 Outside Storage Curbside Forward	\$ 1,855.00
50-10-0115	Upper Cabinet Rear #1 Restocking	\$ 289.00
50-10-0222	Upper Cabinet Over Panel #2 Restocking	\$ 241.00
50-10-0303	Left Wall Cabinet Modifications	\$ 2,209.00
50-20-0142	Medivault Knox Box	\$ 3,477.00
50-30-0137	Squad Bench Cabinet	\$ 889.00
50-41-0203	Hoseline 125 V/12V Combination AC unit	\$ 6,424.00
50-50-0001	Squad Bench w/Bolsters CN8 Compliant	\$ 1,801.00
50-50-0102	Attn Child Safety Seat with 4-Pt. Harness	\$ 477.00
50-50-0316	CPR Seat CN8 compliant	\$ 697.00
50-50-0522	Sharps and Trash Squad Bench	\$ 310.00
50-51-2001	Cabinet Doors Lexan	\$ 143.00
50-60-0030	Assist Handles "V" Stainless Steel	\$ 102.00
50-60-0097	Clock Trin Tec	\$ 86.00
50-60-0437	Cast IV Hangers	\$ 194.00
50-60-0590	Net Squad Bench	\$ 210.00

50-60-0166	Customer Supplied Power Load Cot Fastner credit	\$ (2,533.00)
60-10-0108	Paint Module Red	\$ 1,873.00
60-10-0170	Paint Cab Red	\$ 2,455.00
60-SP-0011	Graphics	\$ 3,200.00
SP-99-0001	Prewires (3) 12V	\$ 360.00
SP-99-4003	Buss Bar	\$ 75.00
SP-99-4011	Cabinet , Drawer Curbside (2)	\$ 972.00
SP-99-4013	Cabinet , Drop Down, Pas Thru	\$ 1,033.00
20-SP-0002	Cab Modifications Add Compt.	\$ 1,496.00
		\$ 82,433.00
	FLORIDA SHERIFF'S ASSOCIATION BID FREIGHTLINER M2	\$ 233,062.00
	Braun Discount	\$ (6,000.00)
		FINAL PRICE \$ 309,495.00

QUOTATION

Ten 8 Fire Equipment Inc.

St. John's County Fire Rescue
 Chief Jeff Prevatt
 3657 Faines Road
 St. Augustine, FL 32804
 904-209-1702
 jprevatt@sjclf.us

Ten 8
 Wayne Stowell
 2904 59th Ave. Dr. E.
 Bradenton, FL 34203
 727-647-7442
 wayne.stowell@yahoo.com

Exp. Date: 08/09/2016
 Quote No: 10011-0003
 08/16/2016

PART NO	DESCRIPTION	QTY
	== Super Chief 2016 Type I / 170" Mod - 16.300 12/31/15 ==	1
00-01-0091	REQUIRED REMAINING EQUIPMENT PAYLOAD:	1
00-01-0097	IS YOUR STATE COMPLIANT WITH KKK CHANGE NOTICE #8	1
00-01-0098	KKK CHANGE NOTICE #8 COMPLIANCE REQUIRED	1
00-01-0284	TYPE I - AMBULANCE - SUPER CHIEF I - 73" INTERIOR HEADROOM	1
	CHASSIS PACKAGES	1
10-06-0006	CHASSIS - FREIGHTLINER M2 174" WB 4X2	1
15-00-0005	YES CUSTOM CHASSIS REQUIRED	1
15-00-0005	CUSTOM CHASSIS - FREIGHTLINER M2 CREW CAB 4 DOOR	1
15-SP-0002	CHASSIS - EXTENDED HARNESS	1
15-SP-0005	Delete standard chassis	1
20-10-0099	FUEL TANK - FULL UPON FACTORY RELEASE	1
20-10-0101	SUSPENSION - LIQUID SPRING	1
20-10-0209	BATTERY - THREE SYSTEM - D SERIES CHASSIS	1
20-10-0212	BATTERY - THREE SYSTEM - M2	1
20-10-0402	CONDENSER AUXILIARY - BOTTOM MOUNT	1
20-10-0404	SECONDARY COMPRESSOR	1
20-10-0603	ENGINE BLOCK HEATER - OEM PLUG	1
20-20-0128	FLOOR CONSOLE - ANGLED FRONT - REMOVABLE PLATES - ALUMINUM - TO BE DETERMINED	1
20-20-0251	HEAT SHIELDS	1
20-30-0212	MIRRORS, EXTERIOR WEST COAST HEATED/REMOTE	1
20-30-0811	EXTERIOR CAB STEPS - STAR PUNCHED DIAMOND PLATE	1
20-40-0208	OEM WHEELS - WITH VALVE STEM EXTENSIONS	1
20-SP-0002	CHASSIS CONVERSION - CREW CAB STORAGE COMPARTMENT	1
	ELECTRICAL SYSTEM FEATURES	1
30-06-0002	ELECTRICAL SYSTEM - WELDON V-MUX, MICRO PROCESSOR BASED	1
30-06-0010	VISTA IV MCC - PUSH BUTTON	1
30-06-0015	VISTA IV ACP - PUSH BUTTON	1
30-06-0026	WARNING DISPLAY - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0050	DAYTIME RUNNING LAMPS - MULTIPLEX ELECTRICAL SYSTEM	1

PART NO	DESCRIPTION	QTY
30-06-0076	MASTER CONTROL CONSOLE (MCC) - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0101	ATTENDANT CONTROL PANEL (ACP) - MULTIPLEX ELECTRICAL	1
30-06-0126	ELECTRICAL COMPARTMENT (PDQ) - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0150	SPARE CIRCUIT - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0175	WIRING HARNESS CONNECTORS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0200	RADIO TIE-IN POINTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0225	EMERGENCY MASTER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0250	CONTROL PANEL SWITCHES - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0275	MODULE POWER SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0285	MODULE DISCONNECT - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0300	VOLTMETER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0325	FLASHER - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0350	FLASHING HEADLIGHTS - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0375	PARK OVERRIDE - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0400	LOAD MANAGER-SEQUENTIAL SWITCHING SYSTEM - MULTIPLEX ELECTRIC	1
30-06-0425	WARNING LIGHTS SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0450	FRONT CLEAR DISABLE SWITCH - MULTIPLEX ELECTRICAL SYSTEM	1
30-06-0475	CURBSIDE SCENE LIGHTS "ON" WITH CURBSIDE DOOR - MULTIPLEX EL	1
30-06-0500	REAR SCENE LIGHTS "ON" WITH REAR DOORS OPEN - MULTIPLEX ELEC	1
30-06-0525	DISABLE SWITCH FOR REAR SCENE LIGHTS - MULTIPLEX ELECTRICAL	1
30-06-0550	DISABLE SWITCH FOR SIDE SCENE LIGHTS - MULTIPLEX ELECTRICAL	1
30-06-0575	REVERSE (TRANSMISSION) FUNCTIONS - MULTIPLEX ELECTRICAL	1
30-10-0012	AIR HORNS - BUELL DUAL TRUMPETS 10" & 12", UNDR BMPR W/SW	1
30-10-0030	BACKUP ALARM	1
30-10-0071	CAMERA REAR VIEW - SINGLE SYSTEM - VISTA SCREEN	1
30-10-0073	CAMERA PATIENT AREA SINGLE SYSTEM - VISTA SCREEN	1
30-10-0110	ELECTRICAL CIRCUITS	1
30-10-0190	GROUND FAULT CIRCUIT INTERRUPTER (GFCI)	1
30-10-0262	INVERTER, VANNER - 1050 WATT, #20-1050CUL-DC CHARGER	1
30-10-0291	LIGHT, ATTENDANT CONTROL PANEL AREA - LED - WARM WHITE	1
30-10-0310	LIGHT, ELECTRICAL COMPARTMENT (PDQ)	1
30-10-0410	LIGHT OSS COMPARTMENT - INCANDESCENT	1
30-10-0412	Rope lighting	1
30-10-0431	LIGHT, STEPWELL - CURBSIDE DOORWAY - 2" LED SURFACE MNT	2
30-10-0534	OUTLETS, 125VAC - FOUR (4) INTERIOR DUPLEX	1
30-10-0534	OUTLETS, 125VAC - FOUR (4) INTERIOR DUPLEX	1
30-10-0560	OUTLETS, 12VDC - THREE (3) INTERIOR POWERPOINT	1
30-10-0560	OUTLETS, 12VDC - THREE (3) INTERIOR POWERPOINT	1
30-10-0657	RADIO ANTENNA BASES - TWO (2)	1
30-10-0721	RECEPTACLE SHORELINE INLET-20 AMP, NON-AUTO EJECT	1
30-10-0738	REFRIGERATOR - NORCOLD 1.7 CU FT BUILT-IN	1
30-10-0753	SIREN, WHELEN 295-HFSA7-REMOTE WITH MICROPHONE	1
30-10-0811	SIREN SPEAKERS, CAST PRODUCTS - IN FRONT BUMPER	1
30-10-0901	SYSTEM ACTIVE AND CHECK OUT LIGHTS - 5 MINUTES	1
30-11-0104	LIGHTS, DOME LED (6) Whelen	1
30-11-0104	LIGHTS, DOME LED (6) Whelen Dimmable	1
30-11-0152	LIGHTS, TECNIQ LED PANEL (3) STREETSIDE - ANGLED	1
30-11-0153	LIGHTS, GROTE (4) 61E61 in ceiling	1
30-11-0176	LIGHTS, TECNIQ LED PANEL (2) CURBSIDE - ANGLED	1
	EXTERIOR LIGHTING	1
30-25-0122	LIGHTS, ICC / LED CLEARANCE - TWO (2) ON MODULE FRONT - TECNIQ	1
30-25-0123	LIGHTS, ICC / LED CLEARANCE - ON MODULE REAR - TECNIQ	1
30-25-0201	LIGHTS, RUNNING BOARD - WHELEN MINI - LED (1) EACH SIDE	1

PART NO	DESCRIPTION	QTY
30-25-3114	LIGHTS, FRONT GRILLE - (4) WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-25-4201	LIGHTS, FRONT MODULE - WHELEN (4)900 and (3) 700 w/CLEAR LENS	1
30-26-3002	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, HALOGEN BK-UP	1
30-26-5101	LIGHTS, REAR WINDOW-LEVEL - WHELEN (2)900 LED - RED W/CLR LENS	1
30-26-6168	LIGHTS, REAR MODULE -WHELEN (5)900, (2)RED, (1)AMB LED, (2)HALO SCN CLR L	1
30-26-7002	LIGHT, LICENSE PLATE LED	1
30-27-1102	LIGHTS, WHELEN 70BTT RED DOT TURN IPOS ICC	1
30-27-1116	LIGHTS, INTERSECTION FRONT - WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-27-2007	LIGHTS, SIDE MODULE SCENE - WHELEN 900 HALOGEN - CLEAR (4)	1
30-27-3009	LIGHTS, SIDE MODULE WARNING - WHELEN 900 SUPER LED - RED W/CLR LENS	1
30-27-4115	LIGHTS, INTERSECTION REAR - WHELEN 700 SUPER LED - RED W/CLR LENS	1
30-27-4151	LIGHTS, ABOVE RUB RAIL - TECNIQ LED - 4 EACH SIDE	1
MODULE BODY CONSTRUCTION AND CONNECTIONS		1
39-00-0001	MODULE BODY CONSTRUCTION - SEAMLESS	1
39-00-0005	AWS ALUMINUM CERTIFIED WELDERS	1
39-10-0003	CONNECTIONS, MODULE	1
MODULE FEATURES / EXTERIOR		1
40-00-0009	ALUMINUM PARTS - MODULE EXTERIOR	1
40-00-0010	CORROSION MINIMIZATION - MODULE	1
40-00-0019	DOOR SKINS, OUTSIDE STORAGE COMPARTMENTS - DIAMOND PLATE INTERIOR SKINS	1
40-00-0020	DOOR CONSTRUCTION - GASKET PLACEMENT	1
40-00-0030	EXTERIOR COMPARTMENTS DESIGN	1
40-00-0050	EXTERIOR COMPARTMENTS, VENTING	1
40-00-0055	EXTERIOR COMPARTMENTS, VENTING - OXYGEN STORAGE	1
40-00-0060	EXTERIOR COMPARTMENTS - SWEEP-OUT	1
40-00-0070	HANDLES, EBERHARD - CHROME FREE FLOATING TYPE	1
40-00-0080	INSULATION - POLYURETHANE SPRAY FOAM	1
40-00-0091	THRESHOLD, STAINLESS STEEL - EXTERIOR STORAGE COMPARTMENT	1
40-09-0164	ZICO SCBA HOLDERS TWO (2)	1
40-10-0030	DOCK BUMPERS, REAR	1
40-10-0066	DOOR SLIDING - MODULE CURBSIDE PASSAGE	1
40-10-0073	LOWERED MODULE CURB SIDE	1
40-10-0088	DOORS - REAR PASSAGE	1
40-10-0100	FENDERETTES - RUBBER	1
40-10-0120	HOLD-OPEN - REAR DOORS - GRABBERS	1
40-10-0151	SWITCH DOOR UNLOCK - HIDDEN IN FRONT GRILLE AREA	1
40-10-0192	LOCKS POWER - PASSAGE, COMPARTMENTS, KEY FOBS	1
40-10-0204	MUD FLAPS, REAR - BLACK RUBBER FIBERGLASS REINFORCED - THREE COLOR BRAUN LOGO	1

PART NO	DESCRIPTION	QTY
40-10-0266	REAR STEP/BUMPER -FLIP-UP CENTER SECTION - STAR PUNCHED AND ANODIZED	1
40-10-0280	RUB RAILS, ANODIZED ALUMINUM	1
40-10-0321	STEPWELL, CURBSIDE DOORWAY - MID STEP AREA	1
40-10-0340	STONE GUARDS, MODULE FRONT - ANODIZED DIAMOND PLATE (24" H)	1
40-10-0360	KICKPLATE/THRESHOLD, REAR DOORWAY - ANODIZED DIAMOND PLATE	1
40-10-0381	TOW HOOKS, MODULE REAR	1
40-10-0386	VEHICLE ID PLACARDS (Total 3)	1
40-10-0506	WINDOWS, PASSAGE DOOR - (CURB SLIDING, REAR SLIDING)	1
40-SP-0001	BATTERY COMPARTMENT	1
41-01-0207	OUTSIDE STORAGE #1 - STREETSIDE FORWARD -Modified dims and transverse BB storage	1
41-01-0607	OUTSIDE STORAGE #1 - STREETSIDE FORWARD - MODIFIED	1
41-02-0055	SHELF TRACK - EXPOSED - OSS #1	1
41-02-0108	SHELVES TWO (2) IN OUTSIDE STORAGE #1	1
42-01-0602	OUTSIDE STORAGE #2 - STREETSIDE CENTER	1
42-02-0054	DELETE - SHELF TRACK - EXPOSED - OSS #2	1
42-02-0107	DELETE - SHELF ONE (1) IN OSS #2	1
42-03-0102	DIVIDER, FIXED - ONE (1) IN OSS #3	1
42-04-0102	TRAY (1) SLIDE OUT W/TREMPRO LINING OUTSIDE STORAGE #3	1
43-01-0204	OUTSIDE STORAGE #3 - STREETSIDE REAR - DOUBLE DOORS / OXYGEN STORAGE	1
43-01-0606	OUTSIDE STORAGE #3 - STREETSIDE REAR - DOUBLE DOORS	1
43-02-0051	SHELF TRACK - EXPOSED - OSS #3	1
43-02-0108	SHELF ONE (1) IN OSS #3	1
44-01-0607	OUTSIDE STORAGE #4 MODIFIED	1
45-01-0601	OUTSIDE STORAGE #5 - CURBSIDE FORWARD - MODIFIED	1
46-01-0101	BATTERY STORAGE COMPARTMENT WITH SLIDE OUT TRAY - CURBSIDE	1
	MODULE INTERIOR / PATIENT COMPARTMENT FEATURES	1
50-00-0202	ROUNDED INTERIOR CORNERS	1
50-01-0407	LATCHES CABINET - CHROME / STAINLESS STEEL	1
50-10-0115	CABINET - LEFT WALL, UPPER REAR #1 - RESTOCKING HINGE (UP)	1
50-10-0222	CABINET - LEFT WALL, UPPER OVER PANEL #2 RESTOCKING HINGE	1
50-10-0229	LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL - MODIFIED	1
50-10-0229	LEFT WALL - ATTENDANT CONTROL PANEL - HINGED PANEL - MODIFIED	1
50-10-0303	Cabinet - Left wall upper #3	1
50-10-0343	DELETE - CABINET - LEFT WALL, LOWER REAR - INSIDE/OUTSIDE	1
50-10-0421	CABINET #4 IN PLACE OF THE DRAWER ASSY- LEFT WALL - REAR ACTION AREA (2) DRAWER	1
50-10-0522	LEFT WALL CABINET #5	1
50-10-0603	PRIMARY ACTION AREA - MODIFIED	1
50-10-0644	DELETED SECONDARY ACTION AREA	1
50-10-0705	DELETE - DRAWER - SLIDE-OUT / WRITING TABLE STREETSIDE INTERIOR	1
50-20-0142	Cabinet Medvault	1
50-20-0143	DELETE - CABINET - FRONT WALL, UPPER	1
50-20-0280	CABINET - FRONT WALL, MODIFIED- INSIDE/OUTSIDE ACCESS	1
50-20-0382	DELETE CABINET - FRONT WALL, LOWER BELOW PDQ (SINGLE VENTED DOOR)	1

09/07/2018

PART NO	S	DESCRIPTION	QTY	ID
50-60-0017		< > ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - COUNTER	1	BI
50-60-0030	S	< ASSIST HANDLES, (2) 'V' STAINLESS STEEL / (5) HANSON	1	BI
50-60-0097		< CLOCK - TRIN TEC, 8" 12/24 HR, QUARTZ BATTERY - REAR HEADPAD	1	BI
50-60-0166		< > COT FASTENER - CUSTOMER SUPPLIED STRYKER POWER LOAD SYSTEM - CENTER POSITION	1	BI
50-60-0220		EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1	BI
50-60-0256		EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0300		FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1	BI
50-60-0301		FLOORING - COVE	1	BI
50-60-0325		< > DELETE - GLOVE, DISPENSER - (3) BOX - CURBSIDE ABOVE DOOR	1	BI
50-60-0340		GRAB RAIL, 1-1/4" DIAMETER, (96") OVER COT AREA	1	BI
50-60-0391		HEADLINER - REAR PATIENT COMPARTMENT	1	BI
50-60-0427	S	< > HEAT/AC 125V/12V COMBINATION UNIT FT-454 W/TMC2009 CONDENSER	1	BI
50-60-0435	S	< > I V HANGERS - PERKO TWO (2), WITH VELCRO STRAPS	1	BI
50-60-0437	S	< > I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (4)	1	BI
50-60-0590		< NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)	1	BI
50-60-0612		< OXYGEN OUTLETS (3) WALL - OHIO MEDICAL TYPE	1	BI
50-60-0629		< FLOW METER, OXYGEN - THORPE STYLE	1	BI
50-60-0640		OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	1	BI
50-60-0660		PADDED EDGING PROTECTION	1	BI
50-60-0661		PADS, HEAD AND BACK	1	BI
50-60-0681	S	< RADIO SPEAKERS, REAR HEADPAD (OEM RADIO FADER CONTROL)	1	BI
50-60-0709	S	< SHARPS AND TRASH CONTAINERS - DRAWER	1	BI
50-60-0718		SQUAD BENCH FACE - VINYL FLOORING MATERIAL	1	BI
50-60-0730		< DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS	1	BI
50-60-0761		STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1	BI
50-60-0820		TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1	BI
PAINT / GRAPHICS			1	BI
60-01-0001		PPG PAINT PROCEDURE	1	BI
60-01-0002		< PAINT MODULE - OEM WHITE	1	BI
60-01-0003		CLEAR COATING - MODULE PAINT	1	BI
60-01-0004		> BUFFING, PAINT - MODULE	1	BI
60-10-0108		CAB - OEM PAINT	1	BI
60-20-0303	S	< CHEVRON STRIPING - PERIMETER - NO DOORS	1	BI
60-25-0101		< BLACK REFLECTIVE MATERIAL IN RUB RAILS	1	BI
60-30-0200		DOOR REFLECTIVITY	1	BI
60-SP-0001	U	< > PAINT SPECIAL OPTION	1	

PART NO	DESCRIPTION	QTY
50-20-0517	PARTITION OPENING - NO DOOR	1
50-30-0109	DELETE - CABINET RT WALL, REAR	1
50-30-0137	CABINETS - RIGHT WALL, BEHIND SQUAD BENCH	1
50-41-0203	HEAT/AC 125V/12V COMBINATION UNIT FT-454 W/TMC2007 CONDENSER	1
50-50-0001	SEATING - SQUAD BENCH BASE W/ STORAGE CN8 COMPLIANT	1
50-50-0102	ATTN SEAT - EVS HIBAC, INTEGRAL CHILD, SWIVEL BASE	1
50-50-0105	ATTN SEAT CN8 COMPLIANT EVS HIBAC CHILD SWIVEL	1
50-50-0316	CPR SEAT FIXED - CN8 COMPLIANT w/storage below	1
50-50-0515	SQUAD BENCH BASE STORAGE (COMPARTMENT #2)	1
50-50-0525	SQUAD BENCH LID - WITH SHARPS AND TRASH ACCESS	1
50-50-0541	HOLD OPENS - SQUAD BENCH LID - GAS CYLINDERS	1
50-51-1001	CABINET CONSTRUCTION - INTERIOR - ALUMINUM	1
50-51-1011	RECESSED ADJUSTABLE SHELF TRACK - CABINETS	1
50-51-2001	CABINET DOORS LEXAN	1
50-51-3001	CABINETS/WALLS - POLYCHROMATIC COATING - MARBLE STONE	1
50-51-4011	COUNTER TOP - SOLID ACRYLIC - RAVEN BOULDER (BLACK)	1
50-51-5001	UPHOLSTERY - SPRADLING "ARCTIC" CHARCOAL #9017	1
50-51-6003	LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424	1
50-60-0017	ASPIRATOR / SUCTION - SSCOR - WITH ELECTRIC PUMP - COUNTER	1
50-60-0030	ASSIST HANDLES, (2) 'V' STAINLESS STEEL / (5) HANSON	1
50-60-0097	CLOCK - TRIN TEC, 8" 12/24 HR, QUARTZ BATTERY - REAR HEADPAD	1
50-60-0182	COT FASTENER - STRYKER PERFORMANCE LOAD CENTER POSITION	1
50-60-0220	EMBLEMS / SIGNS - REAR PATIENT COMPARTMENT	1
50-60-0256	EXHAUST VENTILATOR, 3-SPEED - MULTIPLEX ELECTRIC SYSTEM	1
50-60-0300	FLOOR CONSTRUCTION- PATIENT COMPARTMENT, NON-WOOD COMPOSITE	1
50-60-0301	FLOORING - COVE	1
50-60-0325	DELETE - GLOVE, DISPENSER - (3) BOX - CURBSIDE ABOVE DOOR	1
50-60-0340	GRAB RAIL, 1-1/4" DIAMETER, (96") OVER COT AREA	1
50-60-0391	HEADLINER - REAR PATIENT COMPARTMENT	1
50-60-0424	HEAT/AIR CONDITIONING, HOSELINE FT-454 4X4 AC/HEAT CORE	1
50-60-0435	I V HANGERS - PERKO TWO (2), WITH VELCRO STRAPS	1
50-60-0437	I V HANGERS - CEILING RECESSED - CAST PRODUCTS #IV2008-1 (4)	1
50-60-0590	NET, SQUAD BENCH - CURBSIDE INTERIOR (RED)	1
50-60-0612	OXYGEN OUTLETS (3) WALL - OHIO MEDICAL TYPE	1
50-60-0629	FLOW METER, OXYGEN - THORPE STYLE	1
50-60-0640	OXYGEN SYSTEM, ELECTRIC - MULTIPLEX ELECTRIC SYSTEM	1
50-60-0660	PADDED EDGING PROTECTION	1
50-60-0661	PADS, HEAD AND BACK	1
50-60-0681	RADIO SPEAKERS, REAR HEADPAD (OEM RADIO FADER CONTROL)	1
50-60-0709	SHARPS AND TRASH CONTAINERS - DRAWER	1
50-60-0718	SQUAD BENCH FACE - VINYL FLOORING MATERIAL	1
50-60-0730	DOOR PANELS - MODULE PASSAGE DOORS - FULL LENGTH ALUMINUM - W/ACCESS PANELS	1
50-60-0761	STAINLESS STEEL WALL PROTECTION - INTERIOR STREETSIDE	1
50-60-0820	TURTLE TILE - SKID-RESISTANT MAT, CURBSIDE STEPWELL	1
	PAINT / GRAPHICS	1

PART NO	DESCRIPTION	QTY
60-01-0001	PPG PAINT PROCEDURE	1
60-01-0002	PAINT MODULE - OEM WHITE	1
60-01-0003	CLEAR COATING - MODULE PAINT	1
60-01-0004	BUFFING, PAINT - MODULE	1
60-10-0108	CAB - OEM PAINT	1
60-10-0170	PAINT, CAB	1
60-10-0171	PAINT, MODULE	1
60-25-0101	BLACK REFLECTIVE MATERIAL IN RUB RAILS	1
60-30-0200	DOOR REFLECTIVITY	1
60-SP-0001	PAINT AND GRAPHICS - SPECIAL OPTION	1
60-SP-0011	GRAPHICS	1
80-10-0101	KKK-A-1822F COMPLIANCE	1
	VEHICLE MANUALS	1
80-20-0001	VEHICLE MANUALS (1) PACKAGE SET	1
90-10-0004	WARRANTIES	1
AE-TS-0001	System switches	1
SE-99-0002	HANSON ASSIST HANDLES	1
SP-99-0001	Pre-wires (3) 12V	1
SP-99-4000	Cole Hersee switch	1
SP-99-4003	Buss Bar	1
SP-99-4011	Cabinet , Drawer Curbside (2)	1
SP-99-4013	Cabinet , Drop down, pass thru	1

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 ESTIMATED OVERALL HEIGHT = 112"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"

HOSELINE TMC 2009 AC CONDENSER
 WITH (3) WHELEN 700 RED/WHITE/RED
 SUPER LED WITH CLEAR LENSES
 MOUNTED TO FACE OF AC CONDENSER

HELMET/HEADSET HOOK

(2) TECNIO AMBER LED
 CLEARANCE LIGHTS

(4) WHELEN 900
 RED SUPER LED WITH
 CLEAR LENSES

OUTSIDE
 STORAGE
 COMPARTMENT
 BEHIND DRIVER
 SEAT


25" ROUND STUTTERSTONE
 AIR HORNS SUPPLIED
 WITH CHASSIS

(4) WHELEN 700 RED SUPER
 LED GRILLE LIGHTS WITH
 CLEAR LENSES TO FLASH
 IN "X" PATTERN

FLASHING HEADLIGHTS W/
 DAYTIME RUNNING LIGHTS

HIDDEN UNLOCK SWITCH
 IN GRILLE AREA

(2) CAST PRODUCTS
 100-WATT SIREN SPEAKERS
 RECESSED INTO BUMPER



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DRAWING NO.

DATE: 6-22-16

ORG. GLF

REV. C

DATE

2016 FRONT EXTERIOR VIEW
 SUPER CHIEF-1/FREIGHTLINER M2 CREW CAB CHASSIS

ST. JOHNS--1



ST. JOHN'S COUNTY

APPROVAL SIGNATURE

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 112"
 OVERALL WIDTH WITH RUB
 RAILS & FENDERETTES = 98"
 LOAD HEIGHT = 33"

(1) WHELEN 900 AMBER SUPER LED WITH CLEAR LENS
 (2) WHELEN 900 CLEAR HALOGEN LOAD LIGHTS

(5) TECNIQ S330 RED MINI-LED MARKER LIGHTS

(2) WHELEN 900 RED SUPER LED WITH CLEAR LENSES

OPENABLE REAR WINDOWS WITH SCREENS

REAR VIEW CAMERA

(2) WHELEN 900 RED SUPER LED WITH CLEAR LENSES

LOCATION FOR DOOR GRABBERS

(1) EACH SIDE, WHELEN 600 LED BRAKE/TAIL, 600 LED TURN 600 HALOGEN BACK-UP

LED LICENSE PLATE LIGHT

DROP-IN NUMBER PLATE

MUD FLAPS

DOCK BUMPERS

INDEPENDENT BUMPER WITH NON-SKID FLIP-UP CENTER STEP AND COT PROTECTOR ON STEP EDGE. TOW HOOKS LOCATED BELOW STEP/BUMPER.

LIQUID SPRING REAR SUSPENSION

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

 VAN WERT, OHIO	SUPER CHIEF-1/FREIGHTLINER M2 CREW CAB CHASSIS		DRAWING NO. ST JOHNS-2	
	ST. JOHN'S COUNTY	2016 REAR EXTERIOR VIEW	DATE: 2-17-16 DWG.	REV. NR

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE

OVERALL HEIGHT = 112"

ESTIMATED OVERALL LENGTH = 337"

MODULE LENGTH = 170"

CAB-TO-AXLE SHOWN = 108"

WHEELBASE = 221"


20 AMP MANUAL SHORELINE

INLET FOR OUTLETS

20 AMP MANUAL SHORELINE

INLET FOR AC UNIT

DRIVER SIDE REAR SEAT REMOVED, AND EXTERIOR ACCESS STORAGE CABINET ADDED INSIDE REAR DOOR. COMPARTMENT TO BE SMOOTH ALUMINUM, FINISHED WITH MULTI-SPEC COATING. APPROX. INSIDE COMPARTMENT DEPTH=18". (HEIGHT AND WIDTH TO BE DETERMINED DURING DESIGN) ONE ZICO UH-5-30-SF SCBA BRACKET WITH RESTRAINT STRAP TO BE INSTALLED ON INBOARD WALL, CENTERED FRONT TO REAR. 10" FROM COMPARTMENT FLOOR. COMPARTMENT TO HAVE TECNIG E410 LED LIGHTS ON SIDES AND ACROSS TOP OPENING. CAB SIDE OF CABINET TO BE COVERED WITH CARPET.



(2) WHELEN 900 RED SUPER LED WARNING LIGHTS WITH CLEAR LENSES

(2) WHELEN 900 CLEAR HALOGEN SCENE LIGHTS

DROP-IN NUMBER PLATE

INVERTER, 125 VOLT AC ELECTRICAL COMPONENTS WITH PROTECTIVE DIAMOND PLATE COVERS

SUCTION PUMP

CHASSIS EXHAUST

SLIDE-OUT STORAGE FOR (3) BATTERIES ON SLIDE-OUT TRAY

WHELEN 700 RED SUPER LED WITH CLEAR LENS

(4) R/W/R/W FLASHING MINI-LED LIGHTS

MINI-LED STEP LIGHT

NON-SKID STEP SURFACE

DEF FILL

ALUMINUM WHEELS

COMPARTMENT

O.S.S. #1

CLEAR OPENING: 55.00h x 21.75w
INSIDE DIM'S.: 58.50h x 25.75w x 21.75d
17.5" WIDE X 19" TALL TRANSVERSE BACKBOARD STORAGE WITH (1) CENTER VERTICAL DIVIDER
BACKBOARD OPENING TO HAVE NYLON STRAP
(2) ADJUSTABLE SHELVES ABOVE BACKBOARDS

O.S.S. #3

CLEAR OPENING: 63.50h x 26.75w
INSIDE DIM'S.: 65.25h x 32.50w x 21.75d
DUAL "M" TANKS ON SLIDE-OUT BOARD WITH ZICO OR-MV BRACKETS
VERTICAL DIVIDER NEXT TO OXYGEN SLIDE-OUT
(3) ADJUSTABLE SHELVES FORWARD OF DIVIDER
STORAGE FOR (2) "D" OXYGEN BOTTLES
BELOW SLIDE-OUT OXYGEN


O.S.S. #2

CLEAR OPENING: 41.25h x 34.75w
INSIDE DIM'S.: 44.50h x 40.25w x 21.75d
(1) SCBA BRACKET ON REINFORCED BACK WALL OF COMPARTMENT

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY	DATE: 5-22-16		DRAWING NO. ST JOHNS-3
	REV	GLF C	
2016 STREETSIDE EXTERIOR VIEW		SUPER CHIEF-1/FREIGHTLINER M2 CREW CAB CHASSIS	

DIMENSIONS FOR OVERALL HEIGHT AND LENGTH ARE APPROXIMATE
 OVERALL HEIGHT = 112"
 ESTIMATED OVERALL LENGTH = 337"
 MODULE LENGTH = 170"
 CAB-TO-AXLE SHOWN = 108"
 WHEELBASE = 221"




O.S.S #5
 CLEAR OPENING: 70.75h x 21.50w
 INSIDE DIM'S: SEE PARTITION INTERIOR VIEW
 INSIDE/OUTSIDE ACCESS WITH (2) ADJUSTABLE SHELVES
 17.5" WIDE TRANSVERSE BACKBOARD ACCESS WITH CENTER DIVIDER
 BACKBOARD OPENING TO HAVE NYLON STRAP
 INSIDE DIM'S. 5B: 20.25h x 24.75w x 19.00d

COMPARTMENT
 O.S.S #4
 CLEAR OPENING: 27.75h x 32.25w
 INSIDE DIM'S: 29.50h x 36.00w x 21.75d
 (1) ADJUSTABLE SHELF

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION
 DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY	2016 CURBSIDE EXTERIOR VIEW		DRAWING NO.	
	SUPER CHIEF-1/FREIGHTLINER M2 CREW CAB CHASSIS		DATE: 6-22-16	REV.:
			DWG: GLF	B
				ST. JOHNS-4





DATE	6-29-16
DWG. NO.	AAB C
REV.	C

1:22

ST. JOHN'S COUNTY

2016 STREETSIDE INTERIOR VIEW
CHIEF XL-1




ST. JOHN'S COUNTY

ST JOHN'S-5

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

CABINETS TO BE ALUMINUM



(2) EVS V-4 HARNESS SEATING POSITIONS WITH FORWARD BOLSTERS, BELTS/RETRACTORS INSTALLED FOR SECOND PATIENT TRANSPORT.


COMPARTMENT
 #1 & #2 DOOR OPENINGS: 7.25h x 30.50w
 INSIDE DIMS: 7.25h x 30.50w x 10.50d
 LIFT-UP ACRYLIC DOORS
 LOCKING STAINLESS STEEL FLUSH PULL LATCHES

#3-#4 PULL-OUT DRUG STORAGE DRAWERS
 INSIDE DIMS: 12.00h x 14.00w x 14.00d
 (1) SOUTHCO STAINLESS STEEL FLUSH PULL LOCKING LATCH PER DRAWER
 (1) KV-70 CYLINDER LOCK PER DRAWER
 LOCKING SLIDES FOR OPEN POSITION

#5 = MISC. STORAGE BELOW BENCH CUSHION

CABINETS TO BE ALUMINUM
 THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY		2016 CURBSIDE INTERIOR VIEW		DRAWING NO. ST JOHNS--6
		SUPER CHIEF-I		
DATE: 6-9-16	DWG. AAB	REV. A	1:20	




CABINETS TO BE ALUMINUM

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

DATE:	6-22-16
DESIGNER:	GLF
REVISION:	A

2016 PARTITION INTERIOR VIEW
SUPER CHIEF-1




ST. JOHN'S COUNTY

ST. JOHNS-7


COMPARTMENT
 #1 DOOR OPENING: 24.00h x 24.75w
 INSIDE DIMS: 28.75h x 31.25w x 28.00d
 RECESSED RIGHT-HINGED 1/2" LEXAN DOOR
 (2) CHROME LOCKING LEVER LATCHES
 (2) ADJUSTABLE SHELVES
 DOOR TO HAVE (2) RUBBER BUMPERS ON HINGE
 SIDE SO CABINET DOOR DOES NOT HIT ENTRY DOOR
 (REFERENCE PREVIOUS ST. JOHN'S UNITS #6715/16)

#2 DOOR OPENING: 6.25h x 16.25w
 INSIDE DIMS: 7.75h x 18.00w x 20.00d
 DROP-DOWN ACRYLIC DOOR
 CHROME LOCKING LEVER LATCHES



THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

	DATE: 6-22-16 DWG.		DRAWING NO.	
	1:14	GLF	REV. B	ST JOHNS-8
ST. JOHN'S COUNTY	2016 REAR INTERIOR VIEW SUPER CHIEF-I			



(7) TECNIQ 61E61 DIMMABLE LED LIGHTS MOUNTED IN CEILING. REARMOST LIGHT SHOWN CENTERED WITH COT. WITH REMAINING LIGHTS SHOWN STAGGERED 12" FROM COT CENTERLINE. LIGHTS TO ALSO FUNCTION WITH CHECK-OUT SWITCH.

MODULE WIDTH = 96"
 MODULE LENGTH = 170"
 MODULE HEAD ROOM = 73.5"

= (4) RECESSED CEILING IV HANGER LOCATIONS

* = (2) ANTENNA BASES LOCATED OUTBOARD OF DOME LIGHTS WITH COAX SERVICE LOOP

STRYKER PERFORMANCE LOAD COT SYSTEM IN CENTER POSITION

(1) SCBA BRACKET LOCATED ON REINFORCED BACK WALL OF EXTERIOR COMPARTMENT #2

THIS DRAWING IS FOR REPRESENTATIONAL PURPOSES ONLY. DETAILS ARE CONCEPTUAL AND ARE SUBJECT TO CHANGE DURING DESIGN AND CONSTRUCTION DIMENSIONS ARE APPROXIMATE UNLESS NOTED OTHERWISE TO MEET A SPECIFIC CUSTOMER NEED.

ST. JOHN'S COUNTY		2016 FLOOR INTERIOR VIEW SUPER CHIEF-1		DRAWING NO.	ST JOHNS-9
		DATE: 6-22-16	REV. B		
		1:23	GLF		


Prepared for:
Rob Sherer
Braun Ambulance
1170 Production Dr
Van Wert, OH 45891
Phone: 419-232-7046

A proposal for
Braun Ambulance

ST. JOHN'S CO.

Feb 16, 2016

Freightliner M2 106



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-10M	M2 PRL-10M (EFF:02/11/15)		
Data Version			
DRL-016	SPECPRO21 DATA RELEASE VER 016		
Interior Convenience/Driver Retention Package			
055-002	INTERIOR CONVENIENCE PACKAGE		
Vehicle Configuration			
001-172	M2 106 CONVENTIONAL CHASSIS	5,759	3,503
004-217	2017 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-006	RESCUE AND EMERGENCY SERVICE		
A84-1EV	EMERGENCY VEHICLES BUSINESS SEGMENT		
AA4-011	FIXED LOAD COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 17500.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 27500.0 lbs		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
Truck Service			
AA3-024	AMBULANCE BODY		
A88-99D	EXPECTED TRUCK BODY LENGTH : 16.0 ft		
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		
Engine			
101-2RJ	CUM ISB 6.7-260 260 HP @ 2300 RPM, 2600 GOV, 660 LB/FT @ 1600 RPM		
Electronic Parameters			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-003	PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM		
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
80G-002	PTO MINIMUM RPM - 700		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine Equipment			
99C-016	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14		
99D-012	2008 CARB EMISSION CERTIFICATION - EXEMPTED VEHICLE; NO CLEAN IDLE LABEL REQUIRED		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1CE	LN 12V 320 AMP 4962PA PAD MOUNT ALTERNATOR	10	
292-058	(3) ALLIANCE MODEL 1031, GROUP 31, 12 VOLT MAINTENANCE FREE 2280 CCA THREADED STUD BATTERIES	40	20
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL		
281-001	STANDARD BATTERY JUMPERS		
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-001	NON-POLISHED BATTERY BOX COVER		
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	8	
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-039	GVG, FIRE AND EMERGENCY SERVICE VEHICLES ENGINE WARNING		
128-1AR	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH, ACTIVATES STOP LAMPS		
016-1DE	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH C-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-007	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND DASH MOUNTED SINGLE REGENERATION REQUEST/INHIBIT SWITCH		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
235-078	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL DPF ATD OR AFTERTREATMENT SYSTEM		
233-017	STANDARD CURVE BRIGHT UPPER STACK(S)		
237-1D0	RH CURVED VERTICAL TAILPIPE C-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)		
273-035	HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
118-001	FULL FLOW OIL FILTER		
266-078	950 SQUARE INCH ALUMINUM RADIATOR		
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
134-001	ALUMINUM FLYWHEEL HOUSING		
132-004	ELECTRIC GRID AIR INTAKE WARMER		
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

342-1KD	ALLISON 3000 EVS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
---------	--	-----	----

Transmission Equipment

343-331	ALLISON VOCATIONAL PACKAGE 198 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL EVS		
84B-003	ALLISON VOCATIONAL RATING FOR FIRE TRUCK/EMERGENCY VEHICLE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
84N-000	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED		
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
353-023	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT END OF FRAME		
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equipment			
400-1A5	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-021	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-028	FIRE AND EMERGENCY SEVERE SERVICE, NON-ASBESTOS FRONT LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE		
Front Suspension			
620-1E9	12,000# MONO TAPERLEAF FRONT SUSPENSION		
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS		
629-004	FRONT SWAYBAR	60	
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
420-1M3	MS-17-14X 17,500# R-SERIES QUIET RIDE SINGLE REAR AXLE		-30
421-433	4.33 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	25	25
452-007	TRAC-TECH FULL TIME NO-SPIN DIFFERENTIAL SINGLE REAR AXLE		20
423-028	MERITOR 15X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		-20
433-025	FIRE AND EMERGENCY SEVERE SERVICE NON-ASBESTOS REAR BRAKE LINING		
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
426-074	HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE		

Rear Suspension

622-1CY	AIRLINER 15,000# REAR SUSPENSION		-40
621-046	AIRLINER MID POSITION RIDE HEIGHT		
431-007	STANDARD U-BOLT PAD WITH U-BOLTS EXTENDED 1.00" LONGER THAN STANDARD		
888-056	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH AUTOFILL OVERRIDE VALVE		
87D-015	REAR AIR SUSPENSION DUMP VALVE WITH AUTOFILL FOR IGNITION OFF AND >5 MPH, LIGHT, BUZZER, BODY SWITCH WIRING AND OVERRIDE CONTROL		
910-009	DUAL INSTANT RESPONSE REAR SUSPENSION LEVELING VALVES WITH PING TANK AND RESERVE TANK FOR 10/12/15,000# AIRLINER	20	40
623-002	TRANSVERSE CONTROL RODS		
630-006	10,000/15,000# AIRLINER REAR SUSPENSION STABILIZER BAR		50
439-004	REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)		

Brake System

018-002	AIR BRAKE PACKAGE		
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
46D-001	STANDARD AIR SYSTEM PRESSURE PROTECTION AND 85 PSI PRESSURE PROTECTION FOR AIR HORN(S)		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20	
479-015	AIR DRYER FRAME MOUNTED		
460-008	STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL		
46A-023	(1) 1730 CUBIC INCH AIR HORN TANK, 85 PSI PRESSURE PROTECTED INLET WITH CHECK VALVE AND QUICK DISCONNECT FITTING	20	25
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)		

Trailer Connections

335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT

Wheelbase & Frame

545-562	5625MM (221 INCH) WHEELBASE		
546-099	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.14MMX255.6MM/0.281X10.06 INCH) 120KSI	180	-20
552-005	1850MM (73 INCH) REAR FRAME OVERHANG		
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-20	80
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 108.2 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 105.2 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 323.39		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 108.2 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 80.19 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 168.66 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REAR MOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		
Chassis Equipment			
556-1AR	THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15	
642-007	PDI INSTALLED LIGHTED SIGHT RODS WITHOUT FACTORY INSTALLED PRE-WIRE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
551-017	GRADE 8 THREADED HEX HEADED FRAME FASTENERS INSTALLED WITH BOLT HEADS ON OUTSIDE OF FRAME		
Fuel Tanks			
204-998	NO LH FUEL TANK	-60	-20
230-043	40 GALLON/151 LITER RECTANGULAR STEEL FUEL TANK - BETWEEN RAILS		160
218-005	RECTANGULAR FUEL TANK(S)		
215-009	PAINTED FUEL TANK(S), PAINTED STRAPS WITH RUBBER ISOLATORS		
212-008	FUEL TANK(S) AFT	-35	35
231-004	FUEL TANK(S) MOUNTED BETWEEN RAILS AFT OF REAR AXLE	10	155
664-001	PLAIN STEP FINISH		
205-060	LH SIDEFILL FUEL TANK PREP CAP		
122-077	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH HEATED BOWL AND PRIMER PUMP		
216-001	SINGLE SUCTION AND RETURN FUEL LINES		
20E-001	AUXILIARY FUEL SUPPLY AND RETURN PORTS		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-0R2	MICHELIN XZE2+ 265/70R19.5 14 PLY RADIAL FRONT TIRES	-34	
094-0E5	MICHELIN XZE 245/70R19.5 16 PLY RADIAL REAR TIRES		-164
Hubs			
418-014	WEBB IRON FRONT HUBS	20	
450-045	CONMET PRESET IRON REAR HUBS		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
Wheels			
502-1H2	ALCOA 76542X 19.5X6.75 8-HUB PILOT 4.72 INSET 8-HAND ALUMINUM DISC FRONT WHEELS	-78	
505-1K4	ALCOA 77349X 19.5X7.50 8-HUB PILOT ALUMINUM DISC REAR WHEELS		-128
524-001	POLISHED FRONT WHEELS; OUTSIDE ONLY		
525-007	POLISHED REAR WHEELS; BOTH SIDES OF OUTER WHEELS ONLY		
52M-004	FORCEMATCH TIRE/WHEEL RUNOUT CHECK/MARK AND STATIC BALANCING - ALL TIRES/WHEELS		
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
498-1AB	INNER WHEEL EXTENSIONS, OUTBOARD AIRING, ALUMINUM OUTER WHEELS WITH RUBBER STABILIZERS		
Cab Exterior			
829-079	154 INCH BBC HIGH-ROOF ALUMINUM CONVENTIONAL CREW CAB	430	250
650-009	RUBBER CAB MOUNTS		
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT		
646-023	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
690-007	HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION		
727-1B0	DUAL 25 INCH ROUND STUTTER TONE HOOD MOUNTED AIR HORNS	8	
726-002	DUAL ELECTRIC HORNS		
728-002	DUAL HORN SHIELDS		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-038	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL		
302-001	(5) AMBER MARKER LIGHTS		
311-019	HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS		
294-046	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME		-5

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES		
275-061	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)	8	
863-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

Cab Interior

707-1AK	OPAL GRAY VINYL INTERIOR		
706-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
708-026	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR		
772-006	BLACK MATS WITH SINGLE INSULATION		
691-014	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-006	GRAY/CHARCOAL FLAT DASH		
860-004	SMART SWITCH EXPANSION MODULE		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
170-015	STANDARD HEATER PLUMBING		
130-036	(1) DENSO HEAVY DUTY AND (1) SANDEN COMPACT REFRIGERANT COMPRESSORS	20	
702-002	BINARY CONTROL, R-134A		
739-034	PREMIUM INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-047	DOOR ACTIVATED DOME/RED MAP LIGHTS, FORWARD LH AND RH AND REAR LH, RH AND CENTER		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
756-081	BOSTROM T910 HIGH BACK AIR SUSPENSION DRIVER SEAT		
760-081	BOSTROM T910 HIGH BACK AIR SUSPENSION PASSENGER SEAT		
762-033	(2) BOSTROM HIGH BACK NON SUSPENSION LH AND RH REAR PASSENGER SEATS		
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-017	GRAY CORDURA PLUS CLOTH DRIVER SEAT COVER		
761-017	GRAY CORDURA PLUS CLOTH PASSENGER SEAT COVER		
755-033	VINYL WITH CLOTH INSERT REAR PASSENGER SEAT		
763-058	3 POINT HIGH VISIBILITY ORANGE RETRACTOR DRIVER, FRONT PASSENGER AND LH AND RH REAR PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

732-003	WOODGRAIN DRIVER INSTRUMENT PANEL		
734-003	WOODGRAIN CENTER INSTRUMENT PANEL		
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
870-001	BLACK GAUGE BEZELS		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-006	ENGINE COMPARTMENT MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS, WITH WARNING LIGHT IN DASH		
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-070	ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE		
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-1B0	AM/FM/WB RADIO WITH CD PLAYER, BLUETOOTH AND MICROPHONE, USB, FRONT AND REAR AUXILIARY INPUTS AND J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
264-019	(1) LH FOOT SWITCH, AIR DEFAULT TO ELECTRIC <85 PSI		

Prepared for:
 Rob Sherer
 Braun Ambulance
 1170 Production Dr
 Van Wert, OH 45891
 Phone: 419-232-7046

Data Code	Description	Weight Front	Weight Rear
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
27D-004	ALTERNATING FLASHING HEADLAMP SYSTEM WITH BODY BUILDER CONTROLLED ENGAGEMENT		
882-018	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
869-998	NO MISCELLANEOUS GAUGES		

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-5F6 CAB COLOR A: L0006EB WHITE ELITE BC
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
 98K-998 NO FUEL TANK CABINET PAINT
 963-003 STANDARD E COAT/UNDERCOATING

Certification / Compliance

996-001 U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

998-033 CORPORATE PDI CENTER IN-SERVICE AND OPTION INSTALLATION/MODIFICATION
 999-999 PDI CENTER CROSSFIRE TIRE PRESSURE MONITORS, PING AND RESERVE TANK RELOCATION AND AFTERFRAME ADJUSTMENT, DEF TANK RELOCATION, LIQUID SPRING CONVERSION AT UTILITY BODY WERKS IN ELKHART INDIANA.

TOTAL VEHICLE SUMMARY