RESOLUTION NO. 2016 -

A RESOLUTION BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, AUTHORIZING THE COUNTY ADMINISTRATOR, OR DESIGNEE. TO AWARD BID NO. 16-33 AND TO EXECUTE A PURCHASE ORDER FOR THE PURCHASE OF ONE (1) 2018 ROLL-OFF TRUCK

RECITALS

WHEREAS, the County desires to enter into a contract with Tom Nehl Truck Company to purchase one (1) 2018 Roll-Off Truck for the purpose of providing replacement truck for the Road & Bridge Department; and

WHEREAS, through the County's formal bid process, Tom Nehl Truck Company was selected as the most qualified respondent to enter into a contract with the County for the purpose referenced above; and

WHEREAS, the project is being funded by the Road & Bridge Department; and

WHEREAS, said purchase serves a public purpose.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA:

Section 1. The above Recitals are incorporated by reference into the body of this Resolution and such Recitals are adopted as finds of fact.

Section 2. The County Administrator, or his designee, is hereby authorized to award Bid No. 16-33 to Tom Nehl Truck Company, and further authorized to execute a purchase order on behalf of the County for the purchase of one (1) 2018 Roll-Off Truck Bed in the amount of \$151,261.00.

Section 3. To the extent that there are typographical and/or administrative errors that do not change the tone, tenor, or concept of this Resolution, then this Resolution may be revised without subsequent approval by the Board of County Commissioners.

PASSED AND ADOPTED by the Board of County Commissioners of St. Johns County, Florida, this 20 day of <u>December</u>, 2016.

ATTEST: Hunter,S. Conrad, Clerk

By: Yam >

Deputy Clerk

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTX, FLORIDA

By:_

James K. Johns Chairman

RENDITION DATE 12/21/16





RETAIL PURCHASE AGREEMENT

PLEASE ENTER MY ORDER FOR THE FOLLOWING X NEW	USED	DEMO YEAR		F	-reightliner
MODEL 114SD TRACTOR X TRUCK	TRAILER	R COLOR	White ST	OCK NO	
VIN NO.	t b d	SALESM	AN	Brigm	an
GVWR 66,000 MILEAGE LIEN TO	No	one	DATE Nov	embe	r 18, 2016
PURCHASER St. Johns County Board of County Commissi	ioners	SELLING PR	CE	\$	151,245.00
ADDRESS 500 San Sebastian View	· · ·				-
CITY St. Augustine STATE FL ZIP 32	2084				-
PHONE(904) 209-0154 EMAIL	.	WASTE FEE			16.00
D.O.B. DRIVER'S LIC.					-
S.S.# FED ID#		SUB TOTAL		\$	151,261.00
TRADE-IN INFORMATION		TRADE-IN AL	LOWANCE		-
YEARMAKEMODEL		TAXABLE AN	IOUNT	\$	151,261.00
V.I.N. #		STATE SALE	STAX 0.00%	6	-
BALANCE OWED TO	···	() COUNTY SALES T	AX	-
ADDRESS		TAG, TITLE 8	REGISTRATION	_	-
CITYSTATEZIP		FEDERAL EX	CISE TAX		EXEMPT
PHONECONTACT					-
ACTUAL PAYOFF AMT.\$ GOOD THRU		ACTUAL PAY	OFF ON TRADE-IN		-
MILEAGEACCT.#		TOTAL AMOU	JNT DUE	_ \$	151,261.00
REMARKS		CASH DOWN	I PAYMENT		-
2018 Freightliner 114SD Roll-Off Truck		BALANCE DI	JE ON DELIVERY OR	\$	151,261.00
For Contract Piggy Back off St Johns County Bid No 16-33 No Light Bar Included	3	AMOUNT TO			
livo Eight Dar Moldded			CAP OF DOWN PAYMEN		
		TRADE-IN AL	LOWANCE OFF ON TRADE-IN		\$ - \$ -
		NET TRADE-			\$ -
		DEPOSIT RE			\$ -
		CASH AT DE			\$ -
DISCLAIMER OF WARRANTIES BY SELLER: The only warranties, if any, applying to the vehicle are those offered by and seller hereby expressly disclaims neither assumes nor authorizes any person to assume for seller any liability in damages to property, damages for loss of use, time, profits, income, or incidental damages. MEDIATION/ARBITRATION REQUIRED BY THIS AGGREEMENT: Both parties agree that instead of litigation in a condountent or agreement realising to the vehicle (including any retail instalment or consumer credit sale contract), para	connection with the court, if any dispute,	e sale of this vehicle. Purche , controversy, or claim occur	anties on the vehicle. The described ser(s) shall not be entitled to recover s arising out of or related to the sale o	from seller a	any consequential damages,
YOU AGREE THAT THE ADDITIONAL TERMS AND CONDITIONS PRINTED ON THE BACK OF THIS DOCUMENT				chase agree	ment contain the entire
agreement related to this purchase and no other agreements, understandings or promises will be recognized.					i
NOTICE TO PURCHASER(S): Do not sign this agreement until you read it. You are entitled to a copy of agreements unless signed by an officer or manager of the seller and by purchase(s).	and/or documents	s mai you sign. You acknowle	anda Leceibi ot a comblete cobà ot fu	e agreemen	r i use aftecitieur is uor pruoriĝ
EXECUTED AT TOM NEHL TRUCK CO.		1000000			
AGREED: Purchaser's Signature Date		ACCEPTED:	Dealer or Authorized R	tepresenta	tive
Purchase Order#			,		
417 South Edgewood Ave 5040 University Blvd West	3	383 SW Arrowhe	ad Terr	708 F	rancis St
Jacksonville, FL 32254 Jacksonville, FL 32216 (904) 389-3653 (904) 861-0779		Lake City, FL 3 (386) 755-95		•	s, GA 31503 283-7473



ST. JOHNS COUNTY PURCHASING DEPARTMENT

500 San Sebastian View St. Augustine, Florida 32084

Т	N	гв	R	O	F	F	T	\mathbf{C}	E	M	E	M	0	R	A	N	\mathbf{D}	U	M
---	---	----	---	---	---	---	---	--------------	---	---	---	---	---	---	---	---	--------------	---	---

TO:	Jeff Nordsiek, Fleet Maintenance Manager
	Ivan Burrell, Road & Bridge Manager
FROM:	Leigh Daniels, CPPB, Senior Buyer
SUBJECT:	(1) 001 (P = 11 OFF
	Truck
	February 17, 2016
•	Attached are copies of the bid proposals received for the above mentioned along with a copy of the Bid Tabulation Sheet.
	Please review, evaluate and make a written recommendation for this project. Also, indicate the budgeted amount for this item along with the appropriate charge code and return at your earliest convenience. We will prepare the agenda item and contract.
	Please let me know if I can assist your department in any other way.
	Fleet Manager Approval Approval Date 2-19-16 Department Head Approval Durill
	Date
,	Budget Amount \$108,000
	Account Funding Title 1122-56415 Capital Vehicles
	Funding Charge Code 56415
	Award to Tom NEHL TRUCK COMPANY
	Award Amount \$151,261,00 ST. JOHNS COUNTY
	FEB 2 3 2016

ST. JOHNS COUNTY BID TABULATION

g,	BID TITLE	PURCHASE OF ONE (1) 2016 ROLL-OFF TRUCK) 2016 ROLL-OFF TRU	CK	ANY BUDDER AFFECTED ADVERSELY BY AN INTERDED	TEGETAT NV AS A	OPENED BY	LEIGH DANIELS LEILA HARTLAN
16-33					SHALL FILE WITH THE PURCHASING	G DEPARTMENT FOR	VERIFIED BY	
Reducting 117, 2016 2:00 PM	BID NUMBER	16-33			ST. JOHNS COUNTY, A WRITTEN NO	TICE OF OF INTENT		
DELIVERY DATE	OPENING DATE/TIME		2:00 PM	,	FILE A PROTEST NOT LATER THAN	SEVENIX-IWO (72)		
NOTAL PACKAGE MAKEMODEL DELIVERY DATE		•			HOURS (EXCLUDING SATURDAY, SU	INDAY AND LEGAL		
1071/16 2027/6 2022/6 2020 2027/6 20		FROM	,	ONTIL	HOLIDAYS) AFTER THE POSITING OF	THE BID TABULATION		
TOTAL PACKAGE MAKEMODEL DELIVERY DATE EID PRICE \$151,261.00 FREIGHT LINER 150 DAYS ARO 114SD \$160,312.38 MACK GRANITE GU813 \$163,533.44 PETERBILT 365 IN STOCK	POSTING DATE/TIME	02/17/16		02/22/16	PROTEST PROCEDURES MAY BE OB	TAINED IN THE	۳-	
TOTAL PACKAGE BID PRICE BID PRICE \$151,261.00 FREIGHT LINER 114SD MACK GRANITE GU813 \$163,533.44 PETERBUT 365		3:00 PM		3:00 PM	PURCHASING DEPARTMENT.	-		
### S151,261.00 FREIGHT LINER 1145D		TOTAL PACKAGE		TOTAL EXCEPT TO A TIP				,
\$151,261.00 FREIGHT LINER 114SD MACK GRANITE GU813 \$163,533.44 PETERBILT 365	BIDDERS	BID PRICE	MAKE/MODEL	DELIVERY DATE				
\$160,312.38 MACK GRANITE GU813 \$163,533.44 PETERBILT 365	TOM NEHL TRUCK COMPANY	\$151,261.00	FREIGHT LINER 114SD	150 DAYS ARO				
\$163,533.44 PETERBUT 365	NEXTRAN TRUCK CENTER	\$160,312.38	MACK GRANITE GU813	150 DAYS ARO				
	RUSH TRUCK CENTERS	\$163,533.44	PETERBILT 365	IN STOCK		·		
			-					·

BID AWARD DATE-

BID NO: 16-33

ST. JOHNS COUNTY, FLORIDA OFFICIAL TOTAL BID FORM

TO: THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA DATE: FEBRUAL 15, 2016

-BID PROPOSAL-

If awarded a Purchase Order on the basis of this proposal, the undersigned pledges to provide the equipment as specified in the Bid Proposal and County Specifications barring delays due to strikes, fires, transportation difficulties or other causes beyond the control of the undersigned.

The undersigned declares that the statements and representations made in this proposal are true in every respect and that the said proposal is in all respects fair and made without collusion or fraud, and that no member of the County Board, or any other agent or employee of the County, directly or indirectly, is interested in this proposal or in any profits expected to accrue therefrom.

The following proposal is presented:

FOR: PURCHASE OF ONE (1) 2016 ROLL-OFF TRUCK, PER ATTACHED SPECIFICATIONS:

TOTAL PACKAGE	BID \$ 131, 261, 00	
(Cost of One Unit)		
MAKE/MODEL	FREIGHTLINER 1145D	
DELIVERY DATE:_	150 DAYS AFFER ORDER	

I certify that the equipment presented in the above proposal meets or exceeds the County specifications and that I, the undersigned bidder, declare that I have carefully examined the specifications, terms and conditions of this bid and I am thoroughly familiar with it's provisions and quality and type of coverage called for and bid herein. The undersigned further declares that he has not divulged, discussed or compared his bid with any other bidders and has not colluded with any other bidder or parties to a bid whatsoever for any fraudulent purpose.

COMPANY: JOM NEHL TRUCK COMPANY
ADDRESS: 417 5 EDGEWOOD AVE
JACKSONVILLE J FZ 32254
MINORITY OR WOMAN OWNED BUSINESS:
FEDERAL ID NO. OR SOCIAL SECURITY NO.: 59-0840355
SIGNATURE:
W. Bret Catto
(Typed or Printed Signature)
TITLE:
DATE: FEBRURY 15, 2016
TELEPHONE NO.: 904 389 3653
FAX NO.: 904 388 9801
EMAIL ADDRESS: dustin brigman (I tomnehl. com

Bid No: <u>16-33</u> Official Total Bid Form for the Purchase of One (1) 2016 Roll-Off Truck

Remarks to Bidder:

Bids must be submitted in **TRIPLICATE!** Bids must be placed in an envelope, sealed and plainly marked SEALED BID NO. **16-33**, **PURCHASE OF ONE (1) 2016 ROLL-OFF TRUCK**

The company name must be indicated on the envelope, also.

All bids must be signed manually by a responsible officer of your company in ink or indelible pencil.

If there are any exceptions to the bid proposal or specifications, please state here or on attached sheet.

Attachment "A" affidavit must be completed and attached to bid proposal.

St. Johns County reserves the right to accept or reject any or all bids/proposals, waive minor formalities, and to award the bid/proposal that best serves the interests of St. Johns County. St. Johns County also reserves the right to award the base bid and any alternate bids in any combination that best suits the needs of the County.

ATTACHMENT "A"

ST. JOHNS COUNTY BOARD OF COUNTY COMMISSIONERS

AFFIDAVIT

TO: ST. JOHNS COUNTY BOARD OF COUNTY COMMISSIONERS
ST. AUGUSTINE, FLORIDA

At the time the proposal is submitted, the Bidder shall attach to his bid a sworn statement.

The sworn statement shall be an affidavit in the following form, executed by an officer of the

who is authorized by law to administer oaths.

STATE OF FORIDA COUNTY OF DOLLAR Before me, the undersigned authority, personally appeared W BRET CATED who, being duly sworn, deposes and says he is Wece President (Title) of Tom Netral Teneck Co (Firm) the bidder submitting the attached proposal for the services covered by the bid documents for Bid No: 16-33, Purchase of One (1) 2016 Roll-Off Truck St. Johns County.

firm, association or corporation submitting the proposal and shall be sworn to before a person

The affiant further states that no more than one proposal for the above referenced project will be submitted from the individual, his firm or corporation under the same or different name and that such bidder has no financial interest in the firm of another bidder for the same work. That he, his firm, association or corporation has neither directly, nor indirectly entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive bidding in connection with this firm's bid on the above described project. Furthermore, neither the firm nor any of it's officers are debarred from participating in public contract lettings in any other state.

bidding in connection with this firm's bid on the above described project. Furthermore, next the firm nor any of it's officers are debarred from participating in public contract lettings in a other state.

(Bidder)

By Bret Catho

(Title)

Sworn and subscribe to before me this 15th day of February 2016.

My Commission Expires: 3/33/3019

BIDDER ON ALL COUNTY PROJECTS MUST EXECUTE & ATTACH THIS AFFIDAVIT TO EACH BID.

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Roll-Off Chassis Spec / Bid 16-33

SPECIFICATION PROPOSAL

Description

Price Level

SD PRL-14D (EFF:10/05/15)

Data Version

SPECPRO21 DATA RELEASE VER 016

Vehicle Configuration

114SD CONVENTIONAL CHASSIS
2017 MODEL YEAR SPECIFIED
SET BACK AXLE - TRUCK
STRAIGHT TRUCK PROVISION
LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

CONSTRUCTION SERVICE

GOVERNMENT BUSINESS SEGMENT

FIXED LOAD COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT -MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE

FREIGHTLINER LEVEL II WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

46000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 66000,0 lbs

Application Version 8.9.003 Data Version PRL-14D.016 Roll-Off Bid 16-33



02/15/2016 8:31 AM

Page 1 of 13

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

Truck Service

ROLL OFF/ROLL ON BODY

Engine

DETROIT DD13 12.8L 410 HP @ 1625 RPM, 1900 GOV RPM, 1650 LB/FT @ 975 RPM

Electronic Parameters

65 MPH ROAD SPEED LIMIT

CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT

OFEED LIMIT

PTO MODE ENGINE RPM LIMIT - 1300 RPM

PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED

PTO RPM WITH CRUISE SET SWITCH - 700 RPM

PTO RPM WITH CRUISE RESUME SWITCH - 600

RPM

PTO MODE CANCEL VEHICLE SPEED - 5 MPH

PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND

ONE REMOTE PTO SPEED

REMOTE PTO SPEED 1 SETTING - 900 RPM

PTO MINIMUM RPM - 600

Engine Equipment

2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG17

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)

NO 2013 ENGINE ESCALATOR

STANDARD OIL PAN

ENGINE MOUNTED OIL CHECK AND FILL

SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE

(3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES

BATTERY BOX FRAME MOUNTED STANDARD BATTERY JUMPERS

Application Version 8.9.003 Data Version PRL-14D.016 Roll-Off Bld 16-33



02/15/2016 8:31 AM

Page 2 of 13

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB

WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN

NON-POLISHED BATTERY BOX COVER

BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

JACOBS COMPRESSION BRAKE

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH

09 FOOT 06 INCH (114 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

13 GALLON DIESEL EXHAUST FLUID TANK

100 PERCENT DIESEL EXHAUST FLUID FILL

STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID TANK CAP

ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)

BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH

AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED

DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR

FULL FLOW OIL FILTER

1500 SQUARE INCH ALUMINUM RADIATOR

ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT

GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT



Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3863

Description

CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES

HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE

DELCO 12V 39MT+ HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 146 -AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS

ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES

PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 2600 RPM - ALLISON 5TH GEN TRANSMISSIONS

TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED

TCU-MAX PTO O/P SPD ENG NOT CONFIGURE

MAXIMUM OUTPUT SPEED FOR PTO OPERATION 1300 RPM - ALLISON 5TH GEN TRANSMISSIONS

MARKER LAMP CONNECTION FOR BODY BUILDERS

CUSTOMER INSTALLED CHELSEA 277 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

Application Version 8,9,003 Data Version PRL-14D.016 Roll-Off Bid 16-33



02/15/2016 8:31 AM

Page 4 of 13

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE

MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

SKF SCOTSEAL PLUS XL FRONT OIL SEALS

STEMCO ALUMINUM VENTED FRONT HUB CAPS WITH WINDOW AND CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK

ADJUSTERS

STANDARD KING PIN BUSHINGS

TRW THP-60 POWER STEERING WITH RCH45

AUXILIARY GEAR

POWER STEERING PUMP

4 QUART POWER STEERING RESERVOIR

OIL/AIR POWER STEERING COOLER

ORGANIC SAE 80/90 FRONT AXLE LUBE

Front Suspension

20,000# FLAT LEAF FRONT SUSPENSION

GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION

Rear Axle and Equipment

RT-46-160 46,000# R-SERIES TANDEM REAR AXLE

4.89 REAR AXLE RATIO

IRON REAR AXLE CARRIER WITH STANDARD

AXLE HOUSING

MXL 18N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES



Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Description

MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES

DRIVER CONTROLLED TRACTION
DIFFERENTIAL - BOTH TANDEM REAR AXLES

(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE

BUZZER AND BLINKING LAMP WITH EACH MODE SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF

BUZZER AND BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH

MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS REAR BRAKE LINING STANDARD BRAKE CHAMBER LOCATION CONMET CAST IRON REAR BRAKE DRUMS

REAR BRAKE DUST SHIELDS

SKF SCOTSEAL PLUS XL REAR OIL SEALS

HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS

HALDEX AUTOMATIC REAR SLACK ADJUSTERS

ORGANIC SAE 80/90 REAR AXLE LUBE STANDARD REAR AXLE BREATHER(S)

Rear Suspension

HENDRICKSON RTE463 REAR SUSPENSION @ 46,000#

HENDRICKSON RT/RTE - 7.19" SADDLE

STANDARD AXLE SEATS IN AXLE CLAMP GROUP

52 INCH AXLE SPACING

STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS

FORE/AFT CONTROL RODS

Brake System

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL

REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES

Application Version 8.9.003 Data Version PRL-14D.016 Roll-Off Bid 16-33



02/15/2016 8:31 AM

Page 6 of 13

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3863

Description

FIBER BRAID PARKING BRAKE HOSE STANDARD BRAKE SYSTEM VALVES STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM

STD U.S. FRONT BRAKE VALVE

RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE

BW AD-9 BRAKE LINE AIR DRYER WITH HEATER

BENDIX OIL COALESCING FILTER FOR AIR

DRYER

AIR DRYER MOUNTED INBOARD ON LH RAIL

STEEL AIR BRAKE RESERVOIRS

PETCOCK DRAIN VALVES ON ALL AIR TANK(S)

Trailer Connections

UPGRADED CHASSIS MULTIPLEXING UNIT

Wheelbase & Frame

Roll-Off Bid 16-33

6425MM (253 INCH) WHEELBASE

7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282,6MM/0.437X11.13 INCH) 120KSI

1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

1900MM (75 INCH) REAR FRAME OVERHANG

FRAME OVERHANG RANGE: 71 INCH TO 80 INCH

CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 187,45 in

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 184.45 in

CALC'D FRAME LENGTH - OVERALL: 358.12

CALC'D SPACE AVAILABLE FOR DECKPLATE: 187.45 in

CALCULATED FRAME SPACE LH SIDE: 94.76 in CALCULATED FRAME SPACE RH SIDE: 106.96

ln

SQUARE END OF FRAME


FRONT CLOSING CROSSMEMBER

STANDARD WEIGHT ENGINE CROSSMEMBER

STANDARD MIDSHIP #1 CROSSMEMBER(S)

STANDARD REARMOST CROSSMEMBER

STANDARD SUSPENSION CROSSMEMBER





Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

Chassis Equipment

14 INCH PAINTED STEEL BUMPER

BUMPER MOUNTING FOR SINGLE LICENSE

PLATE

GRADE 8 THREADED HEX HEADED FRAME

FASTENERS

Fuel Tanks

70 GALLON/264 LITER ALUMINUM FUEL TANK -

RH

80 GALLON/302 LITER ALUMINUM FUEL TANK -

LH

25 INCH DIAMETER FUEL TANK(S)

PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED

BANDS

LH FUEL TANK MOUNTED FORWARD, RH FUEL

TANK MOUNTED AFT

PLAIN STEP FINISH

FUEL TANK CAP(S)

EQUIFLO INBOARD FUEL SYSTEM

HIGH TEMPERATURE REINFORCED NYLON

FUEL LINE

Tires

BF GOODRICH ST565 425/65R22.5 20 PLY

RADIAL FRONT TIRES

MICHELIN XDE M/S 11R22,5 16 PLY RADIAL

REAR TIRES

Hubs

CONMET PRESET PLUS IRON FRONT HUBS

CONMET PRESET PLUS IRON REAR HUBS

Wheels ..

MAXION WHEELS 10035 22.5X12.25 10-HUB

PILOT 4,75 INSET 5-HAND STEEL DISC FRONT

WHEELS

MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT

2-HAND STEEL DISC REAR WHEELS

Cab Exterior

114 INCH BBC FLAT ROOF ALUMINUM

CONVENTIONAL CAB

AIR CAB MOUNTS

Application Version 8.9.003 Data Version PRL-14D.016 Roll-Off Bid 16-33



02/15/2016 8:31 AM

Page 8 of 13

Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE

FRONT FENDERS SET-BACK AXLE

LH AND RH GRAB HANDLES

STATIONARY BLACK GRILLE

BLACK HOOD MOUNTED AIR INTAKE GRILLE

FIBERGLASS HOOD

SINGLE 14 INCH ROUND HADLEY AIR HORN

UNDER LH DECK

SINGLE ELECTRIC HORN

SINGLE HORN SHIELD

DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME

REAR LICENSE PLATE MOUNT END OF FRAME

HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS

BLACK BEZELS

(5) AMBER MARKER LIGHTS

INTEGRAL STOP/TAIL/BACKUP LIGHTS

STANDARD FRONT TURN SIGNAL LAMPS

DUAL WEST COAST MOLDED-IN COLOR

MIRRORS

DOOR MOUNTED MIRRORS

102 INCH EQUIPMENT WIDTH

LH AND RH 8 INCH MOLDED-IN COLOR CONVEX

MIRRORS MOUNTED UNDER PRIMARY

MIRRORS

STANDARD SIDE/REAR REFLECTORS

RH AFTERTREATMENT SYSTEM CAB ACCESS

WITH STEEL SHIELDING

63X14 INCH TINTED REAR WINDOW

TINTED DOOR GLASS LH AND RH WITH TINTED

OPERATING WING WINDOWS

MANUAL DOOR WINDOW REGULATORS

TINTED WINDSHIELD

2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED

Cab Interior

OPAL GRAY VINYL INTERIOR
MOLDED PLASTIC DOOR PANEL
MOLDED PLASTIC DOOR PANEL
BLACK MATS WITH SINGLE INSULATION

Application Version 8.9.003 Data Version PRL-14D.016 Roll-Off Bid 16-33



02/15/2016 8:31 AM

Page 9 of 13

Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Description

DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER

FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING

IN DASH STORAGE BIN

(2) CUP HOLDERS LH AND RH DASH

GRAY/CHARCOAL FLAT DASH

HEATER, DEFROSTER AND AIR CONDITIONER

STANDARD HVAC DUCTING

MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

STANDARD HEATER PLUMBING

DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR

BINARY CONTROL, R-134A

STANDARD INSULATION

SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM

DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS

CAB DOOR LATCHES WITH MANUAL DOOR

(1) 12 VOLT POWER SUPPLY IN DASH

BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION

BASIC HIGH BACK NON SUSPENSION PASSENGER SEAT

LH AND RH INTEGRAL DOOR PANEL ARMRESTS

VINYL WITH VINYL INSERT DRIVER SEAT

VINYL WITH VINYL INSERT PASSENGER SEAT

3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

4-SPOKE 18 INCH (460MM) STEERING WHEEL

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

GRAY DRIVER INSTRUMENT PANEL



Prepared by:
Dustin Brigman
TOM NEHL TRUCK COMPANY
417 S. EDGEWOOD AVENUE
JACKSONVILLE, FL 32254
Phone: 904-389-3653

Description

GRAY CENTER INSTRUMENT PANEL

ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK

BLACK GAUGE BEZELS

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS

PRECO 1040 87 DB TO 112 DB AUTOMATIC SELF-ADJUSTING BACKUP ALARM

ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

FUEL FILTER RESTRICTION INDICATOR

ENGINE REMOTE INTERFACE WITH INCREMENT/DECREMENT

ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY AND HOBBS PTO OPERATION HOUR METER

CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS

ELECTRIC ENGINE OIL PRESSURE GAUGE

AM/FMWB RADIO WITH BLUETOOTH AND MICROPHONE, FRONT USB PORT, FRONT AND REAR AUXILIARY INPUTS AND J1939

DASH MOUNTED RADIO

(2) RADIO SPEAKERS IN CAB

AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF



Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Description

ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT **ODOMETER**

STANDARD VEHICLE SPEED SENSOR

ELECTRONIC 3000 RPM TACHOMETER

DETROIT CONNECT VIRTUAL TECHNICIAN CONNECTIVITY PACKAGE (DETROIT ENGINES ONLY)

2 YEARS DETROIT CONNECT VIRTUAL TECHNICIAN REMOTE DIAGNOSTICS SERVICE

IGNITION SWITCH CONTROLLED ENGINE STOP

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH

DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR

WITH DELAY

MARKER LIGHT SWITCH INTEGRAL WITH

HEADLIGHT SWITCH

ONE VALVE PARKING BRAKE SYSTEM WITH

WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHERWIPER AND HAZARD IN

HANDLE

INTEGRAL ELECTRONIC TURN SIGNAL

FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EB WHITE ELITE BC

BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

PAINT

NO FUEL TANK CABINET PAINT

POWDER WHITE (N0006EA) FRONT

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)


STANDARD BLACK BUMPER PAINT

STANDARD E COAT/UNDERCOATING

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES

CABS AND GLIDER KITS





Prepared by: Dustin Brigman TOM NEHL TRUCK COMPANY 417 S. EDGEWOOD AVENUE JACKSONVILLE, FL 32254 Phone: 904-389-3653

Dealer Installed Options

ROLL OFF BODY PER BID SPECIFICATIONS - EXACT SPECIFICATIONS ENCLOSED





SALES QUOTE

SALES QUOTE #: SQ-02450 DATE: 02/07/2016 NET TERMS: NET 30

V/EP OF TAMPA, LLC 4902 SOUTH 16TH AVENUE, SUITE E TAMPA, FL 33619 PHONE: (813) 241-1900 FAX: (954) 532-7439

BILL TO:

Tom Nehl Truck Company - Jacksonville

Dustin Brigman

417 S Edgewood Avenue Jacksonville, FL 32254

United States

SHIP TO:

Tom Nehl Truck Company -

Jacksonville

Dustin Brigman

417 S Edgewood Avenue Jacksonville, FL 32254

United States

Reference Number: St. Johns County

SHIP VIA MESSAGE

DUE DATE: 02/07/2016

ITEM ID	ITEM NAME	QUANTITY	PRICE	EXTENDED PRICE
QX-GAL-AF-OR-174	GALBREATH AF-OR-174 ABOVE FRAME MOUNT 60,000 LBS OUTSIDE RAIL ROLL- OFF HOIST	1		
QX-GAL-AFTMTG	FACTORY MOUNT - TANDEM AXLE ABOVE FRAME CABLE HOIST. INCLUDES HUCK BOLTS, DUAL VISCOSITY OIL, TWO (2) PART EPOXY PRIMER AND PAINT. NOTICE: MOUNTING ON A USED CHASSIS IS SUBJECT TO ADDITIONAL CHARGES, FACTORY MOUNTS ON A CAB-OVER CHASSIS REQUIRES THE ADDITION OF AFTMTG3	1		
QX-GAL-998	FACTORY MOUNT - PIONEER STRONG-ARM RACK N' PINION SARG (HYDRAULIC GANTRY) - THREE (3) SPOOL VALVE INCLUDED - PIONEER CONTROL VALVE AND DIVERTER - TARPER PLATFORM INCLUDED ON AF HOIST ONLY, ADD TPOP OR TPOP1 IF NEEDED	1		
QX-GAL-31PTO	FACTORY MOUNT - PARKER 890 EXTENDED SHAFT WET SPLINE PTO FOR AUTOMATIC TRANSMISSION - INCLUDES PUMP UPGRADE - HOT SHIFT - AF SERIES CABLE HOIST	1		
QX-GAL-1AAA*	SHIP OUT - CONTOURED SMOOTH STEEL TANDEM AXLE FENDERS FOR AXLE SPREAD RANGE OF 49"-55" - SPECIFY TANDEM AXLE SPREAD	1		
QX-GAL-IN1AAA	FACTORY MOUNT OF QX-GAL-1AAA	.1		
QX-GAL-OL56	REAR SKID PLATE WITH FULL SUPPORT - SET OF TWO (2) OUTBOARD SUPPORTED ROLLERS - REDUCES WEAR ON THE REAR ROLLERS (OR MODELS ONLY)	1		
QX-GAL-17A	STEEL TOOLBOX - 20" X 16" X 48"	1		
QX-GAL-9554	TOOLBOX MOUNTING BRACKETS - TO SIDE MOUNT THE TOOLBOX WHEN HOIST HAS A BEHIND THE CAB OIL RESERVOIR - MUST BE USED WITH ALL TRAILERS, AF MODEL CABLE HOIST AND CONTAINER HANDLERS	1		
QX-GAL-TINST1	FACTORY MOUNT - INSTALL TOOLBOX ON HOIST WITH A BEHIND THE CAB OIL RESERVOIR - MUST ADD OPTION QX-GAL-9554 FOR MOUNTING BRACKETS	1		
QX-GAL-HAI	HOIST UP ALARM AUDIO INTERRUPTER - ALARM SILENCED WHEN PARKING BRAKE IS APPLIED	1		

Remit all payments to:
WEP OF TAMPA, LLC
4902 SOUTH 16TH AVENUE, SUITE E TAMPA, FL 33619
PHONE: (813) 241-1900 FAX: (954) 532-7439
THANK YOU FOR YOUR BUSINESS

QX-GAL-SFTY*	HIGH VISIBILITY PACKAGE - REQUIRES SPECIAL TOWER, BUMPER AND WIRING HARNESS - ONE (1) STROBE LIGHT ON TARPER GANTRY, TWO WORK LIGHTS ON TARPER GANTRY AND TWO (2) STROBE LIGHTS IN THE BUMPER (NOTICE TO FACTORY: OMIT STROBE ON TOWER AND ADD LED WORK LIGHTS ON REAR BUMPER)	1		
QX-GAL-16NS	NYLON RATCHET REAR HOLD DOWNS AND STATIONARY REAR HOLD DOWNS	1		,
SHIPPING	SHIPPING	1		
		· · · · <u>· · · · · · · · · · · · · · · </u>		

Remit all payments to:
WEP OF TAKEA, U.C
4902 SOUTH 16TH AVENUE, SUITE E TAMPA, FL 33619
PHONE: (813) 241-1900 FAX: (954) 532-7439
THANK YOU FOR YOUR BUSINESS

BID NO: 16-33

NOTICE TO BIDDERS

Notice is hereby given that sealed bids will be accepted until 2:00 P.M. on February 17, 2016 by Leigh Daniels, CPPB, Senior Buyer, St. Johns County Purchasing Department, 500 San Sebastian View, St. Augustine, Florida 32084, (904) 209-0154, for Purchase of One (1) 2016 Roll-Off Truck. Bids will be opened promptly after the 2:00 p.m. deadline. Note: Bids delivered or received in the Purchasing Department after the 2:00 P.M. deadline shall not be given consideration and shall be returned to the sender unopened.

Any and all procurement questions shall be directed to Leigh Daniels, CPPB, Senior Buyer, St. Johns County Purchasing, phone number (904) 209-0154 or email ldaniels@sicfl.us. The deadline for all questions shall be no later than 4:00 p.m., Monday, February 8, 2016.

Package request forms are available on DemandStar.com and requesting Document #_16-33. Additionally, document orders may be facilitated through Onvia DemandStar, Inc. For technical assistance with this Website please contact Onvia Supplier Services at 1-800-711-1712. A link to Onvia DemandStar is also available through the St. Johns County Website at www.sjcfl.us/BCC/Purchasing/Open Bids.aspx. Check the County's site for download availability and any applicable fees. Vendors registered with Onvia DemandStar.com may visit www.demandstar.com to electronically download some documents.

Vendors shall not contact, lobby, or otherwise communicate with any St. Johns County employee, including any member of the Board of County Commissioners, other than the above referenced individual from the point of advertisement of the Bid until contract(s) are executed by all parties, per St. Johns County Purchasing Code 304.6.5 "Procedures Concerning Lobbying". According to St. Johns County policy, any such communication shall disqualify the vendor, contractor, or consultant from responding to the subject invitation to bid, request for quote, request for proposal, invitation to negotiate, or request for qualifications.

St. Johns County reserves the right to accept or reject any or all bids/proposals, waive minor formalities, and to award the bid/proposal that best serves the interests of St. Johns County. St. Johns County also reserves the right to award the base bid and any alternate bids in any combination that best suits the needs of the County.

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA HUNTER S. CONRAD, CLERK

BY:			
	DEPUTY	CLERK	

ST. JOHNS COUNTY PURCHASING DEPARTMENT

INSTRUCTIONS TO BIDDERS

These instructions will bind bidders to terms and conditions herein set forth, except as specifically qualified in special bid contract terms issued with any individual bid.

1. The following criteria are used in determining low responsible bidder:

The ability, capacity and skill of bidder to perform required service. Whether bidder can perform service promptly or within specified time. The character, integrity, reputation, judgement, experience and efficiency of bidder. The performance of previous contracts with St. Johns County. The suitability of equipment of material for county use. The ability of bidder to provide future maintenance and parts service.

- Payment terms are net thirty (30) days unless otherwise specified. Favorable terms, discounts may be offered and will be considered in determining low bids if they are deemed by the Purchasing Department advantageous to the County. 2,
- All bids should be tabulated, totaled and checked for accuracy. Unit price will prevail in case of errors. 3.
- All requested information should be included in the bid envelope or your bid may not 4. receive full consideration.
- If anything of the bid request is not clear, you should contact the Purchasing Department immediately. 5.
- A bidder's list is available at the Purchasing Office. 6.
- Ouote all prices F.O.B. (Free On Board), our warehouse or as specified in bid documents. 7.
- Each proposal shall be clearly marked on the outside of the envelope with the following: 8.

A. Sealed Bid NumberB. Name of Item Being Bid in FullC. Vendor name and address

- No Responsibility will attach to any County representative or employee for the premature opening of bid not properly addressed or identified. 9.
- If only one (1) bid is received, the bid may be rejected and re-advertised. 10.
- Bids received late will not be accepted and the County will not be responsible for late mail delivery. However, should a bid be misplaced by the County and found later, will be considered. 11.
- Telephone and facsimile bid will not be acceptable in formal Sealed Bids openings. 12.
- Any bidder may request and shall receive a receipt showing the day and hour any bid is delivered to the appropriate office of the County from the personnel thereof. 13.
- All bidders must be recognized dealers in the materials of equipment specified and be qualified to advise in their application or use. A bidder may at any time be requested to satisfy the Purchasing Office and the County Administrator that he has the requisite organization, capital, plant, stock, ability and experience to satisfactorily execute the contract in accordance with the provisions of the contract in which he is interested. 14.
- Any alterations, erasures, additions or omissions of required information or any changes of specifications or bidding schedule is done at risk of the bidder. Any bid will be rejected that has a substantial variation. For example, a variation that affects the price, quality or delivery date (when delivery is required by a specific time). 15.
- When requested, samples will be furnished to the County free of expense, properly marked for identifications and accompanied by a list where there is more than one (1) sample. The County reserves the right to mutilate or destroy any sample submitted whenever it may be to the interest of the County to do so for the purpose of testing. 16.
- The County will reject any material, supplies or equipment that do not meet the specifications, even though the bidder lists the trade names or names of such material on the bid or price quotation form. 17.
- The unauthorized use of patented articles is done entirely at the risk of the successful bidder, 18.

- 19. The ESTIMATED QUANTITY given in the specifications of advertisements is for the purpose of bidding ONLY. The County may purchase more or less than the estimated quantity and the vendor must not assume that such estimated quantity is part of the contract.
- Only the latest model equipment, as evidenced by the manufacturer's current published literature will be considered. Obsolete models of equipment not in production will not be acceptable. The equipment shall be composed of new parts and materials. Any unit containing used parts or having seen any service other than the necessary tests will be rejected. In addition to the equipment specifically called for in the specification, all equipment catalogued by the manufacturer as standard or required by the State of Florida shall be furnished with the equipment. Where required by the State of Florida Motor Vehicle Code, vehicles shall be inspected and bear the latest inspection sticker of the Florida Department of Revenue.
- The successful bidder on motor vehicle equipment shall be required to furnish with the delivery of the vehicle a certificate of origin and any other appropriate documentation as required by the Florida Motor Vehicle Department.
- 22. Prospective bidders are required to examine the location of the proposed work or delivery and determine, in their own way, the difficulties, which are likely to be encountered in the prosecution of the same.
- All materials, equipment and supplies shall be subjected to rigid inspection under the immediate supervision of the Purchasing Department, its designee and/or the department to which they are delivered. If defective material, equipment or supplies are discovered, the vendor shall remove or make good such material, equipment or supplies without extra compensation. It is expressly understood and agreed that the inspection of materials by the County will in no way lessen the responsibility of the vendor or release him from his obligation to perform and deliver to the County sound and satisfactory materials, equipment or supplies. The vendor agrees to pay the costs of all test upon defective material, equipment or supplies or allow the cost to be deducted from any monies due him from the County.
- Unless otherwise specified, the County reserves the right to award each item separately or on a lump sum basis, whichever is in the best interest of the County.
- 25. A contract may not be awarded to any corporation, firm or individual who is, from any cause, in arrears to the County or who has failed in former contracts with the County.
- 26. Reasonable grounds for supposing that any bidder is interested in more than one proposal for the same item will be considered sufficient cause for rejection of all proposals in which he is interested.
- 27. Submitting a proposal when the bidder intends to sublet the contract may be a cause for rejection of bids or cancellation of the contract by the County Administrator.
- 28. The County reserves the right to reject any or all bids or quotations, to waive any minor discrepancies in the bids for all bidders equally when deemed to be in the best interest of the County and to purchase any part, all or none of the materials, supplies or equipment specified.
- 29. Failure of the bidder to sign the bid or have the signature of any authorized representative or agent on the bid proposal in the space provided may be cause for rejection of the bid. Signature must be written in ink or indelible pencil. Typewritten or printed signatures will not be acceptable.
- Any bidder may withdraw his bid at any time BEFORE the time set of opening of the bids. A bid may be withdrawn AFTER the bids are opened only with permission of the Purchasing Agent.
- It is mutually, understood and agreed that, if at any time, the Purchasing Department or designee shall be of the opinion that the contract, or any part thereof, is unnecessarily delayed or that the rate of progress or delivery is unsatisfactory or that the contractor is willfully violating any of the condition or covenants of the agreement or is executing the same in bad faith, the Purchasing Agent or his designee shall have the power to notify the aforesaid contractor of the nature of the complaint. Notification shall constitute delivery of notice or letter to address given in proposal. If after three (3) working days of notification, the conditions are not corrected to the satisfaction of the Purchasing Agent, he shall thereupon have the power to take whatever action he may deem necessary to complete the work or delivery herein described, or any part thereof, and the expense thereof, so charged, shall be deducted from any paid by the County out of such monies as may become due to the said contractor, under and by virtue of this agreement. In case such expense shall exceed the last said sum, then and in that event, the bondsman or the

contractor, his executors, administrators, successors or assigns, shall pay the amounts of such excess to the County on notice by the Purchasing Department or his designee of the excess due.

- 32. Any complaint from bidders relative to the invitation to bid or any attached specifications shall be made prior to the time of opening bids, otherwise, the bidder waives any such complaint.
- 33. A vendor writing specifications for the County may not be allowed to bid on that project.
- 34. Contracts may be canceled by the County with or without cause on thirty (30) days advance written notice.
- Any bidder affected adversely by an intended decision with respect to the award of any bid, shall file with the Purchasing Department for St. Johns County, a written notice of intent to file a protest not later than seventy-two (72) hours (excluding Saturday, Sunday and legal holidays) after the posting of the bid tabulation. Protest procedures may be obtained in the Purchasing Department.
- Vendors shall not contact, lobby, or otherwise communicate with any St. Johns County employee, including any member of the Board of County Commissioners, other than the above referenced individual from the point of advertisement of the Bid until contract(s) are executed by all parties, per St. Johns County Purchasing Code 304.6.5 "Procedures Concerning Lobbying". According to St. Johns County policy, any such communication shall disqualify the vendor, contractor, or consultant from responding to the subject invitation to bid, request for quote, request for proposal, invitation to negotiate, or request for qualifications.

ST. JOHNS COUNTY, FLORIDA OFFICIAL TOTAL BID FORM

TO:	THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA	DATE:	, 2016
	-BID PROPOSAL-		
equipn	rded a Purchase Order on the basis of this proposal, nent as specified in the Bid Proposal and County , fires, transportation difficulties or other causes bey	Specifications barri	ing delays due to
in ever	ndersigned declares that the statements and represent ry respect and that the said proposal is in all respect and that no member of the County Board, or any oy or indirectly, is interested in this proposal or in any	cts fair and made wi ther agent or employ	thout collusion or ree of the County,
The fo	ollowing proposal is presented:		
FOR:	PURCHASE OF ONE (1) 2016 ROLL-C SPECIFICATIONS:	FF TRUCK, PE	R ATTACHED
	TOTAL PACKAGE BID \$(Cost of One Unit)		
	MAKE/MODEL		
	DELIVERY DATE:		

Bid No: <u>16-33</u> Official Total Bid Form for the Purchase of One (1) 2016 Roll-Off Truck

I certify that the equipment presented in the above proposal meets or exceeds the County specifications and that I, the undersigned bidder, declare that I have carefully examined the specifications, terms and conditions of this bid and I am thoroughly familiar with it's provisions and quality and type of coverage called for and bid herein. The undersigned further declares that he has not divulged, discussed or compared his bid with any other bidders and has not colluded with any other bidder or parties to a bid whatsoever for any fraudulent purpose.

COMPANY;
ADDRESS:
MINORITY OR WOMAN OWNED BUSINESS:
FEDERAL ID NO. OR SOCIAL SECURITY NO.:
SIGNATURE:
(Typed or Printed Signature)
TITLE:
DATE:
TELEPHONE NO.:
FAX NO.:
EMAIL ADDRESS:

Bid No: 16-33 Official Total Bid Form for the Purchase of One (1) 2016 Roll-Off Truck

Remarks to Bidder:

Bids must be submitted in <u>TRIPLICATE!</u> Bids must be placed in an envelope, sealed and plainly marked SEALED BID NO. <u>16-33</u>, <u>PURCHASE OF ONE (1) 2016 ROLL-OFF TRUCK</u>

The company name must be indicated on the envelope, also.

All bids must be signed manually by a responsible officer of your company in ink or indelible pencil.

If there are any exceptions to the bid proposal or specifications, please state here or on attached sheet.

Attachment "A" affidavit must be completed and attached to bid proposal.

St. Johns County reserves the right to accept or reject any or all bids/proposals, waive minor formalities, and to award the bid/proposal that best serves the interests of St. Johns County. St. Johns County also reserves the right to award the base bid and any alternate bids in any combination that best suits the needs of the County.

ATTACHMENT "A"

ST. JOHNS COUNTY BOARD OF COUNTY COMMISSIONERS

AFFIDAVIT

TO: ST. JOHNS COUNTY BOARD OF COUNTY COMMISSIONERS ST. AUGUSTINE, FLORIDA

At the time the proposal is submitted, the Bidder shall attach to his bid a sworn statement.

The sworn statement shall be an affidavit in the following form, executed by an officer of the firm, association or corporation submitting the proposal and shall be sworn to before a person who is authorized by law to administer oaths.

STATE OF COUNTY	OF, Before
ne, the undersigned authority, personally appear	red who, being
fully sworn, deposes and says he is	(Title)
of (Firm	n) the bidder submitting the attached proposal for Bid No: 16-33, Purchase of One (1) 2016 Roll
he services covered by the bid documents for	Bid No: 16-33, Purchase of One (1) 2016 Roll
Off Truck St. Johns County.	
submitted from the individual, his firm or corposuch bidder has no financial interest in the firm firm, association or corporation has neither directionated in any collusion or otherwise take bidding in connection with this firm's bid on the	proposal for the above referenced project will be ration under the same or different name and that of another bidder for the same work. That he, his ectly, nor indirectly entered into any agreement ten any action in restraint of free competitive above described project. Furthermore, neither participating in public contract lettings in any
	(Bidder)
	Ву
	(Title)
	(Tide)
Sworn and subscribe to before me this	day of 2016.
Notary Public	
My Commission Expires:	
•	

BIDDER ON ALL COUNTY PROJECTS MUST EXECUTE & ATTACH THIS AFFIDAVIT TO EACH BID.

SPECIFICATIONS

THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

MINIMUM SPECIFICATIONS

FOR:

ONE (1) 2016 ROLL-OFF TRUCK, TO MEET MANUFACTURER'S BASIC PRODUCTION MODEL EQUIPPED WITH ALL STANDARD EQUIPMENT LISTED IN THE MANUFACTURER'S LITERATURE IF NOT LISTED IN SPECIFICATIONS BELOW:

These specifications are intended to describe a 9000 Series Roll-off Truck or better. This unit is to be new. These specifications are minimal. Bidders quoting equipment that exceed them will be acceptable.

22' TRUCK

WHEELBASE:

187" CA

ENGINE:

Minimum 350 HP, 6 cylinder diesel Manufacturer's 11 L minimum

TRANSMISSION:

Allison 4500RDS Auto Transmission with PTO provision to include, synthetic oil, TSE 295 or approved equivalent, water to oil transmission cooler, in radiator end tank, PTO

dis-engagement set to 1300 RPM

REAR AXLE:

46,000 lb. Arvin Meritor, Eaton, Mack, or equivalent

5.63 Rear Axle Ratio

FRONT AXLE:

20,000 lb. rating to include equal capacity steering gear and

Springs

FRAME:

Double Frame: full steel insert

REAR SUSPENSION:

46,000 lb. Hendrickson

BRAKE:

Air brakes front cam - 16.5" X 6" Q - Meritor Air brakes rear cam - 16.5" X 7" Q - Meritor

Type 20 front air brake chambers

AXLE:

EQUIPMENT/DRIVELINE:

Differential, inter-axle, full lock driver, driver controlled traction differential- both tandem rear axles with warning light & buzzer [includes in cab

control

Drag link & tie rods, grease-able Dual power steering Ross TAS-65

Wheel seals front with stemco lube oil type hub cap with

window for oil level & Meritor # MER 0236 Wheel seals rear, Meritor # MER0273

BRAKE EQUIPMENT:

Air compressor, 13.2 CFM

Brake dust shields
Drain cocks-manual

Parking brake, maxi II spring set RA Slack adjusters front auto Meritor Slack adjusters rear auto Meritor

Bendix DA9 heated Air Dryer or equivalent

CAB:

Standard interior trim charcoal, tan or approved color

EXTERIOR CAB EQUIPMENT:

Cab trim exterior-standard

Grille bright & black anodized aluminum

Hood, forward tilting front end

Horn, single electric and dual air single base

Mirrors, 102 widths Dual West Coast to include 7.5"

convex mounted to the lower mirror Rust preventive cab treatment

Tinted glass, all around

Windshield tinted, laminated glass Windshield wipers, two-speed, electric

LED corner strobes

Light bar with clear lens, amber bulbs

INTERIOR CAB EQUIPMENT:

Air conditioning integral with heater Factory installed AM/FM radio

Steering column, adjust for tilt and telescope

18" steering wheel diameter

Floor covering – black rubber mats (1) 12 volt power supply in dash

SEATING:

Seat belts lap & shoulder

Driver National Hi-back Cush-n-aire

INSTRUCTIONAL/GAUGE/SWITCH

WARNING DEVICES:

Air cleaner maintenance restriction indicator

Gauge for direct read air pressure Gauge for direct read oil pressure

Electric gauge for reading coolant temperature

Electric gauge for reading fuel

Voltmeter gauge

Hobbs engine hour oil pressure activated Electric speedometer (MPH/KMH)

Electric tachometer

Self-canceling turn signal switch

Low air pressure warning light & buzzer

Low oil pressure, high water temperature lights and chimes. Electronic hand throttle operated through cruise control

when in PTO mode only

Engine protection- engine shut down system monitoring high water temp, low oil pressure, high exhaust temp and

high transmission temp. Back up alarm - 102 Db.

ELECTRICAL: •

Circuit protectors and auto reset breakers

Emergency flashers

Two (2) halogen head lights

Turn signal & side marker combo lamps

Rear facing (flush) turn signals Five (5) cab marker lights

ALTERNATOR:

140 Amp delco internally regulated

BATTERIES/BOXES/

CABLES:

Two (2), 93 Amp 625 CCA Group 31

EXHAUST SYSTEMS:

Vertical muffler and pipe RH - Argent

ENGINE EQUIPMENT:

Donaldson single-stage air cleaner

Bendex Fan Clutch

Coolant filter, Fleetguard spin-on type
Oil filter, one 3.2 qt., Fleetguard LF3000

Mechanical fuel pump

Mechanical governor

Delco 12 volt starter, with push button switch

FUEL TANK:

"D" type steel tanks

Steel 75 gallon LH & RH "D" type tanks

PAINT:

Standard fleet white.

FRONT TIRE SIZE:

Tubeless, radial 425/65R22.5-20 ply.

REAR TIRE SIZE:

Tubeless, radial 11R22.5 - 16 ply.

FRONT WHEELS:

Accuride 29807 22,5x12,5 10- hub pilot 4.75 inset 5-hand

Steel disk front wheels

REAR WHEELS:

Accuride 28828 22.5x8.25 10-hub pilot 2- hand HD steel

disk rear wheels

CHASSIS EQUIPMENT:

Full width front bumper

ROLL-OFF

HOIST SPECIFICATIONS

MAKE/MODEL: GALBREATH AF-OR-174

GALBREATH ORDER OPTIONS:

- Mounting platform with protective cover
- Pioneer Strong-Arm Hydraulic Tarp Ganty
- Steel Fenders
- Rear Wing Skid Plate
- -20" X 16" X 48" Steel Toolbox
- High Visibility Package DELETE strobe on gantry
- Work lights on rear bumper
- Nylon Hold Downs and Stationary

CAPACITY:

60,000 lbs.

MAIN FRAME:

10" X 4" X 1/2" A500-C Tubing main frame

SUB FRAME:

4" X 4" X 1/4" tubing

CABLE:

7/8" X 71' 6 X 37 EXIWRC regular right lay

CABLE PICK-UP END:

Cast steel swivel cable eye with strap for dumpster

containers

CABLE SHEAVES:

5 - 10" sheaves with 2 - ½ bronze bushings

CABLE SHEAVES

SHAFTS:

2 - ½" CRS - grease-able

CABLE SHEAVE

GUIDES:

4" channel

CABLE ANCHOR:

4 - 7/8" "U" bolt clamps

SIDE ROLLERS:

4" OD X 2" ID with bronze bushings

REAR GROUND

ROLLERS:

6 5/8" od x 24" - grease-able

REAR GROUND SHAFT:

2" CRS

FRONT CONTAINER

STOPS:

1 1/2" steel plate

REAR CONTAINER

HOLD DOWN:

4" channel - will accept container hold down variance of

plus or minus 6"

DUMPSTER

HOLDDOWNS:

3/4" steel plate dumpster hold-downs

WINCH CYLINDER

ROD COVERS:

3/8" X 3" bar

BUMPER:

4" x 8" x 3/8"

REAR HINGE SHAFT:

2 1/2" free floating shaft

UPPER LIFT

CYLINDER SHAFT:

2 1/2" Solid CRS

LOWER LIFT

CYLINDER SHAFT:

2 1/2" Solid CRS

LOWER LIFT

MOUNTING PLATE:

3/8" formed plate with 1" reinforcement

LIGHTS & REFLECTORS:

ICC 3-light bar (shock mounted & sealed), with four (4)

reflectors, stop, tail, turn lights and corner clearance

HYDRAULIC SPECIFICATIONS

PUMP:

Gear type, 35 GPM @ 1400 RPM

VALVE:

2 spool (stackable) 35 GPM

FILTER:

10 micron return line

OIL RESERVOIR

CAPACITY:

50 gallons

100 mesh suction strainer & 10 micron air breather filter

OIL CAPACITY:

72 gallon (total system capacity)

WORKING PRESSURE:

1850 PSI

SHUT OFF VALVE:

1 1/4" gate

SIGHT GAUGE:

Window with temperature

HYDRAULIC FITTINGS:

Standard pipe thread and/or SAE O-ring

HYDRAULIC HOSES:

SAE 100-R2

LIFT CYLINDERS:

6" - 72" D.A. 4 1/2" OD ground, polished & chrome plated

rod tube

WINCH CYLINDERS:

7" X 80" D.A., 3" OD ground, polished & chrome-plated

rod solid

APPROXIMATE

HOIST UP TIME:

30 seconds (C2 model)

APPROXIMATE

HOIST DOWN TIME:

15 seconds (C2 model)

APPROXIMATE

WINCH ON TIME:

56 seconds

APPROXIMATE WINCH OFF TIME:

46 seconds

COMPANY EQUIPMENT

OPTIONS:

Pre-delivery service.

TARP

TARP:

Spring Roll-up to fit 22' Truck Rack and Pinion tarp system to cover assorted size containers.

The bidder must provide proof with his bid proposal that the equipment being bid is equal to the specifications stated herein.

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

In addition to equipment specified, vehicle shall be equipped with all standard equipment as specified by the manufacturer for this model and shall comply with all EPA Emission Standards and all Motor Vehicle Safety Standards as established by the U.S. Department of Transportation regarding the manufacture of motor vehicles.

The successful bidder shall be responsible for delivering vehicles that are properly serviced, clean and in first class operating condition. Pre-delivery service, at a minimum, shall include the following:

- a. Complete lubrication.
- b. Check all fluid levels to assure proper fill.
- c. Adjustment of engine to proper operating condition.
- d. Inflate tires to proper pressure.
- e. Check to assure proper operation of all accessories, gauges, lights, and mechanical features.
- f. Focusing of headlights.
- g. Cleaning of vehicles, if necessary, and removal of all unnecessary tags, stickers, papers, etc.

DO NOT remove window price sticker or supplied line sheet.

TERMS:

Net 30 Days

DELIVERY:

F.O.B. St. Johns County Fleet Maintenance

2740 Industry Center Road St. Augustine, FL 32084

All paperwork must be with vehicle at the time of delivery such as Certificate of Origin for a Vehicle (MSO), Florida Department of Highway Safety and Motor Vehicles Application for Certificate of Title with/without Registration, Invoice, Odometer Disclosure Statement, Temporary Tag, etc.

St. Johns County reserves the right to accept or reject any or all bids, waive minor formalities, and to award the bid that best serves the interests of St. Johns County. St. Johns County also reserves the right to award the base bid and any option items in any combination that best suits the needs of the County.