RESOLUTION NO. 2017- \\SC RESOLUTION OF THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA APPROVING A PLAT FOR SHEARWATER PHASE 1B WEST-3.

WHEREAS, ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY, AS OWNER has applied to the Board of County Commissioners of St. Johns County, Florida for approval to record a plat known as Shearwater Phase 1B West-3.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, as follows:

<u>Section 1.</u> The above-described subdivision plat and its dedicated areas depicted thereon are conditionally approved and accepted by the Board of County Commissioners of St. Johns County, Florida subject to Sections 2, 3, 4, 5 and 6.

Section 2. A Required Improvements Bond for construction is not required.

Section 3. A Required Improvements Bond for maintenance is not required.

<u>Section 4.</u> The approval and acceptance described in Section 1 shall not take effect until the Clerk has received a title opinion, certificate, or policy pertaining to the real property that is the subject of the aforenamed subdivision plat which opinion, certificate or policy is in a form acceptable to the County Attorney or Assistant County Attorney.

<u>Section 5.</u> The Clerk is instructed to file and record the consent and joinder (s) to the plat executed by all mortgages identified in the title opinion or certificate of the title in Section 4.

<u>Section 6.</u> The approval and acceptance described in Section 1 shall not take effect until the plat has been signed by each of the following departments, person or offices:

- a) Chairman or Vice-Chairman of the Board of County Commissioners of St. Johns County, Florida;
- b) Office of the County Attorney;
- c) County Growth Management Department;
- d) Office of the County Surveyor; and
- e) Clerk of Courts.

The Clerk shall not sign or accept the Plat for recording until it has been signed by each of the above persons or entities described in a) through d) above. If the plat is not signed and accepted by the Clerk for recording within 14 days from the date hereof, then the above-described conditional approval shall automatically terminate. If the plat is signed by the Clerk on or before such time, the conditions described herein shall be deemed to have been met.


ADOPTED by the Board of County Comm	issioners of St. Johns County, Florida, thisday of
	BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA
	BY:
ATTEST: Hunter S. Conrad	
Deputy Clerk	
RENDITION DATE 5/19/17	

West $\boldsymbol{\mu}$ PhaseShearwater

A REPLAT OF TRACTS 4—3 AND 4—4, AND A PORTION OF TRACTS 5—3, 5—4, AND 5—7 AS SHOWN ON THE PLAT OF SHEARWATER PHASE 1B WEST, RECORDED IN MAP BOOK 81, PAGES 61 THROUGH 79, INCLUSIVE OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, ALL LYING IN SECTION 27, TRACORDED IN MAP BOOK 81, PAGES 61 THROUGH 79, INCLUSIVE OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA.

PAGE BOOK MAP

SHEET 2 OF 4 SHEETS 13 LOTS AND NO TRACTS THE PHASE



POINT OF BEGINNING PORTION OF TRACT 5-3 PORTION OF TRACT 5-4 VICINITY MAP NOT TO SCALE

General Notes

TRACT 5-4

GLENNEYRE M.B.83, P.55, 83

409

<u>~</u>z-

474 473

408 2

93

3

11

TRACT 10

- BEARINGS SHOWN HEREON ARE BASED ON THE WESTERLY LINE OF SPEAKWAIRT B WEST PLY, RECORDED N. M.J.B. 61, POS. 61-79. SZT1504W, PER THE STATE PLANE COORDWATE SYSTEN, FLORD EAST ZONE, NORTH AMERICAN DATUM 1983/1990 ADJUSTINENT.
- 2. THE INTENDED USE OF THESE COORDINATES IS FOR ASS BASE MAPPING PURPOSES. THE GEODETIC CONTROL RELIED UPON FOR THESE VALUES WAS PUBLISHED USGS CONTROL POINTS (DURBIN 2), AND (ELLZY).

DURBIN 2 N 2082535,8352 E 509677,0129 ELLZEY N 2030457,8858 E 524884,1854

ö

TRACT 5-7

404 N 2075652.41 404 N 2075652.41

484 463 462 461

402

TRACT 18

401

400

6 ТЭАЯТ

CIRCLE

TRACT 5-9

9

388

RACT 5-10

TRACT 5-11

4568

394 393 % 3

TRACT 5-8

BASED ON NOR BASED ON NOR FATORO.73 47408441 47408642 47389281 47389281 47389281									
CONTROL CONT	ased on north american datum 1983/1991 — Inates — Florida East zone — (U.S. Survey Feet)	DESCRIPTION	_	-	PRM-NW CORNER OF LOT 478		PRM-NE CORNER OF LOT 453	PRM-NW CORNER OF LOT 391	PRIM-SE CORNER OF LOT 450
THE STATE OF THE PLANE COORDINATES ARE BY AND THE COORDINATES AND THE PLANE COORDINATES AND THE PLANE COOPERATES AND THE		EASTING	474040.73	474318.42	17.4064.41	474089.42	473892.81	473599.35	473969.57
용발단	MATES ARE B	NORTHING	2076309.34	2076253.85	2075728.53	2075652.41	2074688.88	2074621.28	2074411.71
86 2 - 7 7 7 9	STATE	POINT	-	7	3	+	9	9	7

- WOTCE. THE USENING THE STREAM OF THE STREAM DEPOTROL OF THE STREAM DEPOTROL OF THE STREAM OF THE STREAM OF THE STREAM OF THE OF THE STREAM OF
- BEARINGS AND DISTANCES SHOWN ON CURVES REFER TO CHORD BEARINGS AND DISTANCES.

 - 8. THE TABULATED CURVE TABLE(S) SHOWN ON EACH SPEET IS APPLICABLE ONLY TO THE CURVES THAT APPEAR ON THAT SPEET.
- 7. UPLAND BUFFERS ADJACENT TO WETLANDS ARE TO REMAIN NATURAL, VEGETATIVE, AND UNDISTURBED.

484

HEE

TRACT 18

RAY REAT OF WAY
HARRY REAT OF WAY
HARRY REAT OF WAY
CAR OFFICIAL RECORDS BOOK
CAR OFFICIAL RECORDS BOOK
CHOOL OFFICIAL RECORDS BOOK
CHOOL OFFICIAL RECORDS BOOK
CHOOL OFFICIAL RECORDS BOOK
CHOOL OFFICIAL RECORDS AND CHOOL OFFICIAL READING CHOOL OFFICIAL AND CHOOL OFFICIAL AND CHOOL OFFICIAL CHOOL OFFICIAL AND CHOOL OFFICIAL AND CHOOL OFFICIAL AND CHOOL OFFICIAL RECORDS AND CHOOL OFFICIAL AND CHOOL OFFICIAL RECORDS AND CHOOL

LEGEND

TRACT 4-6

683

- 8. CERTAN EASIMENTS ARE RESERVED FOR FPAL FOR USE IN CONJUNCTION WITH THE UNDERGROUND ELECTRICAL DISTRIBUTION SYSTEM.
- 9. ALL LOTS AND TRACTS SHOWN HEREDN ARE AS SHOWN ON SHEARWAITER PHASE IB WEST AND RECORDED IN M.B. 81, PG. 61—79 UNLESS OTHERWISE NOTED.

COORDINATES SHOWN HEREON ARE PER ST. JOHNS COUNTY REQUIREMENTS ONLY, AND ARE NOT INTENDED FOR CONSTRUCTION PURPOSES.

DENOTES UPLAND BUFFER (NATURAL VECETATIVE UPLAND BUFFER) 25" AVERAGE WIDTH FOUND 4"x4" CONCRETE MONUMENT STAMPED P.R.M. LB 3731

DENOTES UPLAND PRESERVATION AREA

- SET 5/8" RON ROD WITH CAP P.R.M. LB 3731"

⊡ 0 1 truth = 200 ft.



GRAPHIC SCALE