

RESOLUTION NO. 2020- 437
RESOLUTION OF THE BOARD OF COUNTY COMMISSIONERS
OF ST. JOHNS COUNTY, FLORIDA APPROVING A PLAT FOR
SHEARWATER PHASE 2D-2.

WHEREAS, WFC ASHFORD MILLS OWNER VII, LLC, A DELAWARE LIMITED LIABILITY COMPANY, AS OWNER have applied to the Board of County Commissioners of St. Johns County, Florida for approval to record a plat known as Shearwater Phase 2D-2.

NOW, THEREFORE BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, as follows:

Section 1. The above-described subdivision plat and its dedicated areas depicted thereon are conditionally approved and accepted by the Board of County Commissioners of St. Johns County, Florida subject to Sections 2, 3, 4, 5 and 6.

Section 2. A Required Improvements Bond for construction is not required.

Section 3. A Required Improvements Bond for maintenance is not required.

Section 4. The approval and acceptance described in Section 1 shall not take effect until the Clerk has received a title opinion, certificate, or policy pertaining to the real property that is the subject of the aforementioned subdivision plat which opinion, certificate or policy is in a form acceptable to the County Attorney or Assistant County Attorney.

Section 5. The Clerk is instructed to file and record the consent and joinder (s) to the plat executed by all mortgagees identified in the title opinion or certificate of the title in Section 4.


Section 6. The approval and acceptance described in Section 1 shall not take effect until the plat has been signed by each of the following departments, person or offices:

- a) Chairman or Vice-Chairman of the Board of County Commissioners of St. Johns County, Florida;
- b) Office of the County Attorney;
- c) County Growth Management Department;
- d) Office of the County Surveyor; and
- e) Clerk of Courts.

The Clerk shall not sign or accept the Plat for recording until it has been signed by each of the above persons or entities described in a) through d) above. If the plat is not signed and accepted by the Clerk for recording within 14 days from the date hereof, then the above-described conditional approval shall automatically terminate. If the plat is signed by the Clerk on or before such time, the conditions described herein shall be deemed to have been met.


ADOPTED by the Board of County Commissioners of St. Johns County, Florida, this 17th day of November, 2020.

**BOARD OF COUNTY COMMISSIONERS
OF ST. JOHNS COUNTY, FLORIDA**


BY: 

Henry Dean, Vice Chairman

ATTEST: Brandon J. Patty, Clerk of the Circuit Court & Comptrol...


Deputy Clerk

RENDITION DATE 11/19/20



Shearwater Phase 2D-2

MAP BOOK PAGE

A REPLAT OF TRACT 2D-1, TRACT 2D-2, TRACT 2D-3, TRACT 2D-4, TRACT 2D-8, TRACT 2D-9, TRACT 2D-10 AND TRACT 2D-11, AS SHOWN ON THE PLAT OF SHEARWATER PHASE 2D, AS RECORDED IN MAP BOOK 101, PAGES 16 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, LYING IN SECTIONS 34 AND 41, THE FRANCIS BRADY GRANT, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ALL LYING IN ST. JOHNS COUNTY, FLORIDA.

SHEET 1 OF 4 SHEETS
SEE SHEET 2 FOR NOTES AND LEGEND

CAPTION.

TRACT 2D-1, TRACT 2D-2, TRACT 2D-3, TRACT 2D-4, TRACT 2D-8, TRACT 2D-9, TRACT 2D-10 AND TRACT 2D-11, AS SHOWN ON THE PLAT OF SHEARWATER PHASE 2D, AS RECORDED IN MAP BOOK 101, PAGES 16 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA.

CONTAINING A TOTAL OF 4.41 ACRES, MORE OR LESS.

ADoption AND DEDICATION

THIS IS TO CERTIFY THAT THE UNDERSIGNED, WFC ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY, ("OWNER") IS THE LAWFUL OWNER OF THE LANDS DESCRIBED IN THE CAPTION HEREON WHICH SHALL HEREINAFTER BE KNOWN AS SHEARWATER PHASE 2D-2, AND THAT IT HAS CAUSED THE SAME TO BE SURVEYED AND SUBDIVIDED, AND THAT THIS PLAT, MADE IN ACCORDANCE WITH SAID SURVEY, IS HEREBY ADOPTED AS THE TRUE AND CORRECT PLAT OF SAID LANDS.

ALL EASEMENTS SHOWN ON THIS PLAT, OTHER THAN THOSE SPECIFICALLY DEDICATED HEREIN, ARE AND SHALL REMAIN PRIVATELY OWNED AND THE SOLE AND EXCLUSIVE PROPERTY OF THE UNDERSIGNED OWNER, ITS SUCCESSORS AND GRANTEEES, IF ANY, OF SAID EASEMENTS. THE UNDERSIGNED OWNER RETAINS THE OBLIGATION FOR MAINTENANCE OF ALL EASEMENTS SHOWN ON THIS PLAT FOR DRAINAGE OR LANDSCAPE PURPOSES; PROVIDED HOWEVER, THE UNDERSIGNED OWNER RESERVES THE RIGHT TO ASSIGN THE OBLIGATION FOR MAINTENANCE OF SAID EASEMENTS TO A PROPERTY OWNERS' ASSOCIATION OR OTHER SUCH ENTITY AS WILL ASSUME ALL OBLIGATION OF MAINTENANCE AND OPERATION THEREOF UNDER THE PLAT.

THOSE EASEMENTS DESIGNATED AS "JEA-U.E." (JEA UTILITY EASEMENTS) ARE HEREBY IRREVOCABLY DEDICATED TO JEA, ITS SUCCESSORS AND ASSIGNS, FOR ITS NON-EXCLUSIVE USE IN CONJUNCTION WITH THE INSTALLATION, MAINTENANCE, AND USE OF WATER REUSE, WATER, SEWER, AND/OR OTHER PUBLIC UTILITIES; PROVIDED HOWEVER, THAT NO PARALLEL UTILITIES MAY BE INSTALLED WITHIN SAID EASEMENTS.

ANY AND ALL EASEMENTS SHOWN ON THIS PLAT FOR WATER OR SEWER AND ACCESS THERETO, ARE HEREBY IRREVOCABLY AND WITHOUT RESERVATIONS DEDICATED TO JEA, ITS SUCCESSORS AND ASSIGNS; HOWEVER, THE UNDERSIGNED OWNER DOES HEREBY RESERVE TO ITSELF, ITS SUCCESSORS AND ASSIGNS, AN EASEMENT FOR INGRESS AND EGRESS OVER ANY ACCESS EASEMENTS TO WATER AND SEWER UTILITIES SHOWN ON THIS PLAT. IN ADDITION, ANY UTILITY EASEMENTS SHOWN HEREON SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES IN THE MANNER AND SUBJECT TO THE PROVISIONS OF SECTION 177.091(28) OF THE FLORIDA STATUTES, PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF AN ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. NOTWITHSTANDING THE FOREGOING, ONLY CABLE TELEVISION SERVICE PROVIDERS SPECIFICALLY AUTHORIZED BY THE UNDERSIGNED OWNER, ITS SUCCESSORS AND ASSIGNS, TO SERVE THE LANDS SHOWN ON THIS PLAT, SHALL HAVE THE BENEFIT OF SAID CABLE TELEVISION SERVICE EASEMENTS.

THE OWNER HEREBY GRANTS TO FLORIDA POWER & LIGHT COMPANY, ITS SUCCESSORS AND ASSIGNS, A NON-EXCLUSIVE UTILITY EASEMENT OVER, UPON AND UNDER THOSE EASEMENTS DESIGNATED ON THIS PLAT AS "FPL EASEMENT", FOR INSTALLATION AND MAINTENANCE (INCLUDING RIGHTS OF INGRESS AND EGRESS) OF ITS UNDERGROUND ELECTRIC DISTRIBUTION SYSTEM AS NECESSARY OR BENEFICIAL TO CURRENT OR FUTURE OWNERS OF LANDS WITHIN THE SUBDIVISION.

OWNER HEREBY RESERVES AND SHALL HAVE THE SOLE AND ABSOLUTE RIGHT, AT ANY TIME, WITH THE CONSENT OF THE GOVERNING BODY OF ANY MUNICIPALITY OR OTHER GOVERNMENT BODY POLITICAL THEN HAVING JURISDICTION OVER THE LANDS INVOLVED, TO DEDICATE TO THE PUBLIC ALL OR ANY PART OF THE LANDS OR EASEMENTS REMAINING PRIVATELY OWNED BY IT.

IN WITNESS WHEREOF, WFC ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY, ("OWNER") HAS CAUSED THIS PLAT AND DEDICATION TO BE EXECUTED BY ITS DULY ELECTED OFFICERS ACTING BY AND WITH THE AUTHORITY OF THE BOARD OF DIRECTORS.

THIS _____ DAY OF _____, A.D., 2020.

WFC ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY

BY: _____ WITNESS: _____
AUTHORIZED REPRESENTATIVE PRINT: _____
PRINT NAME: _____ WITNESS: _____
PRINT: _____

NOTARY FOR WFC ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY

STATE OF _____
COUNTY OF _____

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF [] PHYSICAL PRESENCE OR [] ONLINE NOTARIZATION, THIS _____ DAY OF _____, A.D., 2020, BY ASHFORD MILLS OWNER VII, L.L.C., A DELAWARE LIMITED LIABILITY COMPANY ON BEHALF OF THE COMPANY, WHO [] IS PERSONALLY KNOWN TO ME, OR [] PRODUCED _____ AS IDENTIFICATION.

NOTARY PUBLIC, STATE OF FLORIDA
NAME: _____
MY COMMISSION EXPIRES: _____
MY COMMISSION NUMBER IS: _____

SURVEYOR'S CERTIFICATE

KNOW ALL MEN BY THESE PRESENTS, THAT THE UNDERSIGNED, BEING CURRENTLY LICENSED AND REGISTERED BY THE STATE OF FLORIDA, AS A LAND SURVEYOR, DOES HEREBY CERTIFY THAT HE/SHE HAS COMPLETED THE SURVEY OF LANDS, AS SHOWN ON THE FOREGOING PLAT, THAT SAID PLAT IS A TRUE AND CORRECT REPRESENTATION OF THE LANDS SURVEYED, THAT THE PLAT WAS PREPARED UNDER HIS OR HER DIRECTION AND SUPERVISION AND THAT THE PLAT COMPLIES WITH ALL OF THE SURVEY REQUIREMENTS OF CHAPTER 177, PART 1, FLATLAND, FLORIDA STATUTES, THAT PERMANENT REFERENCE MONUMENTS HAVE BEEN PLACED IN ACCORDANCE WITH SECTION 177.091 (7) AND PERMANENT CONTROL POINTS WILL BE SET IN ACCORDANCE WITH SECTION 177.091 (8).

SIGNED AND SEALED THIS _____ DAY OF _____, 2020.

BY: _____
MICHAEL J. COLLIGAN
FLORIDA REGISTERED LAND SURVEYOR NO. 6788
CLARY AND ASSOCIATES, L.B. NO. 3731
3630 CROWN POINT ROAD JACKSONVILLE, FLORIDA 32257

CERTIFICATE OF APPROVAL AND ACCEPTANCE

THIS IS TO CERTIFY THAT ON THIS _____ DAY OF _____, 2020, THE FOREGOING PLAT WAS APPROVED AND ACCEPTED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA. THIS ACCEPTANCE SHALL NOT BE DEEMED AS REQUIRING CONSTRUCTION OR MAINTENANCE BY ST. JOHNS COUNTY OF ANY PART OF SAID SUBDIVISION.

BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA

BY: _____
CHAIR

CERTIFICATE OF APPROVAL OF THE GROWTH MANAGEMENT DEPARTMENT

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN EXAMINED AND APPROVED BY THE GROWTH MANAGEMENT DEPARTMENT FOR ST. JOHNS COUNTY, FLORIDA ON THIS DAY OF _____, 2020.

BY: _____
DIRECTOR, GROWTH MANAGEMENT DEPARTMENT

CERTIFICATE OF COUNTY ATTORNEY

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN EXAMINED AND APPROVED BY THE OFFICE OF THE COUNTY ATTORNEY FOR ST. JOHNS COUNTY, FLORIDA ON THIS _____ DAY OF _____, 2020.

BY: _____
OFFICE OF THE ST. JOHNS COUNTY ATTORNEY

CERTIFICATE OF CLERK

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN EXAMINED AND APPROVED AND THAT IT COMPLES IN FORM WITH THE REQUIREMENTS OF PART 1, CHAPTER 177, FLORIDA STATUTES, AND IS RECORDED IN MAP BOOK _____ PAGE(S) _____ OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA ON THIS _____ DAY OF _____, 2020.

BY: _____
BRANDON J. PATTY
CLERK OF THE CIRCUIT COURT & COMPTROLLER

CERTIFICATE OF PLAT REVIEW

THIS IS TO CERTIFY THAT THIS PLAT HAS BEEN REVIEWED FOR CONFORMITY TO FLORIDA STATUTES CHAPTER 177 BY THE OFFICE OF COUNTY SURVEYOR FOR ST. JOHNS COUNTY, FLORIDA ON _____ DAY OF _____, 2020.


BY: _____
GAIL OLIVER, PLS, COUNTY SURVEYOR
PROFESSIONAL LAND SURVEYOR, LICENSE NUMBER 4564



Shearwater Phase 2D-2

MAP BOOK PAGE

SHEET 2 OF 4 SHEETS
36 LOTS AND NO TRACTS IN THIS PHASE



VICINITY MAP
NOT TO SCALE

General Notes

- BEARINGS SHOWN HEREON ARE BASED ON THE W/LY R/W LINE OF WINDSWEEP WAY AS N21°05'55"E PER SHEARWATER PHASE 2D, RECORDED IN M.B. 101, PGS. 16-34 AND REFERENCED TO THE STATE PLANE COORDINATE SYSTEM, FLORIDA EAST ZONE, NORTH AMERICAN DATUM 1983/1990 ADJUSTMENT.
- THE INTENDED USE OF THESE COORDINATES IS FOR GIS BASE MAPPING PURPOSES. THE GEODETIC CONTROL RELIED UPON FOR THESE VALUES WAS PUBLISHED USGS CONTROL POINTS (DUREIN 2), AND (ELIZEY).
DUREIN 2 N 209233.6352 E 508677.9123
ELIZEY N 2030457.6959 E 524684.1854
COORDINATES ARE BASED ON NORTH AMERICAN DATUM 1983/1991 - STATE PLANE COORDINATES - FLORIDA EAST ZONE - (U.S. SURVEY FEET)


POINT	NORTHING	EASTING	DESCRIPTION
1	2070410.66	474326.75	PRM-MOST ELY CORNER OF LOT 22
2	2070294.96	474284.94	PRM-MOST S'LY CORNER OF LOT 22
3	2070504.34	474072.87	PRM-MOST N'LY CORNER OF LOT 24
4	2070083.58	473910.52	PRM-MOST W'LY CORNER OF LOT 34
5	2069830.70	474019.50	PRM-MOST W'LY CORNER OF LOT 35
6	2069792.18	474144.71	PRM-MOST S'LY CORNER OF LOT 35
7	2069791.77	474724.21	PRM-MOST S'LY CORNER OF LOT 314
8	2070195.46	474626.40	PRM-N'LY CORNER OF LOT 121
9	2070194.93	474669.33	PRM-N'W'LY CORNER OF LOT 104
10	2069787.84	474923.27	PRM-SW CORNER OF LOT 113
11	2070198.46	474932.85	PRM-MOST N'LY CORNER OF LOT 103
12	2070127.54	474989.13	PRM-MOST ELY CORNER OF LOT 102

- NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. (SECTION 177.091, FLORIDA STATUTES)
- BEARINGS AND DISTANCES SHOWN ON CURVES REFER TO CHORD BEARINGS AND DISTANCES.
- THE TABULATED CURVE & LINE TABLE(S) SHOWN ON EACH SHEET IS APPLICABLE ONLY TO THE CURVES & LINES THAT APPEAR ON THAT SHEET.
- ALL PLATTED UTILITY EASEMENTS SHALL ALSO BE EASEMENTS FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES; PROVIDED HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF AN ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY.
- UPLAND BUFFERS ADJACENT TO WETLANDS ARE TO REMAIN NATURAL, VEGETATIVE, AND UNDISTURBED.
- CERTAIN EASEMENTS ARE RESERVED FOR FP&L FOR USE IN CONJUNCTION WITH THE UNDERGROUND ELECTRICAL DISTRIBUTION SYSTEM.

THE LANDS SHOWN HEREON ARE SUBJECT TO THE FOLLOWING EASEMENTS:

M.B. 101, PAGES 16-34	SHEARWATER PHASE 2D PLAT	SHOWN HEREON
O.R.B. 4589, PAGE 321	MORTGAGE AGREEMENT	DOES NOT AFFECT
O.R.B. 4825, PAGE 418	EASEMENT - CONSERVATION	DOES NOT AFFECT
O.R.B. 4715, PAGE 143	EASEMENT - CONSERVATION	DOES NOT AFFECT
O.R.B. 4744, PAGE 1750	NON-EXCLUSIVE CONSTRUCTION AND MAINTENANCE AGREEMENT	BLANKETS PLATTED LANDS
O.R.B. 4852, PAGE 1441	JOINDER AND CONSENT	BLANKETS PLATTED LANDS

A REPLAT OF TRACT 2D-1, TRACT 2D-2, TRACT 2D-3, TRACT 2D-4, TRACT 2D-8, TRACT 2D-9, TRACT 2D-10 AND TRACT 2D-11, AS SHOWN ON THE PLAT OF SHEARWATER PHASE 2D, AS RECORDED IN MAP BOOK 101, PAGES 16 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, LYING IN SECTIONS 34 AND 41, THE FRANCIS BRADY GRANT, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ALL LYING IN ST. JOHNS COUNTY, FLORIDA.



(IN FEET)
1" = 100'

SHEET INDEX
1" = 100'

LEGEND

R/W	= RIGHT OF WAY	D.E.	= DRAINAGE EASEMENT	[Hatched Box]	= DENOTES UPLAND BUFFER (NATURAL VEGETATIVE UPLAND BUFFER) 25' AVERAGE WIDTH
M.B.	= MAP BOOK	F.P.L.E.	= FLORIDA POWER AND LIGHT EASEMENT	[Dotted Box]	= DENOTES STATE JURISDICTIONAL WETLANDS
O.R.B.	= OFFICIAL RECORDS BOOK	U.E.	= UTILITY EASEMENT		
PG(S)	= PAGE(S)	M.E.	= MAINTENANCE EASEMENT		
CH	= CHORD DISTANCE	EA-U.E.	= EA UTILITY EASEMENT		
R	= RADIUS	EA-M.E.	= EA METER EASEMENT		
Δ	= DELTA ANGLE	CI	= TABULATED CURVE DATA		
L	= ARC LENGTH	L1	= TABULATED LINE DATA		
R.P.	= RADIUS POINT	ATB	= APPROXIMATE TOP OF BANK		
C	= CENTERLINE	S.J.W.L.	= STATE JURISDICTIONAL WETLAND LINE		
P.C.	= POINT OF CURVATURE	V.W.	= VARIABLE WIDTH		
P.T.	= POINT OF TANGENCY	□	= PRM 4"x4" CONCRETE MONUMENT STAMPED P.R.M. LB 3731		
N.T.	= POINT OF NON-TANGENCY	○	= PRM 5/8" IRON ROD WITH CAP "P.R.M. LB 3731"		
(R)	= RADIAL TO LOT LINE				


Shearwater Phase 2D-2

A REPLAT OF TRACT 2D-1, TRACT 2D-2, TRACT 2D-3, TRACT 2D-4, TRACT 2D-8, TRACT 2D-9, TRACT 2D-10 AND TRACT 2D-11, AS SHOWN ON THE PLAT OF SHEARWATER PHASE 2D, AS RECORDED IN MAP BOOK 101, PAGES 16 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, LYING IN SECTIONS 34 AND 41, THE FRANCIS BRADY GRANT, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ALL LYING IN ST. JOHNS COUNTY, FLORIDA.

MAP BOOK PAGE

SHEET 3 OF 4 SHEETS

SEE SHEET 2 FOR NOTES AND LEGEND



CURVE TABLE					
CURVE	RADIUS	LENGTH	DELTA	BEARING	CHORD
C1	1278.68'	100.79'	4°30'59"	S72°22'18"E	100.77'
C2	25.00'	40.22'	92°10'17"	N24°59'14"W	38.02'
C3	1398.68'	86.83'	3°33'25"	S72°51'05"E	86.82'
C4	125.00'	49.98'	22°54'34"	S09°38'38"W	49.85'
C5	125.00'	67.68'	31°00'46"	S57°23'40"E	66.84'
C6	10.00'	15.71'	90°00'00"	N27°54'03"W	14.14'
C7	112.00'	89.49'	45°46'44"	N03°47'25"W	67.13'
C8	1608.00'	221.70'	7°33'59"	S24°43'48"E	221.53'
C9	100.00'	46.98'	28°54'22"	N07°19'37"W	46.53'
C10	10.00'	15.56'	89°08'09"	N50°41'38"E	14.04'
C11	1448.68'	93.77'	3°42'31"	S86°35'33"E	93.75'
C22	1278.68'	81.10'	2°44'16"	S71°28'57"E	61.10'
C23	1278.68'	39.69'	1°46'43"	S73°44'27"E	39.69'
C24	1398.68'	43.42'	1°46'43"	S73°44'27"E	43.41'
C25	1398.68'	43.42'	1°46'43"	S71°57'44"E	43.41'
C26	125.00'	48.43'	22°11'53"	S09°17'17"W	48.13'
C27	125.00'	1.55'	0°42'41"	S20°44'34"W	1.55'
C28	125.00'	49.03'	22°28'33"	S33°07'33"E	48.72'
C29	125.00'	18.63'	8°32'14"	S68°37'57"E	18.61'
C30	112.00'	11.04'	5°38'57"	N14°18'28"E	11.04'
C31	112.00'	39.16'	20°01'51"	N01°26'04"E	38.96'
C32	112.00'	39.16'	20°01'51"	N18°35'47"W	38.96'
C33	112.00'	0.13'	0°04'05"	N28°38'45"W	0.13'
C34	1608.00'	42.52'	1°30'34"	S27°59'20"E	42.52'
C35	1608.00'	42.80'	1°31'30"	S28°24'08"E	42.79'
C36	1608.00'	42.80'	1°31'30"	S24°52'39"E	42.79'
C37	1608.00'	42.80'	1°31'30"	S23°21'09"E	42.79'
C38	1608.00'	50.79'	1°48'36"	S21°41'08"E	50.79'

LINE TABLE		
LINE	BEARING	DISTANCE
L1	S17°05'57"W	24.65'
L2	S08°07'34"W	0.67'



- DENOTES UPLAND BUFFER (NATURAL VEGETATIVE UPLAND BUFFER) 25' AVERAGE WIDTH
- DENOTES WETLANDS

Clary & Associates
PROFESSIONAL SURVEYORS & MAPPERS
LD NO. 3731
360 CROW POINT ROAD
JACKSONVILLE, FLORIDA 32257
(904) 282-2303
WWW.CLARYASSOC.COM

Shearwater Phase 2D-2



A REPLAT OF TRACT 2D-1, TRACT 2D-2, TRACT 2D-3, TRACT 2D-4, TRACT 2D-8, TRACT 2D-9, TRACT 2D-10 AND TRACT 2D-11, AS SHOWN ON THE PLAT OF SHEARWATER PHASE 2D, AS RECORDED IN MAP BOOK 101, PAGES 16 THROUGH 34, INCLUSIVE, OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, LYING IN SECTIONS 34 AND 41, THE FRANCIS BRADY GRANT, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ALL LYING IN ST. JOHNS COUNTY, FLORIDA.

SHEET 4 OF 4 SHEETS
SEE SHEET 2 FOR NOTES AND LEGEND

CURVE TABLE					
CURVE	RADIUS	LENGTH	DELTA	BEARING	CHORD
C6	10.00'	15.71'	90°00'00"	N27°54'03"W	14.14'
C7	112.00'	89.49'	45°46'44"	N05°47'25"W	87.13'
C8	1808.00'	221.70'	7°53'59"	S24°43'46"E	221.53'
C9	100.00'	46.96'	26°54'22"	N07°19'37"W	46.53'
C10	10.00'	15.58'	89°08'09"	N50°41'38"E	14.04'
C11	1448.68'	93.77'	3°42'31"	S88°35'33"E	63.75'
C12	1498.00'	218.62'	8°21'42"	S24°28'56"E	218.42'
C13	222.00'	177.38'	45°46'44"	S05°47'25"E	172.70'
C14	1458.00'	499.33'	19°37'20"	S30°44'05"E	498.89'
C15	1448.68'	109.31'	47°19'23"	N87°41'37"E	109.28'
C16	10.00'	12.51'	71°40'04"	N58°38'03"W	11.71'
C17	1348.00'	392.53'	16°41'04"	S31°08'33"E	391.15'
C18	88.00'	29.63'	19°17'35"	S29°50'18"E	29.49'
C19	10.00'	19.23'	110°11'30"	S34°54'18"W	16.40'
C20	1324.00'	86.89'	3°45'37"	S27°05'38"E	86.88'
C21	1214.00'	79.68'	3°45'37"	S27°05'38"E	79.68'
C30	112.00'	11.04'	5°38'57"	N14°16'28"E	11.04'
C31	112.00'	39.16'	20°01'51"	N01°26'04"E	38.95'
C32	112.00'	39.16'	20°01'51"	N18°35'47"W	38.96'
C33	112.00'	0.13'	0°41'05"	N28°38'45"W	0.13'
C34	1608.00'	42.52'	1°30'54"	S27°55'20"E	42.52'
C35	1608.00'	42.80'	1°31'30"	S26°24'08"E	42.78'
C38	1608.00'	42.80'	1°31'30"	S24°52'39"E	42.79'
C37	1608.00'	42.80'	1°31'30"	S23°21'09"E	42.79'
C38	1808.00'	50.78'	1°48'36"	S21°41'06"E	50.78'
C39	1498.00'	59.40'	2°16'19"	S21°27'15"E	59.40'
C40	1498.00'	39.87'	1°31'30"	S23°21'09"E	39.87'
C41	1498.00'	39.87'	1°31'30"	S24°52'39"E	39.87'
C42	1498.00'	39.87'	1°31'30"	S26°24'08"E	39.87'

CURVE TABLE					
CURVE	RADIUS	LENGTH	DELTA	BEARING	CHORD
C43	1498.00'	39.81'	1°30'54"	S27°55'20"E	39.81'
C44	222.00'	177.38'	45°46'44"	N05°47'25"W	172.72'
C45	222.00'	77.61'	20°01'51"	N18°35'47"W	77.22'
C46	222.00'	77.61'	20°01'51"	N01°26'04"E	77.22'
C47	222.00'	21.89'	5°38'57"	N14°16'28"E	21.88'
C48	1458.00'	66.95'	2°37'52"	S39°13'49"E	66.84'
C49	1458.00'	43.17'	1°41'47"	S37°03'59"E	43.17'
C50	1458.00'	43.17'	1°41'47"	S35°22'12"E	43.17'
C51	1458.00'	43.17'	1°41'47"	S33°40'25"E	43.17'
C52	1458.00'	43.17'	1°41'47"	S31°58'38"E	43.17'
C53	1458.00'	43.17'	1°41'47"	S30°16'50"E	43.17'
C54	1458.00'	43.17'	1°41'47"	S28°35'03"E	43.17'
C55	1458.00'	43.17'	1°41'47"	S26°53'16"E	43.17'
C56	1458.00'	43.17'	1°41'47"	S25°11'29"E	43.17'
C57	1458.00'	87.02'	3°25'11"	S22°39'00"E	87.01'
C58	1348.00'	36.30'	1°32'34"	S23°34'18"E	36.29'
C59	1348.00'	39.91'	1°41'47"	S25°11'29"E	39.91'
C60	1348.00'	39.91'	1°41'47"	S26°53'16"E	39.91'
C61	1348.00'	39.91'	1°41'47"	S28°35'03"E	39.91'
C63	1348.00'	39.91'	1°41'47"	S30°16'50"E	39.91'
C64	1348.00'	39.91'	1°41'47"	S31°58'38"E	39.91'
C65	1348.00'	39.91'	1°41'47"	S33°40'25"E	39.91'
C66	1348.00'	39.91'	1°41'47"	S35°22'12"E	39.91'
C67	1348.00'	39.91'	1°41'47"	S37°03'59"E	39.91'
C68	1348.00'	36.84'	1°34'12"	S38°41'59"E	36.84'
C69	1324.00'	43.45'	1°52'48"	S28°02'02"E	43.45'
C70	1324.00'	43.45'	1°52'48"	S26°09'14"E	43.45'
C71	1214.00'	39.84'	1°52'48"	S26°09'14"E	39.84'
C72	1214.00'	39.84'	1°52'48"	S28°02'02"E	39.84'

LINE TABLE		
LINE	BEARING	DISTANCE
L1	S17°05'57"W	24.65'
L2	S06°07'34"W	0.87'
L3	N20°11'30"W	54.97'

-  DENOTES UPLAND BUFFER (NATURAL VEGETATIVE UPLAND BUFFER) 25' AVERAGE WIDTH
-  DENOTES WETLANDS

