

RESOLUTION NO. 2024-492

ST. JOHNS COUNTY BOARD OF COUNTY COMMISSIONERS RESOLUTION NO. 2024-492
AN AMENDED AND RESTATED DEVELOPMENT ORDER FOR A PORTION OF TWIN
CREEKS, A DEVELOPMENT OF REGIONAL IMPACT UNDER CHAPTER 380, FLORIDA
STATUTES; AUTHORIZING DEVELOPMENT OF APPROXIMATELY 2,405+/- ACRES IN
NORTHERN ST. JOHNS COUNTY; ESTABLISHING MITIGATION REQUIREMENTS FOR
REGIONAL IMPACTS INCLUDING MITIGATION FOR TRANSPORTATION, SCHOOL AND
ENVIRONMENTAL IMPACTS; PROVIDING DEVELOPMENT BUILDOUT DATES;
ESTABLISHING AN EFFECTIVE DATE.

LET IT BE KNOWN that, pursuant to Section 380.06, Florida Statutes, the St. Johns County Board of County Commissioners heard at a duly noticed public hearing convened on November 5, 2024 an application for a modification to the Twin Creeks Development of Regional Impact (the “**DRI Modification Application**”) for a portion of Twin Creeks, to be developed in the manner described in the DRI Modification Application filed by the Applicant for said development.

RECITALS

WHEREAS, the St. Johns County Board of County Commissioners considered the report and recommendations of the St. Johns County staff and the documents and comments upon the record made before the St. Johns County Board of County Commissioners; and

WHEREAS, a Development Order for Twin Creeks was originally approved by the St. Johns County Board of County Commissioners by Resolution No. 2005-208 (the “**Original Development Order**”); and

WHEREAS, the Twin Creeks Development of Regional Impact (“**DRI**”) is a proposed mixed-use development on approximately 3,037 acres located near St. Augustine in St. Johns County, Florida, which land is comprised of the Amended DRI Property (as defined herein) and the Excluded Land (as defined herein); and

WHEREAS, Twin Creeks Development Associates, LLC and Twin Creeks Ventures LLC are the applicant of record (collectively, “**Applicant**”) for the Twin Creeks DRI and for approximately 2,405 acres of land within the DRI described in Exhibit 7 hereto (the “**Amended DRI Property**”); and

WHEREAS, on August 18, 2015, the St. Johns County Board of County Commissioners approved Resolution No. 2015-240, an Amended and Restated Development Order for the Amended DRI Property (the “**2015 Development Order**”); and

WHEREAS, on December 4, 2018, the St. Johns County Board of County Commissioners approved Resolution No. 2018-423, an Amended and Restated Development Order for the Amended DRI Property (the “**2018 Development Order**”); and

WHEREAS, on September 21, 2021, the St. Johns County Board of County Commissioners approved Resolution No. 2021-410, an Amended and Restated Development Order for the Amended DRI Property (the “**2021 Development Order**”); and

WHEREAS, the Applicant is the owner of the Amended DRI Property, and such parties are authorized to modify the Twin Creeks DRI related to the Amended DRI Property as set forth within this DRI Modification Application; and

WHEREAS, the authorized agent for the Applicant is Rogers Towers, P.A., 100 Whetstone Place, Suite 200, St. Augustine, Florida 32086; and

WHEREAS, a Comprehensive Plan amendment changing the future land use designation of 157 acres within the Twin Creeks DRI from Rural/Silviculture to Conservation was approved by the Original Development Order; and

WHEREAS, a Notice of Proposed change to a Previously Approved Development of Regional Impact (“**NOPC**”) was approved by Resolution 2006-10 removing thirteen (13) acres from the Twin Creeks DRI to provide for workforce housing; and

WHEREAS, the 2015 Development Order for the Amended DRI Property was approved by Resolution No. 2015-240 to revise certain development rights within the Amended DRI Property and to provide for transportation, school and environmental mitigation for the project; and

WHEREAS, the 2018 Development Order for the Amended DRI Property was approved by Resolution No. 2018-423 to revise certain transportation and school mitigation conditions and reflect extensions of phasing, build-out and expiration dates based on emergency declarations issued pursuant to Section 252.363, Florida Statutes; and

WHEREAS, the 2021 Development Order for the Amended DRI Property was approved by Resolution No. 2021-410 to revise certain development rights, update project phasing, build-out and termination dates based on emergency declarations issued pursuant to Section 252.363, Florida Statutes,

revise DRI reporting requirements, modify workforce housing requirements, and dedicate additional land to the St. Johns County School District for a maintenance and storage facility; and

WHEREAS, St. Johns County Board of County Commissioners duly noticed and on November 5, 2024, held a public hearing on the application as required by Section 380.06, Florida Statutes (2024), and afforded the public and all affected parties an opportunity to be heard and to present evidence.

FINDINGS OF FACT AND CONCLUSIONS OF LAW

1. The DRI Modification Application was fully considered after public hearing with legal notice duly published as required by law.
2. The requested changes meet the provisions of Section 380.07, Florida Statutes.
3. The changes requested in the DRI Modification Application are consistent with the Land Development Code of St. Johns County, as amended.
4. The changes requested in the DRI Modification Application are compatible with the surrounding area and the future development trends of the area.
5. The changes requested in the DRI Modification Application are consistent with and further the objectives of the 2025 St. Johns County Comprehensive Plan.

NOW, THEREFORE, BE IT RESOLVED by the Board of County Commissioners of St. Johns County, Florida, in public hearing duly constituted and assembled on NOVEMBER 5, 2024, that the Twin Creeks DRI is hereby amended and approved, subject to the following terms and conditions, restated in full with respect to the Amended DRI Property.

TABLE OF CONTENTS

<u>Condition</u>	<u>Page</u>
1. Amended Application For Development Approval	6
2. Land Use Totals	6
3. Phasing, Build-out and Expiration of Amended DRI	7
4. Effective Date	7
5. Monitoring Official	8
6. Downzoning Protection	8
7. Election Regarding Environmental Rules	8
8. Reporting	9
9. Notice of Adoption	11
10. Application For Proposed Changes	12
11. Subsequent Requests for Development Permits	12
12. Limitation of Approval	13
13. Vegetation and Wildlife	14
14. Wetlands	14
15. Upland Buffers	15
16. Conservation Easements	16
17. Stormwater Pollution Prevention	16
18. Hydroperiods	16
19. Surface Water Quality Monitoring Plan	17
20. Floodplain	17
21. Water Supply	17
22. Wastewater Management	18
23. Stormwater Management	19
24. Solid Waste	19
25. Transportation	19
County Road 210 4-Laning	20
Phase 2 Contribution	24
Flyover Widening	24
County Road 210 6-Laning	24
Contribution of Funds for Other Roadway Improvements	25
Improvements Constructed by Others	26
Right-of-Way Dedication	26
Transportation Management Organization	26
Public Transportation Contribution	26
Bicycle and Pedestrian Connections	27
26. Air Quality	27
27. Workforce Housing	27
28. Fire Protection	28
29. Recreation and Open Space	28
30. Education	29
31. Historical and Archaeological	31

32. Proportionate Share Payments and Impact Fees	31
33. Community Development District	31
Exhibit 1: Conceptual Master Plan – Map H	
Exhibit 2: Proposed Conservation Corridor System	
Exhibit 3: Land Use Exchange Table	
Exhibit 4: Archaeological Site 8SJ4814 Occurrence	
Exhibit 5: School Sites	
Exhibit 6: Roadway Improvements	
Exhibit 7: Legal Description of Amended DRI Property	

GENERAL CONDITIONS

1. **Amended Application for Development Approval.** The Amended DRI Property shall be developed in accordance with the information, plans and commitments contained in the DRI Modification Application dated June 6, 2024 and the Master Plan, Map H, dated June 5, 2024 which is attached as **Exhibit 1** and submitted by the Applicant as part of the amended DRI review prior to adoption of this Amended and Restated Development Order (the “**Amended Development Order**”). The aforementioned items shall be made part of this Amended Development Order.
2. **Land Use Totals.** The Amended DRI Property may be developed with the following improvements: up to 994,136 gross square feet of retail/service uses; up to 602,752 gross square feet of office use; up to 200 hotel rooms; up to 2,145 non-age restricted residential units (1,020 multi-family and 1,125 single-family) and up to 80 age-restricted multi-family residential units; and up to 2,103,538 gross square feet of flex industrial uses, as set forth in **Exhibit 1**¹. A minimum of 18 acres of Neighborhood Parks, 27 acres of Community Parks and 180 acres of Regional Parks/Open Space shall be provided, which may include recreational amenities such as tot lots, skateboard parks, swimming pools, ball fields and courts, walking and hiking trails, bridle paths, greenways, parks with picnic areas, recreational lakes and public bathing facilities, primitive camps, golf driving ranges and accessory concession facilities. Not less than 800 acres of wetlands will be conserved within the Amended DRI Property.

The Applicant, its successors and assigns, shall be permitted to roll over development rights allocated to any phase within the Amended DRI Property that are not constructed by the expiration date of such phase following such expiration date into the next phase as long as the mitigation requirements for the applicable phase’s impacts have been satisfied prior to the expiration date of the applicable phase. The aforementioned rollover of development rights by the Applicant set forth in this paragraph shall be consistent with the phasing requirements of General Condition 3 hereof. If the Applicant, its successors and assigns, fails to comply with the conditions of this Amended Development Order, the County shall cease approving residential subdivision construction plans, final plats and/or commercial construction plans until such non-compliance is corrected.

The Applicant may increase or decrease the amount of a particular land use within the approved development program without filing a Notice of Proposed Change by using a conversion table (attached as **Exhibit 3**) that is based on equivalent peak hour directional trip ends. Use of the

¹ The Land Use Totals in General Condition 2 include all land use conversions previously done for the Twin Creeks DRI, the last of which was approved as County Application No. DRILUE 2023-03.

conversion table may increase or decrease the total amount of each land use by no more than the amount allowed for in the substantial deviation criteria identified in Chapter 380.06(19)(b)1-11, Florida Statutes, unless the Applicant can show that a greater change will not alter the overall character of the development.

- (a) At any time of election of a land use trade-off under the Land Use Exchange Table, the Applicant shall submit to St. Johns County any required application for PUD modification and shall notify, in writing, St. Johns County, the Florida Department of Economic Opportunity (“DEO”), Florida Department of Transportation District II Urban Office in Jacksonville (“FDOT”), and the Northeast Florida Regional Council (“NEFRC”) of the election and shall provide the County, DEO and NEFRC with cumulative land use totals and remaining allowable quantities. Written notice of the trade-off election shall be given to the DEO and NEFRC at least 30 days before the local government hearing or meeting, if required, for approval of the proposed trade-off.
 - (b) So long as the trade-off is consistent with the criteria contained in Exhibit 3 and no change is made to the Master Plan, Map H, no additional DRI approvals consistent with this Condition 2 shall be required for the trade-off. Trade-off elections shall be reported biennially as provided below.
 - (c) Use of the conversion table will be reported on an individual and cumulative basis and project impacts documented in the biennial report. Any future NOPC shall incorporate any changes due to the use of the matrix.
3. **Phasing, Build-out and Expiration of DRI.** The Amended DRI Property shall be developed in three phases, as set forth in Exhibit 1. The build-out date for Phase 1 of the development is **November 20, 2035**. The build-out date for Phase 2 of the development is **November 20, 2039**. The build-out date for Phase 3 of the development is **November 21, 2044**. The termination and expiration dates for this Amended Development Order are established as **November 21, 2044**. Any extensions of the DRI build-out, termination or expiration dates shall be governed by the provisions of Section 380.06, Florida Statutes (2020). The foregoing notwithstanding, the time periods stated above shall be tolled during the period of any appeal pursuant to Section 380.07, Florida Statutes (2020), or during the pendency of any administrative or judicial proceedings relating to development permits.
4. **Effective Date.** This Amended Development Order shall take effect upon approval by the St. Johns County Board of County Commissioners.

5. **Monitoring Official.** The St. Johns County Administrator or his/her designee shall be the local official responsible for monitoring the development for compliance by the Applicant with this Amended Development Order.
6. **Downzoning Protection.** The portion of the Twin Creeks DRI as approved in this Amended Development Order shall not be subject to downzoning or reduction of approved land uses before **November 21, 2044**, unless the Applicant consents to such change or St. Johns County demonstrates that substantial changes in the conditions underlying the approval of this Amended Development Order have occurred, or that the Amended Development Order was based on substantially inaccurate information provided by the Applicant, or that the changes clearly established by St. Johns County are essential to the public health, safety and welfare.
7. **Election Regarding Environmental Rules.** Pursuant to Section 380.06(5)(c), Florida Statutes (2015), the Applicant has elected to be bound by the rules adopted pursuant to Chapters 373 and 403 in effect as of the date of this Amended Development Order, including, but not limited to, the provisions of Section 373.414(13), Florida Statutes. Such rules shall be applicable to all application for permits pursuant to those chapters which are necessary for and consistent with the development authorized in this Amended Development Order, except that a later-adopted rule shall be applicable to an application if:
 - (a) the later-adopted rule is determined by the rule adopting agency to be essential to the public health, safety, or welfare; or
 - (b) the later-adopted rule is adopted pursuant to Section 403.061(27), Florida Statutes; or
 - (c) the later-adopted rule is being adopted pursuant to a subsequently enacted statutorily mandated program; or
 - (d) the later-adopted rule is mandated in order for the state to maintain delegation of a federal program; or
 - (e) the later-adopted rule is required by state or federal law.

Further, to qualify for the benefits of this provision, the application must be filed within five (5) years from the issuance of this Amended Development Order and the permit shall not be effective for more than eight (8) years from the issuance of this Amended Development Order. Nothing in this General Condition shall be construed to alter or change any permitting agency's authority to approve permits or to determine applicable criteria for longer periods of time.

8. **Reporting.** The Applicant, or its successors or assigns, shall submit a biennial report no later than January 1 of every other year, commencing January 1, 2017, until build-out. The report shall be submitted to St. Johns County, the Northeast Florida Regional Council, Florida Department of Economic Opportunity, the Northeast District of the Florida Department of Environmental Protection, St. Johns River Water Management District, Florida Fish and Wildlife Conservation Commission, and any other affected permit agencies. Form DEO-BCP-BIENNIAL REPORT-1 of the Florida Department of Economic Opportunity, as amended from time to time, may be used for the format of this report. In accordance with Section 380.06(18), Florida Statutes (2015), failure to file the report in a timely manner may result in the temporary suspension of this Amended Development Order. The biennial report shall include the following:
- (a) Traffic reports, which shall be submitted to the FDOT, as well as to St. Johns County, NEFRC and DEO. The first traffic report shall be due concurrently with the first monitoring report and then biennially thereafter until project build-out, unless otherwise specified by the NEFRC. The reports shall include (i) a description of current development by land use, type, location, number of residential units and amount of square footage of non-residential, along with the proposed construction schedule for the ensuing 24-month period, and appropriate maps; (ii) traffic counts, turning movements and levels of service for the past 24 months and projected for the ensuing 24 months; and (iii) a description of any new and/or improved roadways, traffic control devices or other transportation facility improvements to be constructed or provided by the Applicant or governmental entity to accommodate the total existing and anticipated traffic demands; and
 - (b) Each biennial report shall be accompanied by a statement certifying that the NEFRC (with appropriate filing fee), DEO, St. Johns County, FDOT, Florida Department of Environmental Protection (“**FDEP**”) and the St. Johns River Water Management District (“**SJRWMD**”) have been sent copies of the Biennial Monitoring Report in conformance with Subsections 380.06(15) and (18), Florida Statutes (2015). It is the responsibility of the Applicant to guarantee that all appropriate agencies receive a copy of the biennial report.
9. **Notice of Adoption.** Notice of the adoption of this Amended Development Order, or any subsequent amendment to it, shall be recorded by the Applicant in accordance with Sections 28.222 and 380.06, Florida Statutes (2020), with the Clerk of the Circuit Court of St. Johns County, Florida. Recordation of this notice shall not constitute or provide actual or constructive notice of a lien, cloud or encumbrance of the Amended DRI Property. The conditions of this Amended

Development Order shall run with the land and bind the owners of the Amended DRI Property. Any contract or agreement for sale of those interests by the Applicant or other owners of property within the Amended DRI Property for all or any part of such property shall contain a legend substantially in the following form printed or stamped thereon:

THE PROPERTY DESCRIBED IN THIS AGREEMENT IS PART OF THE TWIN CREEKS DEVELOPMENT OF REGIONAL IMPACT AND IS SUBJECT TO A DEVELOPMENT ORDER, NOTICE OF WHICH IS RECORDED IN THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA, WHICH IMPOSES CONDITIONS, RESTRICTIONS AND LIMITATIONS UPON THE USE AND DEVELOPMENT OF THE SUBJECT PROPERTY WHICH ARE BINDING UPON EACH SUCCESSOR AND ASSIGN OF TWIN CREEKS DEVELOPMENT ASSOCIATES, LLC, TWIN CREEKS VENTURES LLC AND ALL OTHER OWNERS WITHIN THE AMENDED DRI PROPERTY. THE DEVELOPMENT ORDER DOES NOT CONSTITUTE A LIEN, CLOUD OR ENCUMBRANCE OF REAL PROPERTY OR CONSTITUTE ACTUAL OR CONSTRUCTIVE NOTICE OF SAME. A COPY OF THE DEVELOPMENT ORDER MAY BE REVIEWED AT THE OFFICE OF THE PLANNING DEPARTMENT, ST. JOHNS COUNTY, FLORIDA.

10. **Application for Proposed Changes.** The Applicant shall submit to St. Johns County any applications for proposed changes to the DRI and shall comply with the requirements of Section 380.06(7), Florida Statutes (2020), concerning deviations and any applicable St. Johns County requirements concerning amendments to DRI Development Orders.
11. **Subsequent Requests for Development Permits.** Subsequent requests for development permits shall not require further review pursuant to Section 380.06, Florida Statutes, unless it is found by the St. Johns County Board of County Commissioners, after due notice and hearing, that one or more of the following is present:
 - (a) modification of the terms or conditions of this Amended Development Order or other changes to the approved development plan which create a reasonable likelihood of adverse regional impacts or other regional impacts pursuant to Subsection 380.06(7), Florida Statutes, which were not evaluated in the review by the Northeast Florida Regional Council; or
 - (b) an expiration of the period of effectiveness of this Amended Development Order as provided in this Amended Development Order.

Upon a finding that (a) is present, the St. Johns County Board of County Commissioners shall order compliance with Section 380.06(7), Florida Statutes, and development within the Amended DRI Property may continue, as approved, during the DRI review in those portions of the development that are not affected by the proposed change. Upon a finding that (b) is present, the St. Johns County Board of County Commissioners shall order a termination of all development activity until such time as a new DRI application for development approval has been submitted, reviewed and approved in accordance with Section 380.06, Florida Statutes (2020).

12. **Limitation of Approval.** The approval granted by this Amended Development Order is limited. Such approval shall not be construed to obviate the duty of the Applicant to comply with all other applicable local or state permitting procedures.

SPECIAL CONDITIONS

13. **Vegetation and Wildlife.** Much of the project site has been and will continue to be used for agricultural and silvicultural purposes. Agricultural and silvicultural activities within a certain parcel may occur until the commencement of development of that parcel, provided that an average 25-foot undisturbed upland buffer around the jurisdictional wetlands is maintained. All agricultural and silvicultural activities shall comply with the requirements of Policies E.2.2.2 and E.2.2.3 of the 2025 Comprehensive Plan, as amended, where applicable.
- (a) In conjunction with the Applicant's responsibility for widening of County Road 210 set forth in Special Condition 25 or for each property owner's construction of internal roads within the Amended DRI Property, each owner will be responsible for funding the construction of all wildlife crossings located on its property or within right-of-way dedicated by such owner in the general locations and designs indicated on Map H-2 attached hereto as Exhibit 2. The design specifications will meet all County requirements and will be partially located landward outside of jurisdictional wetland boundaries and above the 100-year flood elevation. No perimeter fencing may be erected within conservation areas that would hinder the ability of wildlife to traverse the wildlife corridor.
 - (b) In satisfaction of the Original Development Order requirements, an unencumbered contribution in the sum of \$321,871.00 has been made to the Florida Fish and Wildlife Conservation Commission Land Acquisition Trust Fund. This off-site mitigation resulted in the issuance of an incidental take permit for the purchase of habitat at an off-site location within the jurisdictional boundaries of the NEFRC. The Applicant shall be responsible for all permit requirements of the Florida Fish and Wildlife Conservation Commission.
 - (c) Not less than 1.0 acre of potential sandhill habitat will be preserved by Applicant, its successors and assigns.
14. **Wetlands.** Wetland impacts within the Amended DRI Property shall be limited to a maximum of 145 acres within the DRI unless otherwise authorized by St. Johns County where the County determines that a revised site plan with more wetland impacts results in improved neighborhood connectivity, improved traffic patterns (either onsite or offsite), more efficient infrastructure development, or otherwise promotes the goals and objectives of the Comprehensive Plan, and provided that such additional impacts are approved by wetland regulatory agencies through their wetland impact permitting process and the Applicant in its reasonable judgment determines that such additional impacts will not materially delay the permitting process. The exact boundaries of

the areas to be conserved shall be determined in connection with wetland delineation and environmental resource permitting by the St. Johns River Management District (“SJRWMD”). The limits of the conserved wetlands shall be delineated on the engineering plans submitted for approval by St. Johns County. All engineering plans submitted to St. Johns County shall be consistent with the requirements of applicable permits issued by SJRWMD. Upland buffers shall comply with the St. Johns County Land Development Code requirements. All wetlands within the jurisdiction of FDEP or SJRWMD have been surveyed and the wetland boundaries have been approved by the SJRWMD. The owners of land within the Amended DRI Property shall protect by conservation easements meeting the requirements of Section 704.06, Florida Statutes, all wetland and upland preservation areas within their respective properties required under this Amended Development Order. The owner of the property subject to St. Johns County Resolution No. 2015-239 (the “**Excluded Land**”) shall be permitted to mitigate for wetland impacts that occur within the Excluded Land by providing wetland mitigation within approximately 160 acres of the Amended DRI Property, in the locations depicted on **Exhibit 1** (the “**Off-Site Heartwood Project Wetland Mitigation/Open Space**”), and by restoring and enhancing wetlands within such Off-Site Heartwood Project Wetland Mitigation/Open Space.

15. **Upland Buffers.** The owners of land within the Amended DRI Property shall comply with Comprehensive Plan Policy E.2.2.4 and Land Development Code Section 4.01.06. The following buffers will be provided:

- (a) A twenty-five (25) foot averaged undisturbed upland buffer (minimum ten (10) feet) will be provided adjacent to contiguous wetlands. In no instance shall the upland buffer be less than ten (10) feet, except for those areas adjacent to unavoidable wetland impacts such as road crossings. A twenty-five (25) foot building setback to the upland buffer shall be provided measured from the landward edge of the undisturbed upland buffer. The required 25-foot building setback to the upland buffer may be reduced to a minimum of 10 feet from the upland buffer, provided that the parcels or areas for which a reduced building setback is requested are shown on the applicable Planned Unit Development Master Development Plan and must be reviewed and approved by staff as part of an incremental Master Development Plan. The setback reduction may be allowed where unusual or irregular wetland line geometry has been determined by County staff to cause a reduced irregular building area within a lot. Approved accessory uses, except for buildings with a permanent foundation, are allowed in the building setback.

(b) An undisturbed vegetated buffer of not less than 750 feet shall be maintained between the centerline of Durbin Creek and any developed areas of the DRI.

16. **Conservation Easements.** The owners of land within the Amended DRI Property will record conservation easements covering the conserved wetlands and undisturbed upland buffers onsite meeting the requirements of Section 704.06, Florida Statutes (2015). Conservation easements and the portions of the recorded covenants and restrictions that relate to preservation of wetlands and upland buffers shall be enforceable by the Applicant, the property owners association, the SJRWMD, the County and the FDEP. The covenants and restrictions or conservation easements shall not permit variances from the minimum standards set forth in this Amended Development Order. Such conservation easements shall be recorded upon recordation of a plat containing the wetlands or undisturbed upland buffer areas.
17. **Stormwater Pollution Prevention.** Construction activity within the Amended DRI Property shall be conducted in accordance with a stormwater pollution prevention plan developed pursuant to the EPA NPDES permit program. Prior to commencement of any construction which will be adjacent to a conserved wetland, the contractor shall be required to install silt fencing on the landward edge of the undisturbed upland buffer or landward of the undisturbed upland buffer at the physical limits of construction to protect the conserved wetlands. The silt fencing shall be inspected at least once a week and repairs to fallen or damaged sections shall be made immediately upon discovery. The provisions of this Amended Development Order Special Condition shall be incorporated into all construction contracts for work within the Amended DRI Property. All contractors working within the Amended DRI Property shall be notified of the requirement for a stormwater pollution prevention plan developed pursuant to the EPA NPDES Permit Program and shall be advised of the requirements set forth above concerning silt fencing. Copies of the stormwater pollution prevention plans shall be provided to St. Johns County and the Northeast District office of the FDEP.
18. **Hydroperiods.** In connection with permit applications for the stormwater management system within the Amended DRI Property, the owners of land within the Amended DRI Property shall ensure maintenance of hydroperiods within conserved wetlands, unless otherwise permitted by the SJRWMD. No development activities, as defined in Section 380.04, Florida Statutes (2015), except for activities permitted by the appropriate environmental permitting agencies, shall be allowed in any of the wetland areas within the Amended DRI Property. Wetland impacts will be mitigated through the regulatory permitting process of the SJRWMD and the U.S. Army Corp of Engineers.

19. **Surface Water Quality Monitoring Plan.** Prior to commencement of construction activity within the Amended DRI Property, the Applicant will develop and secure FDEP approval of a Surface Water Quality Monitoring Plan which will provide, at a minimum, for collection of background data for six (6) consecutive months prior to construction and quarterly thereafter for an appropriate length of time. If the Surface Water Quality Monitoring Program identifies variations in water quality of receiving waters from established background water quality attributable to discharges from the project, then the Applicant shall promptly notify the FDEP of such conditions. In such event, the Applicant shall cooperate with the FDEP to develop a plan to address the problem. The actions required to address the problem, including the means of payment by the Applicant for the costs of such plan and actions required, and the timeframe within which to implement the corrective action shall be agreed upon by the FDEP, St. Johns County and the Applicant. If agreement is not reached within one (1) month from the time the Applicant notifies FDEP of a variation in water quality, no further permits shall be issued until agreement is reached. Failure to implement the agreed-upon plan of action within the timeframe agreed upon will be a violation of this Amended Development Order Special Condition.
20. **Floodplain.** All construction within the 100-year floodplain shall comply with applicable federal, state and local laws and regulations. In connection with review of the management and storage of surface waters permit or permits for the project, the SJRWMD shall review plans for fill within the 100-year floodplain to ensure there is no measurable increase in flood elevations off-site. No permits for residential, commercial or public buildings will be issued for construction within any portion of the 100-year floodplain where the base flood elevation has not been established until the Applicant has provided to St. Johns County data on the site specific base flood elevation. All road crossings and finished floor elevations of buildings within the 100-year floodplain shall be developed in accordance with the St. Johns County Land Development Code, as amended.
21. **Water Supply.**
- (a) Development within the Amended DRI Property shall occur concurrent with the provision of adequate central potable water supply meeting the adopted level of service in the St. Johns County Comprehensive Plan. Provision of central water supply shall be provided by both JEA and the St. Johns County Utility Department. JEA will service the part of the Amended DRI Property north of the existing County Road 210. The remainder of the site will be served by the St. Johns County Utility Department.
 - (b) All available lower-quality sources of water, including stormwater, surface water and reclaimed water, must be distributed for use or used throughout the project in place of

higher-quality water sources, when deemed feasible, according to SJRWMD rules and applicable state law. Stormwater, surface water and reclaimed water shall be maximized as non-potable water sources for irrigation.

- (c) The Amended DRI Property will connect to the existing 20-inch reclaimed water main located in the County Road 210 East right-of-way near its intersection with Old Dixie Highway.
- (d) A distribution system for non-potable water (i.e., stormwater, surface water and reclaimed water) shall be installed and connected throughout the entire project area concurrent with development for all land uses within the project (i.e., residential and nonresidential). The non-potable distribution system shall be developed in parallel to the potable water system and maintained for utilization when sufficient quantities of stormwater, surface water or reclaimed water are available for irrigation. Irrigation systems installed in the development shall be designed to accept non-potable water.
- (e) Any wells no longer in use within the Amended DRI Property shall be properly plugged and abandoned in accordance with SJRWMD rules and regulations.
- (f) All project-related construction shall meet, at a minimum, Florida Water StarSM design standards, in accordance with the NEFRC's policy approved on February 7, 2008.
- (g) The Applicant shall implement the water conservation practices described in the application for development approval and related sufficiency responses to maximize water conservation and enhance water quality.
- (h) Best management practices cited by the University of Florida in the Institute of Food and Agricultural Sciences' *A Guide to Florida-Friendly Landscaping* will be followed for landscape installation, irrigation, and fertilizer and pesticide applications to the extent practicable.

22. **Wastewater Management.**

- (a) Development of the Amended DRI Property shall proceed concurrent with the provision of adequate central sewer service meeting the adopted level of service standards in the St. Johns County Comprehensive Plan. Provision of sanitary sewer service shall be provided by both JEA and St. Johns County Utility. JEA will service the part of the Amended DRI Property north of the existing County Road 210. The remainder of the site will be served by St. Johns County Utility.

(b) Septic systems may only be used in connection with remote recreational amenities. When a central sewer system is installed to within two hundred (200) feet of a temporary septic system, the septic system shall be removed and central sewer and water service shall be provided to recreational amenity. The Applicant, in satisfaction of the obligations of the Original Development Order, has provided JEA a 150-foot by 150-foot site for a regional lift station. The site is located approximately thirty (30) feet south of the proposed County Road 210 realignment over U.S. 1 and has easements to access County Road 210.

23. **Stormwater Management.** Development within the Amended DRI Property shall proceed concurrent with a contiguous, functioning, permitted management and storage of surface waters system. The project shall meet the adopted drainage level of service standard in the St. Johns County Comprehensive Plan. Roadway designs adjacent to conserved wetland areas will provide for the capture and diversion of design capacity stormwater runoff from the roadway surface to the stormwater treatment system for treatment. The stormwater management system shall be designed as a stormwater reuse system to maximize the amount of surface water that will be available for irrigation needs through the development.
24. **Solid Waste.** The portion of the DRI subject to this Amended Development Order shall meet the level of service standard established in the St. Johns County Land Development Code. The project shall participate in the St. Johns County recycling program.
25. **Transportation.** Pursuant to Section 163.3180(5)(h), Florida Statutes (2013), the Applicant will contribute \$37,900,000 (proportionate share contribution) in a combination of funded transportation improvements and/or cash payments to offset the impacts of the development of the portion of the Twin Creeks DRI subject to this Amended Development Order to the regional transportation system, as described below. Actual payments shall be adjusted from and after the year 2014 and up to the date of payment using the Southeast Construction Cost Index, with the amounts stated in this Special Condition 25 expressed in year 2013 dollars. The terms of this Amended Development Order require certain improvements to be constructed by the Applicant, its successors and assigns, regardless of actual cost. The calculation of the project's proportionate share amount as set forth above is based upon reasonable estimates only and shall not, therefore, serve as a cap on the Applicant's actual costs for the required improvements. These contributions are sufficient to mitigate for all transportation impacts associated with the development rights approved in this Amended Development Order through build-out. Additionally, these contributions are sufficient to pay for and construct required improvements which will benefit regionally significant transportation facilities and meet proportionate share contribution

requirements as set forth in Section 163.3180(5)(h), Florida Statutes (2013), as authorized by this Amended Development Order and authorized by applicable Comprehensive Plan Amendment (COMPAMD 2004-08) Ordinance No. 2005-67, adopted by St. Johns County concurrently with the Original Development Order.

As consideration for the Applicant making the payments and constructing the transportation mitigation improvements specified in this Special Condition 25, the County shall provide a dollar for dollar credit for all proportionate share mitigation payments made, construction performed and right-of-way dedicated pursuant to the Original Development Order and this Amended Development Order, as set forth in this Special Condition 25 and Special Condition 32 hereof. Such credits can be used only within the Amended DRI Property. The mitigation improvements to be constructed by the Applicant are described below.

The Applicant, its successors and assigns, will pay for and/or cause the construction of the following transportation improvements, including the right-of-way dedication set forth below, where necessary, for all improvements within the timeframes specified below:

(a) Construction of County Road 210 from C.E. Wilson Road to the 90-Degree Curve (4-Lane Improvement):

(i) Construction of horizontal site development within the Amended DRI Property shall not be permitted until the Applicant, its successors and assigns, post a performance bond guaranteeing the reconstruction of County Road 210 from two lanes to four lanes between C.E. Wilson Road and the 90-degree curve at the western terminus of the soon-to-be constructed U.S. 1 overpass (the “Flyover”) and associated intersection improvements, as depicted on Exhibit 6A (collectively, the “**Initial CR 210 Widening**”) [Allocated cost \$15,000,000]. Prior to the approval by the County of the first final plat for residential uses and/or building permit for non-residential uses within Phase 1, the Applicant, its successors and assigns, shall design, permit, bond and commence construction of the Initial CR 210 Widening.

(ii) Outside of the DRI boundary, the reconstructed roadway shall be widened from two lanes to four lanes within the existing right-of-way owned by the County in a manner consistent with County roadway design standards in effect at the time of the adoption of this Amended Development Order; provided that such four-lane section, including all curbs, gutters, turn lanes, sidewalks and other related improvements (excluding stormwater ponds), must be designed to fit within the right-of-way depicted on

Exhibit 6B (the “**Initial CR 210 Widening Outside DRI Boundaries**”), which right-of-way includes the existing right-of-way owned by the County plus right-of-way to be acquired by the County (the “**Turn Lane Right-of-Way**”) for construction of turn lanes (the “**Turn Lanes**”) as depicted on **Exhibit 6B**.

- (iii) Within the DRI boundaries, the reconstructed roadway shall be widened from two lanes to four lanes, suburban divided. The aforementioned roadway improvements must include turn lanes, lane transitions where appropriate, signal modifications, and signals, if and when warranted. The Applicant shall also be responsible for constructing turn lanes, lane transitions where appropriate, and signals, if and when warranted, on the existing portion of County Road 210 between the 90-degree curve and U.S. 1. Adequate stormwater ponds must be provided for improvements within and outside of the DRI boundaries.

- (iv) Construction of the Initial CR 210 Widening shall be completed and operational within 24 months of commencement. For purposes of this Special Condition 25, “**commencement**” shall be defined as the County’s approval of construction plans for the applicable roadway improvement and the Applicant’s commencement of the clearing of right-of-way and related stormwater pond sites in preparation for construction. Notwithstanding the foregoing, clearing and grubbing in preparation for utility relocation within the County Road 210 right-of-way shall not constitute “commencement” of construction. Any other clearing or earthwork activities by the Applicant shall, however, constitute commencement of construction. The Applicant may commence construction of the Initial CR 210 Widening within the existing right-of-way without the County having acquired the Turn Lane Right-of-Way. Such construction shall be completed and operational within twenty-four (24) months of commencement. Notwithstanding the foregoing, in the event that utility relocation delays the Applicant’s construction of the Initial CR 210 Widening, the Applicant shall be allowed to extend its 24-month timeline for completion of the Initial CR 210 Widening by one (1) additional day for each one (1) day it is delayed by utility relocation. In the event the County has not acquired all of the Turn Lane Right-of-Way by the time the Applicant is ready to construct the Initial CR 210 Widening outside of the DRI boundaries, the Applicant shall be permitted to construct the Initial CR 210 Widening without turn lanes for the portion of the road outside of the DRI boundaries. The County shall allow the aforementioned section of County Road 210

outside of the DRI boundaries to be constructed with no curbs, aprons or sidewalks in areas adjacent to the Turn Lane Right-of-Way. Upon the County acquiring the last parcel of the Turn Lane Right-of-Way, the Applicant shall have twelve (12) months to complete construction of the Turn Lanes within such right-of-way, including the construction of applicable curbs, aprons and sidewalks. The County shall not use the lack of acquisition of the Turn Lane right-of-way or the lack of construction of the Turn Lanes as grounds to deny final approval and acceptance of the Initial CR 210 Widening improvements.

- (v) The County shall be responsible for obtaining surveys, appraisals and title commitments for the Turn Lane Right-of-Way and the right-of-way for the widening of County Road 210 outside of the DRI boundaries (the “**6-Laning Right-of-Way**”). The County shall be responsible for negotiating with the owners of all parcels along the Turn Lane Right-of-Way and Six-Laning Right-of-Way for the acquisition of such parcels. The County shall use commercially reasonable efforts to obtain contracts to purchase the aforementioned right-of-way either in exchange for transportation impact fee credits or for the lowest cost possible. The County shall use its best efforts to acquire the Turn Lane Right-of-Way on the north side of County Road 210 first.

- (vi) The County and the Applicant agree that the number of square feet required for the Turn Lane Right-of-Way is 52,311 square feet, representing the acquisition of the Turn Lane Right-of-Way depicted on **Exhibit 6B**, and the total 6-Laning Right-of-Way is 206,861 square feet. The Applicant, its successors and assigns, will be responsible for paying 25 percent of the total cost of obtaining surveys, appraisals, title insurance and acquisition costs of the overall right-of-way, including any eminent domain costs, which total cost is included in the \$15,000,000 allocated cost for the Initial CR 210 Widening. Notwithstanding the foregoing, in the event that the County determines to acquire more than 206,861 square feet of right-of-way for the six-laning of County Road 210, the County shall be responsible for paying all costs associated therewith.

- (vii) The Applicant, its successors and assigns, shall be responsible for paying for any and all wetland mitigation required for the CR 210 Widening due to construction of the turn lane improvements within the Turn Lane Right-of-Way outside of the Twin Creeks DRI boundaries. The Applicant, its successors and assigns, shall be

responsible for paying for any and all utility relocation required by all applicable agencies necessary for the CR 210 Widening due to the construction of the turn lane improvements within the Turn Lane Right-of-Way outside of the Twin Creeks DRI boundaries, including any wetland mitigation necessary for such utility relocation. The Applicant, its successors and assigns, shall include the turn lane improvements in its design, permitting and construction plans for the Initial CR 210 Widening. The Applicant, its successors and assigns, shall also include the cost of the turn lane improvements in its bond for the Initial CR 210 Widening. The aforementioned costs of wetland mitigation; utility relocation; design, permitting and construction plans; and bonding are included in the \$15,000,000 allocated cost for the Initial CR 210 Widening.

(viii) Prior to commencing construction of the Initial CR 210 Widening, the Applicant agrees to, as part of the PUD process, prepare architectural and landscape design guidelines for Twin Creeks' commercial properties fronting County Road 210.

(ix) With respect to the payment of the allocated cost of the Initial CR 210 Widening, the County shall require the owner of the Excluded Land to pay to the County proportionate share payments for transportation impacts caused by development of the Excluded Land (the “**Heartwood Proportionate Share Payment**”) in the amount of at least Three Million Five Hundred Thousand and No/100 Dollars (\$3,500,000). Upon the County’s approval of this NOPC, upon the owner of the Excluded Land paying the Heartwood Proportionate Share Payment and upon the Applicant’s commencement of construction of the Initial CR 210 Widening, the County shall pay to the Applicant the Heartwood Proportionate Share Payment within thirty (30) days in order to reimburse the Applicant for a portion of the cost of the Initial CR 210 Widening [Completed]. In the event the owner of the Excluded Land pays the Heartwood Proportionate Share Payment in increments of less than \$3,500,000, the County shall pay to the Applicant each incremental payment upon receipt from the owner of the Excluded Land (assuming the Applicant has commenced construction of the Initial CR 210 Widening).

(b) **Phase 2 Contribution.** Prior to the approval by the County of the first final plat for residential uses and/or building permit for non-residential uses within Phase 2, the Applicant, its successors and assigns, shall pay to the County the sum of \$3,200,000 for

use solely for either (i) the widening of County Road 210 west of the DRI boundary and east of Interstate 95 from four lanes to six lanes; (ii) the construction of ramps for or other improvements associated with the U.S. 1 flyover at County Road 210; or (iii) other improvement(s) to the roadway system reasonably related to and within the vicinity of the Twin Creeks project, as determined by the County, whichever improvement is needed first based on traffic analyses in the area (the “**Phase 2 Contribution**”).

(c) **Widening of U.S. 1 Flyover from 2 to 4 Lanes.** The Applicant, its successors and assigns, shall be responsible for the design, permitting, bonding and construction of the widening of the U.S. 1 flyover from two lanes to four lanes from the 90-degree bend of County Road 210 over U.S. 1 to Greenleaf Drive (the “**Flyover Widening**”) [Allocated cost \$14,900,000]. The Applicant, its successors and assigns, shall be required to bond the Flyover Widening prior to approval by the County of residential subdivision plans and/or commercial construction plans for development within Phase 3. The Flyover Widening must be complete and operation prior to the Applicant, its successors and assigns, obtaining County approval of the first final plat for residential uses and/or building permit for non-residential uses within Phase 3.

(d) **Phase 3 - Construction of County Road 210 from 4 to 6 Lanes within Twin Creeks (6-Lane Improvement).** Prior to the approval by the County of the first final plat for residential uses and/or building permit for non-residential uses within Phase 3, the Applicant, its successors and assigns, shall complete the design, permitting and bonding and commence construction of the widening of County Road 210 within the Amended DRI Property from four lanes suburban divided to six lanes urban divided, as depicted on **Exhibit 6A** (the “**CR 210 6-Laning**”) [Allocated cost \$4,500,000]. Construction of this Phase 3 improvement shall be complete and operational within 24 months of commencement. Notwithstanding the foregoing, the Applicant, its successors and assigns, shall have the option of performing the CR 210 6-Laning in either Phase 1 or Phase 2 of the project in exchange for transferring 224 PM peak hour New External Trips and their related land uses based on the Land Use Exchange Table attached as **Exhibit 3** (the “**Transferred Trips**”), from Phase 3 to either Phase 1 or Phase 2. [The Applicant has elected to construct the CR 210 6-Laning in Phase 1 of the project and has transferred 224 PM peak hour New External Trips to Phase 1]. The Applicant, its successors and assigns, shall not be able to obtain County approval of the first final plat for residential uses and/or building permit for non-residential uses for the Transferred Trips until it commences

construction of the CR 210 6-Laning. If the Applicant exercises its option to move the Transferred Trips from Phase 3 to either Phase 1 or Phase 2, it shall notify the County in writing of such election and of the number of residential units, commercial/retail, office and/or flex industrial square footage, and hotel rooms it will transfer to either Phase 1 or Phase 2, as applicable. In the event the Applicant, its successors and assigns, move the Transferred Trips to Phase 1, construction of the CR 210 6-Laning shall be complete and operational within 30 months of commencement. In the event the Applicant, its successors and assigns, move the Transferred Trips to Phase 2, construction of the CR 210 6-Laning shall be complete and operational within 24 months of commencement.

(e) Contribution of Funds for Other Roadway Improvements. Prior to the approval by the County of the first final plat for residential uses and/or building permit for non-residential uses within Phase 3, the Applicant, its successors and assigns, shall pay to the County the sum of \$300,000 for use solely for improvements to County Road 210, the U.S. 1 Flyover or other improvement(s) to the roadway system reasonably related to and within the vicinity of the Twin Creeks project, as determined by the County (the “**Phase 3 Contribution**”). In the event the Applicant, its successors and assigns, timely receive the full amount of the Heartwood Proportionate Share Payment set forth in Special Condition 25(a)(ix) hereof, the Applicant shall increase the Phase 3 Contribution by \$3,500,000, which sum shall be paid prior to the County’s approval of the first final plat for residential uses and/or building permit for non-residential uses within Phase 3. In the event the Applicant, its successors and assigns, only receive a portion of the Heartwood Proportionate Share Payment set forth in Special Condition 25(a)(ix) hereof, the Applicant shall increase the Phase 3 Contribution by an amount equal to the portion of the Heartwood Proportionate Share Payment received. In the event the Applicant, its successors and assigns, do not receive any of the Heartwood Proportionate Share Payment, the Applicant shall only be required to pay the Phase 3 Contribution.

(f) Improvements Constructed by Others. If an entity other than the Applicant, its successors and assigns, constructs any of the roadway improvements referenced in Special Condition 25 (a), (c) and (d) above, the Applicant shall pay to the County an amount equal to the allocated cost on the date the applicable improvement is required to be bonded, as indexed per the provisions of this subsection.

(g) **Right-of-Way Dedication.** The Applicant, its successors and assigns, shall reserve all necessary additional right-of-way from the west DRI boundary to the 90-degree curve to accommodate future widening of County Road 210 to a six-lane urban roadway. The right-of-way shall be dedicated, free of liens and non-permitted exceptions, to St. Johns County within 90 days after a formal request is made to the Applicant, its successors and assigns, by the County. The Applicant has previously dedicated, or caused to be dedicated, certain right-of-way for the extension of County Road 210 to the U.S.1 Flyover. The Applicant, its successors and assigns, shall be entitled to receive impact fee credit for all right-of-way dedicated hereunder. The Applicant, its successors and assigns, must provide an appraisal to establish fair market value of the right-of-way previously dedicated or to be dedicated pursuant to this Amended Development Order to receive impact fee credit. Such appraisal must be reviewed and approved by the County. The impact fee credit related to the right-of-way dedication shall not be used to pay down any cash contributions required in this Special Condition 25.

(h) **Transportation Management Organization.** The Applicant, its successors and assigns, shall team with other developers in this corridor and participate in a Transportation Management Organization (“TMO”). In order to meet this condition, the Applicant will include a requirement in land sales and development allocation documents for non-residential property that any employer with one hundred (100) or more employees shall participate in a TMO to be designated by the County.

(i) **Public Transportation Contribution.** Under the provisions of the Original Development Order, the Applicant was required to contribute \$500,000 to St. Johns County for public transportation in five equal payments of \$100,000 per year over the five-year build-out period. Payments were to be made before February 1 of each year, beginning in 2006. The first payment of \$100,000 was made on or about November 14, 2006. Applicant shall resume such annual payments as of December 31, 2016 and the 31st day of each December thereafter for a total of four (4) years. The public transportation contribution provided for herein shall not be subject to annual adjustments. Additionally, the Applicant shall design and construct up to four (4) bus bays on each side of the portion of County Road 210 described above in Special Condition 25 (a)(i) hereof. St. Johns County will determine the final number of bus bays (not to exceed four).

(j) **Bicycle and Pedestrian Connections.** In order to promote alternative forms of transportation, the owners of lands within the DRI shall provide a comprehensive system of bicycle paths and pedestrian walkways throughout the Amended DRI Property. All residential development shall be connected to employment and shopping areas via this path system.

26. **Air Quality.** The following fugitive dust control measures shall be undertaken during all construction activities throughout buildout of the project:

- (a) Contractors will moisten soil or use resinous adhesives on barren areas, which shall include, at a minimum, all roads, parking lots, and material stockpiles;
- (b) Contractors will use mulch, liquid resinous adhesives with hydro-seeding or sod on all landscape areas;
- (c) Contractors will remove soil and other dust-generating material deposited on paved streets by vehicular traffic, earth moving equipment, or soil erosion; and
- (d) Contractors will utilize the best operating practices in conjunction with any burning resulting from land clearing, which may include the use of air curtain incinerators.

27. **Workforce Housing.** The housing study summary in Table 24-7 of the original Application for Development Approval showed that there was no significant adverse impact on affordable housing as a result of the Twin Creeks project. Notwithstanding that result, the Applicant applied for and received approval of a Notice of Proposed Change to remove thirteen (13) acres from the Twin Creeks DRI property (the “**Workforce Housing Site**”). The Workforce Housing Site is classified as Mixed Use District on the Future Land Use Map. The Applicant, its successors and assigns in ownership of the Workforce Housing Site, will design, permit and construct a workforce housing multi-family rental project on the Workforce Housing Site, at its expense. Rents charged by the Applicant, its successors and assigns, shall be affordable to households earning between 80 percent and 120 percent of the St. Johns County Area Median Income (the “**AMI**”) according to the annual AMI adjustments calculated by the U.S. Department of Housing & Urban Development (“**HUD**”) and utilized by the Florida Housing Finance Corporation for Multi-family Rental Programs. Gopher tortoise mitigation was provided by the Applicant as part of its overall mitigation agreement.

28. **Fire Protection.** The Applicant shall undertake the following measures to enhance fire safety for the future residents of Twin Creeks:

- (a) All builders shall be required to distribute to each prospective purchaser informative literature explaining the benefits of installing a sprinkler system in the purchaser's new home. The literature shall be developed in cooperation with the St. Johns County Fire Division. In addition, all structures greater than two (2) stories in height within the Amended DRI Property shall be protected with an automatic sprinkling system designed and installed in accordance with all applicable fire and building codes.
- (b) Within 60 days of request by the County, the Applicant shall donate up to three (3) acres of land to St. Johns County for the construction of a fire station in the "Flex Industrial" portion of the site on a location approved by the St. Johns County Fire Rescue Department. The land to be conveyed to the County under this Special Condition shall be large enough to accommodate the prototype fire station and horizontal site design improvements being used by the County as of the date of this Amended Development Order. The Applicant or a Community Development District shall either (i) construct a stormwater treatment system on land outside of the first station site that would accommodate drainage and retention from the fire station site, or (ii) enlarge the site to accommodate said stormwater system so that the net usable conveyance is no less than that necessary to accommodate the prototype first station. The deed of conveyance shall contain covenants, restrictions and easements insuring that the property will be used for its intended purpose in protecting the surrounding property. Impact fee credit shall not be granted for this contribution.

29. **Recreation and Open Space.** The Twin Creeks DRI shall provide a minimum of 180 acres of Regional Parks/Open Space and shall include 27 acres of community parks as defined in Objective F.1.3 of the St. Johns County Comprehensive Plan ("**Community Parks**") and a total of not less than 18 acres of neighborhood parks as defined in Objective F.1.3 of the St. Johns County Comprehensive Plan ("**Neighborhood Parks**"). The locations of the Community Parks are as set forth on Map H, attached hereto as **Exhibit 1**. The Community Parks and recreational improvements to be provided pursuant to this Amended Development Order are further described as follows:

- (a) The Applicant, its successors and assigns, shall dedicate to the County a 22-acre Community Park, in the location set forth on Map H. No later than January 1, 2022, the Applicant, its successors and assigns, shall bond and commence construction of four (4) lighted, multi-purpose fields within the Community Park and an access road with related water and sewer utilities to the Community Park. Construction of such fields shall be completed within one (1) year of commencement. For the purposes of this Subsection

29(a), the Applicant shall not be permitted to request extensions of the construction date for the multi-purpose fields pursuant to Section 252.363, Florida Statutes. Notwithstanding the foregoing, the Applicant shall be permitted to request extension of the construction date for the multi-purpose fields due to the occurrence of force majeure events or circumstances unexpected, unforeseen or beyond its control, such as war, strike, riot, crime, plague, pandemic, natural disaster or other act of God that cause delays in roadway construction and which by exercise of reasonable, diligent effort, the Applicant is unable, in whole or in part, to prevent or overcome such delays.

- (b) The access road will run from the Applicant's property south of County Road 210 and west of the 90-degree curve to the Community Park site. The Applicant, a Community Development District, property owners' association or St. Johns County shall maintain the park for its intended active recreational uses. The Applicant, a Community Development District or a property owners' association, may provide enhanced maintenance or additional improvements if dedicated to St. Johns County by agreement with the St. Johns County Parks and Recreation Department. The St. Johns County Parks and Recreation Department and the St. Johns County School District shall have input into the initial design of the Community Park adjacent to the K-8 school site. Through an impact fee credit agreement adopted by the Board of County Commissioners, park impact fee credits shall be awarded to the Applicant, its successors and assigns, for any active park land and construction of the above-referenced multi-purpose fields and associated access road and utilities conveyed to the County in accordance with the applicable St. Johns County impact fee ordinance.
- (c) The Regional Parks/Open Space and Neighborhood Parks shall be accessible to the residents within the Amended DRI Property. The Regional Parks, Community Parks and Neighborhood Parks shall be used only to mitigate for development of the Amended DRI Property. The owner of the Excluded Land shall be permitted to use the Off-Site Heartwood Project Wetland Mitigation/Open Space, as depicted on **Exhibit 1**, as Open Space for its development of the Excluded Land.

30. **Education.** The Twin Creeks school proportionate share mitigation is \$20,910,736. The projected taxable value of residential and non-residential lands within the Amended DRI Property provides a credit of \$3,314,060, leaving a deficit of \$17,596,677. The Applicant has made the school site conveyances required in the Original Agreement (and set forth below in this Special Condition 30), which land has a combined value of \$14,127,353, resulting in a remaining deficit of \$3,469,324 to

be paid by the Applicant to the School Board in cash. To date, the Applicant has paid \$5,096,417 in cash to the School Board, all of which has been applied by the School Board to approve school impact fee credits by St. Johns County for the Amended DRI Property. In mid-2021, the School Board and the Applicant agreed to the Applicant making an additional land conveyance related to the maintenance and storage facility site, which if finalized will be detailed in a third amendment to the Twin Creeks School Proportionate Share Payment and School Siting Agreement between the Applicant and the School Board dated September 10, 2015 and recorded in Official Records Book 4205, Page 1814, Public Records of St. Johns County, Florida (the “**School Agreement**”). The Applicant has fully satisfied its school proportionate share mitigation obligations for the Amended DRI Property. All obligations have been satisfied among the School Board and the Applicant related to school proportionate share mitigation for public schools.. As consideration for the Applicant’s payment of the school proportionate share mitigation specified herein, the County shall provide a dollar for dollar credit for all proportionate share mitigation payments paid pursuant to this Amended Development Order toward any school impact fee or exaction imposed by ordinance of the County for the same need.

The Applicant, its successors or assigns, shall donate two public school sites to the St. Johns County School District – one approximately 74-acre high school site and one approximately 43-acre K-8 site - in the locations depicted on **Exhibit 5**. [Completed] In no event shall the total acreage of the high school and K-8 school sites, combined, be less than 117 acres. The Applicant, its successors or assigns, shall also donate a 10-acre maintenance and storage facility site to the School District, in the location depicted on **Exhibit 5**. [Completed] In mid-2021, the Applicant, its successors and assigns, agreed to convey additional acreage to the School District related to the maintenance and storage facility, the details of which, if finalized, shall be set forth in a third amendment to the School Agreement. The two school sites and maintenance and storage facility site are sometimes referred to herein collectively as the “**New School Sites**”. The Applicant, its successors and assigns, shall convey all three New School Sites (including the any additional land for the maintenance and storage facility, if approved by the School Board in a third amendment to the School Agreement) to the School District within 180 days of the St. Johns County Commission approving this Amended Development Order. When the School District awards a bid for construction of the K-8 school, the School District shall provide written notice of the same to the Applicant, its successors and assigns. The Applicant, its successors and assigns, shall, at their sole cost, design, permit and construct a two-lane access road, with underlying water and sewer lines, to serve the school prior to the School District receiving a certificate of occupancy for the K-8 school. The access road will run from the Applicant’s property south of County Road 210 and west

of the 90-degree curve to the K-8 school site. Upon acceptance of the K-8 school site, the School District will become a beneficiary of that certain Access and Utility Easement by and between Tousa Homes, Inc. and South Jacksonville Properties, LLC dated November 18, 2005 and recorded in Official Records Book 2588, Page 69, Public Records of St. Johns County, Florida. The aforementioned access easement will provide the School District with legal access to the K-8 school site for construction and operation of the school until such time as the roadway constructed within the easement is dedicated to St. Johns County. The Applicant, its successors and assigns, shall receive proportionate share credits for the value of the land for the New School Sites donated to the School District pursuant to this Condition 30, with the value of such land being \$111,239 per acre. The total value of the Applicant's proportionate share credit will be a total of \$14,127,353.

Notwithstanding anything else in this Amended Development Order to the contrary, in the event the Applicant, its successors and assigns, develop more than 1,736 non-age-restricted residential units within the Amended DRI Property, the Applicant shall pay \$9,768 per single-family residential unit and \$4,194 per multi-family residential unit above said 1,736 units in Proportionate Share Mitigation to the School District.

31. **Historical and Archaeological.** Archeological site 8SJ4814, as generally located in **Exhibit 4** of this Amended Development Order, shall remain undisturbed, except for Phase 2 testing, until the Applicant has completed Phase 2 testing of this site and received concurrence from the Division of Historical Resources as to its significance and necessary mitigation requirements. If the Division of Historical Resources determines that preservation or mitigation is necessary to maintain a site, the Applicant shall develop a preservation or mitigation plan to be reviewed and approved by the Division of Historical Resources and St. Johns County. Copies of this plan will be included in the ensuing DRI Monitoring Report. Any future adverse impact to the site which conflict with the preservation/mitigation plan will be deemed to be a substantial deviation of this Amended Development Order.
32. **Proportionate Share Payments and Impact Fees.** Proportionate share and impact fee credits towards any present or future proportionate share or impact fees that may be adopted by St. Johns County shall be allowed for any contribution of land, money (including, but not limited to, contributions or construction pursuant to proportionate share responsibilities) or improvements made or to be made by the Applicant or the Community Development District, as the case may be, pursuant to the Original Development Order and this Amended Development Order for public facilities pursuant to the guidelines stipulated in Section 380.06(16), Florida Statutes (2015), and St. Johns County Impact Fee Ordinances 87-57, 87-58, 87-59 and 87-60, as they may be amended.

Any transportation impact fee credits can be used only within the Amended DRI Property. The Applicant proposes and the County agrees that, in the event that any contributions of land, money or improvements funded or constructed with funds from a Community Development District are required by then-current law to give rise to proportionate share or impact fee credits to the Community Development District, then such proportionate share or impact fee credit shall be established in the name of the Community Development District. Nothing in this Amended Development Order shall be deemed to require the County to continue to levy or collect impact fees, or, if levied, to levy them for a certain amount.

33. **Community Development District.** The Applicant, its successors and assigns, may form one or more Community Development Districts within the Amended DRI Property pursuant to Chapter 190, Florida Statutes (2015). Nothing in this section shall be construed as approval or consent by the County to the establishment of a Community Development District by the Applicant pursuant to Chapter 190, Florida Statutes, and the County expressly maintains all rights available to it pursuant to Chapter 190, Florida Statutes, related to the proposed establishment of a Community Development District by the Applicant. Any Community Development District for the portion of Twin Creeks included within this Amended Development Order approved pursuant to Chapter 190, Florida Statutes (2015), may finance, fund, plan, establish, acquire, construct or reconstruct, enlarge or extend, equip, operate and maintain projects, systems and facilities for the purposes described in Section 190.012, Florida Statutes, including, but not limited to, any other project required or authorized by this Amended Development Order, and may be authorized and empowered to own and acquire property, both real and personal, by purchase, lease, lease-purchase, eminent domain, gift or transfer. Any such Community Development District shall be permitted to construct or fund all of the aforementioned projects within or outside of the boundaries of the Community Development District required by this Amended Development Order or necessary to serve the development approved by this Amended Development Order. If the Applicant is required by this Amended Development Order to provide, pay for or otherwise cause to be provide, infrastructure, projects, systems or facilities set forth in Chapter 190, Florida Statutes, including, without limitation, those in Sections 190.012(1) and (2), Florida Statutes (2015), then the applicable Community Development District independently may satisfy such obligations. To the extent any such obligation under this Amended Development Order is met or performed by the Community Development District, then the Applicant shall no longer be subject to the obligation. The Applicant proposes and the County agrees that, in the event that any contributions of land, money (including contributions or construction pursuant to proportionate share responsibilities), or improvements funded or constructed with funds from a Community Development District are

required by then-current law to give rise to impact fee credits to the Community Development District, then such impact fee credits shall be established in the name of the Community Development District. The Board of County Commissioners may bestow the power of eminent domain to a Community Development District within the portion of Twin Creeks subject to this Amended Development Order limited for the purpose of acquiring right-of-way for the roadway improvements described in Special Condition 25. In the event the Board of County Commissioners does not bestow the power of eminent domain on a Community Development District within the portion of Twin Creeks subject to this Amended Development Order, the County shall exercise its own power of eminent domain to acquire the right-of-way needed for such roadway improvement or improvements.

RENDITION

Within ten (10) days of the adoption of this Amended Development Order, St. Johns County shall render a copy of this Amended Development Order with all attachments, certified as complete and accurate, by certified mail, return receipt requested, to the Applicant.

PASSED AND ENACTED BY THE BOARD OF COUNTY COMMISSIONERS OF ST. JOHNS COUNTY, FLORIDA, THIS 5TH DAY OF NOVEMBER 2024.

BOARD OF COUNTY COMMISSIONERS OF ST.
JOHNS COUNTY, FLORIDA

By: _____
Chairman

ATTEST: Cheryl Strickland

By: Crystal Smith
Deputy Clerk

Adopted Regular Meeting NOVEMBER 5TH, 2024

Effective: November 5, 2024




EXHIBIT 1


CONCEPTUAL MASTER PLAN – MAP H

NEW TWIN CREEKS

Development Order Exhibit 1 (Sheet 1 of 3)

General Notes

- 1) This map is based on preliminary information. Parcel configuration and circulation are subject to change based on final wetland surveys, permitting and final site planning and engineering. Roadway and associated wetland impacts are not depicted on this map. All acreages are conceptual estimates and subject to change based on final engineering.
- 2) Wetland areas are shown as generalized areas and are subject to final design, road crossings, final wetland surveys and permitting.
- 3) Refer to ADA question #10 for description of uses.
- 4) Conservation includes wetlands and uplands.
- 5) Recreation and parks are permitted in all residential parcels.
- 6) Minor Collector Roadways shall have minimum 5-foot wide sidewalks on both sides of the road. Local roadways shall have minimum 4-foot wide sidewalks on at least one side of the road.
- 7) Access points are conceptual and may or may not have traffic signals. Additional Right-in/Right-out may be allowed.




Vicinity Map

Phasing Summary

Land Use	Retail/Service	Office	Hotel	Single-Family Residential	Multi-Family Residential	Flex Industrial
Phase 1 (2014-11/20/2035)	474,500 SF	26,720 SF	-	1,106 Units	1,100 Units	82,044 SF
Phase 2 (9/18/2029-11/20/2039)	99,260 SF	16,032 SF	200 Rooms	19 Units	-	1,056,494 SF
Phase 3 (9/18/2033-11/21/2044)	420,376 SF	560,000 SF	-	-	-	965,000 SF
Total	994,136 SF	602,752 SF	200 Rooms	1,125 Units	1,100 Units	2,103,538 SF

Notes: Amounts may be modified in accordance with the Land Use Conversion Table (Development Order Exhibit 3). Summary reflects Eighth Declaration of Conversion of Development Rights.





September 11, 2018
Revised May 26, 2021
Revised July 21, 2021
Revised December 1, 2023
Revised November 7, 2024

Notice of Proposed Change to the
TWIN CREEKS
 Development of Regional Impact

Development Order
 Exhibit 1
 (Sheet 2 of 3)
 Concept Plan

LEGEND

- Local Roadway
- Major Collector Roadway
- ⊕ Full Median Opening (See Note 7)
- ▲ Right-in/Right-out Driveway
- F Fire Station Site
- P Sandhill Habitat Preservation (1 Acre)
- Workforce Housing Site (13 Acres Outside DRI Boundary)
- NPDO Not Part of this Development Order
- Offsite Heartwood Project Mitigation Area/Open Space (60 acres)





Notice of Proposed Change to the
TWIN CREEKS
Development of Regional Impact

Development Order
Exhibit 1
(Sheet 3 of 3)



Legend

-  Twin Creeks DRI
-  Not Part of this Development Order



PROSSER



May 28, 2015
11031.02

EXHIBIT 2

PROPOSED CONSERVATION CORRIDOR SYSTEM

Notice of Proposed Change to the
TWIN CREEKS
 Development of Regional Impact

Development Order
 Exhibit 2

Proposed Conservation
 Corridor System

LEGEND

- Wildlife Corridor
- A - 6' x 16' Culvert Crossing
- B - 6' x 6' Large Mammal Crossing
- C - At-Grade Crossing
- D - 3' x 3' Small Mammal Crossing
- E - 3' x 6' Small Mammal Crossing
- F - Sandhill Frabbit Preservation (1.1 Acre)
- Workforce Housing Site (13 Acres Outside DRI Boundary)
- Not Part of this Development Order
- Offsite Heartwood Project Mitigation Area/Open Space (160 acres)



PROSSER



July 11, 2013
 DW10102




EXHIBIT 3

LAND USE EXCHANGE TABLE

The Applicant may increase certain land uses and simultaneously decrease other land uses provided that such changes are consistent with the conversion table below. Uses can be substituted for other uses, within prescribed minimum and maximum levels and using ratios of equivalence.

Land Use Exchange Matrix						
Land Use to Increase	Land Use to Reduce					
	Commercial (KSF)	Office (KSF)	Hotel (RM)	Industrial Park (KSF)	Multi-family Residential (DU)	Single Family Residential (DU)
Commercial (KSF)	---	2.503	6.322	4.337	6.016	3.693
Office (KSF)	0.399	---	2.525	1.733	2.403	1.475
Hotel (RM)	0.158	0.396	---	0.686	0.952	0.584
Industrial Park (KSF)	0.231	0.577	1.458	---	1.387	0.851
Multi-family (DU)	0.166	0.416	1.051	0.721	---	0.614
Single Family (DU)	0.271	0.678	1.712	1.174	1.629	---


ITE Code	Land Use	Proposed Amount	Minimum Allowable	Maximum Allowable	Trip Rate - PM Peak Hour
820	Commercial	994,136	741,750	1,220,250	3.73 per KSF
710	Office	602,752	525,000	875,000	1.49 per KSF
310	Hotel	200	90	200	0.59 per RM
130	Industrial Park	2,103,538	1,462,500	2,437,500	0.86 per KSF
220	Multi-family Residential	1,100	927	1,133	0.62 per DU
210	Single-family Residential	1,125	1,125	1,375	1.01 per DU



Source: *Trip Generation - 8th Edition*, Institute of Transportation Engineers

Use of the conversion table will be reported on an individual and cumulative basis and project impacts documented in the biennial report. Any future NOPC shall incorporate any changes due to the use of the matrix. Based on the preceding sentence, the Land Use Exchange Table and General Condition 2 hereof have been updated to include all land use conversions previously done for the Twin Creeks DRI, the last of which was approved as County Application No. DRILUE 2023-03.


EXHIBIT 4

ARCHAEOLOGICAL SITE 8SJ4814 OCCURRENCE



-  Project Area
-  Newly Recorded Archaeological Site

**Figure 7. Newly Recorded
Archaeological Sites and Occurrences,
Twin Creeks DRI**



SOURCE: USGS Quadrangle Map, DURBIN, FLA., 1992

EXHIBIT 5
SCHOOL SITES

Notice of Proposed Change to the
TWIN CREEKS
 Development of Regional Impact

Development Order
 Exhibit 5

School Mitigation


- LEGEND**
- Local Roadway
 - Major Collector Roadway
 - Full Median
 - Right-in/Right-out Driveway
 - Fire Station Site
 - Sandhill Habitat Preservation (1 Acre)
 - Woodforce Housing Site (13 Acres Outside DRI Boundary)
 - Proposed School Sites
 - Nbr Part of this Development Order



PROSSER



July 14, 2015
 10:04:02



North Side Shrub
 Wildlife Management Area

Outdated Forestry
 Estimate (2007)

EXHIBIT 6


ROADWAY IMPROVMENTS

Notices of Proposed Change to the
TWIN CREEKS
 Development of Regional Impact



Twin Creeks CR 210 Widening

Development Order
 Exhibit 6A

Roadway
 Improvements




LEGEND

-  Widen Existing 2-Lane Road to 4-Lane Urban within Existing County Right-of-Way
-  Widen Existing 2-Lane Road to 4-Lane Urban; In Later Phase, Widen to 6-Lane Urban




PROSSER




Notice of Proposed Change to the
TWIN CREEKS
 Development of Regional Impact

Development Order
 Exhibit 6B

Overall Turn Lanes



PROSSER



LEGEND
 Turn Lanes Outside
 DRU Boundary

EXHIBIT 7

LEGAL DESCRIPTION OF AMENDED DRI PROPERTY

PARCEL NO. 1

A PORTION OF SECTIONS 10, 11, AND 14 ALL LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 2702.59 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 4859.63 FEET TO THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION NO. 78020; THENCE NORTHEASTERLY, ALONG LAST SAID LINE, RUN THE FOLLOWING THREE (3) COURSES AND DISTANCES: COURSE NO. 1: NORTH 58°54'22" EAST, 128.77 FEET; COURSE NO. 2: NORTH 51°03'23" EAST, 400.00 FEET; COURSE NO. 3: NORTH 53°55'08" EAST, 249.98 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 11°41'58" EAST, 120.90 FEET; THENCE SOUTH 02°48'07" EAST, 51.29 FEET; THENCE SOUTH 38°14'30" EAST, 37.60 FEET; THENCE SOUTH 10°12'59" WEST, 77.30 FEET; THENCE SOUTH 00°10'53" WEST, 51.14 FEET; THENCE SOUTH 13°35'09" WEST, 107.29 FEET; THENCE SOUTH 06°45'14" WEST, 61.21 FEET; THENCE SOUTH 23°04'38" WEST, 60.07 FEET; THENCE SOUTH 04°24'37" EAST, 46.82 FEET; THENCE SOUTH 21°11'20" EAST, 141.23 FEET; THENCE SOUTH 39°28'00" EAST, 39.42 FEET; THENCE SOUTH 04°31'01" WEST, 34.05 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC DISTANCE OF 27.03 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 11°32'54" EAST, 27.03 FEET; THENCE SOUTH 55°09'20" EAST, 36.48 FEET; THENCE SOUTH 23°52'05" WEST, 52.63 FEET; THENCE SOUTH 00°12'21" WEST, 103.02 FEET; THENCE SOUTH 68°09'20" WEST, 33.54 FEET; THENCE SOUTH 08°24'09" WEST, 27.07 FEET; THENCE SOUTH 17°53'48" WEST, 23.93 FEET; THENCE SOUTH 13°37'53" EAST, 73.13 FEET; THENCE NORTH 48°08'01" EAST, 35.22 FEET; THENCE NORTH 52°51'36" EAST, 33.05 FEET; THENCE SOUTH 40°11'47" EAST, 47.13 FEET; THENCE SOUTH 11°42'30" EAST, 54.36 FEET; THENCE SOUTH 64°07'42" EAST, 41.72 FEET; THENCE SOUTH 22°14'42" EAST, 37.95 FEET; THENCE SOUTH 06°39'01" WEST, 65.94 FEET; THENCE SOUTH 31°13'54"

WEST, 28.76 FEET; THENCE SOUTH 06°47'56" EAST, 2.43 FEET; THENCE SOUTH 37°29'44" EAST, 170.64 FEET; THENCE NORTH 71°32'01" EAST, 46.75 FEET; THENCE NORTH 86°36'12" EAST, 9.14 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 806.86 FEET, AN ARC DISTANCE OF 107.64 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 75°40'08" EAST, 107.56 FEET; THENCE NORTH 29°55'40" EAST, 35.11 FEET; THENCE NORTH 64°44'02" EAST, 56.09 FEET; THENCE NORTH 01°59'41" EAST, 37.40 FEET; THENCE NORTH 71°15'15" EAST, 79.62 FEET; THENCE NORTH 35°24'15" EAST, 58.02 FEET; THENCE NORTH 04°51'45" EAST, 12.74 FEET; THENCE SOUTH 74°01'24" EAST, 48.75 FEET; THENCE SOUTH 48°21'07" EAST, 54.87 FEET; THENCE SOUTH 40°42'40" EAST, 59.63 FEET; THENCE SOUTH 35°18'14" EAST, 85.45 FEET; THENCE SOUTH 24°07'43" EAST, 67.15 FEET; THENCE SOUTH 23°49'17" EAST, 117.40 FEET; THENCE SOUTH 17°15'18" EAST, 95.07 FEET; THENCE SOUTH 47°46'07" WEST, 10.86 FEET; THENCE SOUTH 43°12'21" WEST, 207.41 FEET; THENCE SOUTH 65°48'17" WEST, 44.65 FEET; THENCE NORTH 69°39'29" WEST, 54.11 FEET; THENCE NORTH 61°24'33" WEST, 56.27 FEET; THENCE NORTH 17°08'28" WEST, 35.88 FEET; THENCE NORTH 05°27'16" WEST, 46.80 FEET; THENCE NORTH 45°08'58" WEST, 83.91 FEET; THENCE NORTH 25°22'45" WEST, 7.36 FEET; THENCE SOUTH 88°52'03" WEST, 74.47 FEET; THENCE SOUTH 75°48'02" WEST, 25.90 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 120.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 67°41'17" WEST, 120.03 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 59°03'33" WEST, 24.84 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 170.00 FEET, AN ARC DISTANCE OF 57.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68°45'26" WEST, 57.27 FEET; THENCE SOUTH 56°44'49" WEST, 36.54 FEET; THENCE SOUTH 60°31'37" WEST, 46.87 FEET; THENCE SOUTH 08°53'02" EAST, 27.15 FEET; THENCE SOUTH 28°42'54" WEST, 30.51 FEET; THENCE SOUTH 16°31'14" WEST, 3.86 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 26.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 12°24'52" EAST, 26.46 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 70.00 FEET, AN ARC DISTANCE OF 77.67 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 21°47'41" EAST, 73.75 FEET; THENCE SOUTH 74°52'04" EAST, 140.44 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 160.61 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 33°54'45" WEST, 110.63 FEET; THENCE SOUTH 17°07'42" WEST, 21.59 FEET; THENCE SOUTH 40°55'53" WEST, 50.29 FEET; THENCE SOUTH 51°40'54" WEST, 62.19

FEET; THENCE SOUTH 63°20'15" WEST, 172.29 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 960.00 FEET, AN ARC DISTANCE OF 63.29 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40°31'48" EAST, 63.27 FEET; THENCE NORTH 76°57'21" EAST, 136.89 FEET; THENCE NORTH 76°51'41" EAST, 58.68 FEET; THENCE NORTH 78°19'50" EAST, 58.84 FEET; THENCE NORTH 71°27'23" EAST, 51.68 FEET; THENCE NORTH 66°51'41" EAST, 44.64 FEET; THENCE NORTH 27°56'26" EAST, 49.37 FEET; THENCE NORTH 81°25'57" EAST, 66.37 FEET; THENCE NORTH 06°30'33" WEST, 66.05 FEET; THENCE NORTH 68°29'54" EAST, 58.92 FEET; THENCE NORTH 57°51'05" EAST, 45.34 FEET; THENCE NORTH 69°57'10" EAST, 55.57 FEET; THENCE NORTH 83°23'43" EAST, 39.63 FEET; THENCE NORTH 82°03'46" EAST, 45.84 FEET; THENCE NORTH 51°48'48" EAST, 43.60 FEET; THENCE NORTH 52°24'59" EAST, 38.93 FEET; THENCE SOUTH 79°19'33" EAST, 54.05 FEET; THENCE SOUTH 53°44'48" EAST, 67.69 FEET; THENCE SOUTH 65°55'06" EAST, 42.26 FEET; THENCE SOUTH 87°24'52" EAST, 26.16 FEET; THENCE SOUTH 02°53'09" EAST, 98.98 FEET; THENCE NORTH 73°36'17" WEST, 20.75 FEET; THENCE SOUTH 30°31'00" WEST, 44.14 FEET; THENCE SOUTH 26°32'20" WEST, 29.45 FEET; THENCE SOUTH 57°34'01" WEST, 31.16 FEET; THENCE SOUTH 00°45'11" EAST, 52.04 FEET; THENCE SOUTH 60°03'02" WEST, 48.22 FEET; THENCE SOUTH 11°17'31" EAST, 70.24 FEET; THENCE SOUTH 54°18'57" EAST, 56.72 FEET; THENCE SOUTH 50°09'01" EAST, 64.31 FEET; THENCE NORTH 69°32'40" EAST, 35.68 FEET; THENCE SOUTH 24°45'43" EAST, 53.13 FEET; THENCE SOUTH 10°27'32" EAST, 74.24 FEET; THENCE SOUTH 29°56'24" EAST, 40.92 FEET; THENCE SOUTH 10°26'11" EAST, 50.04 FEET; THENCE SOUTH 48°22'26" EAST, 43.04 FEET; THENCE SOUTH 05°19'08" EAST, 67.29 FEET; THENCE SOUTH 13°26'08" EAST, 49.35 FEET; THENCE SOUTH 22°45'33" WEST, 33.22 FEET; THENCE SOUTH 24°27'50" EAST, 43.07 FEET; THENCE SOUTH 33°44'59" EAST, 59.88 FEET; THENCE SOUTH 49°32'33" EAST, 36.15 FEET; THENCE SOUTH 67°43'49" EAST, 51.08 FEET; THENCE SOUTH 49°09'12" EAST, 45.12 FEET; THENCE SOUTH 25°57'29" EAST, 59.02 FEET; THENCE SOUTH 06°35'09" EAST, 43.97 FEET; THENCE SOUTH 09°34'40" EAST, 46.83 FEET; THENCE NORTH 87°44'43" EAST, 35.69 FEET; THENCE NORTH 89°20'33" EAST, 21.26 FEET; THENCE SOUTH 49°04'17" EAST, 41.76 FEET; THENCE SOUTH 28°27'02" EAST, 17.40 FEET; THENCE SOUTH 33°33'52" EAST, 93.18 FEET; THENCE NORTH 81°31'24" EAST, 16.34 FEET; THENCE SOUTH 23°36'14" EAST, 54.52 FEET; THENCE SOUTH 29°56'05" EAST, 42.65 FEET; THENCE SOUTH 36°45'21" EAST, 50.78 FEET; THENCE SOUTH 20°47'05" WEST, 58.23 FEET; THENCE SOUTH 24°58'38" WEST, 14.61 FEET; THENCE SOUTH 11°15'02" EAST, 12.11 FEET; THENCE SOUTH 19°31'28" EAST, 9.67 FEET; THENCE SOUTH 01°14'12" EAST, 31.56 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 475.00 FEET, AN ARC DISTANCE OF 6.37 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17°31'45" EAST, 6.37 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 158.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 07°15'15" WEST, 157.48 FEET; THENCE SOUTH 77°40'19"

EAST, A DISTANCE OF 14.85 FEET; THENCE SOUTH 84°45'02" EAST, 30.93 FEET; THENCE SOUTH 64°41'13" WEST, 52.01 FEET; THENCE SOUTH 56°16'14" WEST, 21.03 FEET; THENCE SOUTH 05°15'14" EAST, 15.23 FEET; THENCE SOUTH 89°43'10" EAST, 52.46 FEET; THENCE SOUTH 19°30'30" WEST, 30.12 FEET; THENCE NORTH 76°27'59" WEST, 31.29 FEET; THENCE SOUTH 10°53'25" WEST, 23.70 FEET; THENCE SOUTH 52°27'54" EAST, 28.06 FEET; THENCE SOUTH 32°16'22" WEST, 19.94 FEET; THENCE SOUTH 53°29'47" WEST, 34.14 FEET; THENCE SOUTH 20°42'26" EAST, 34.50 FEET; THENCE SOUTH 10°10'48" WEST, 34.63 FEET; THENCE SOUTH 49°25'22" WEST, 38.10 FEET; THENCE SOUTH 04°57'03" WEST, 39.11 FEET; THENCE SOUTH 32°39'26" EAST, 36.49 FEET; THENCE SOUTH 37°52'15" EAST, 34.64 FEET; THENCE SOUTH 61°52'38" EAST, 37.74 FEET; THENCE SOUTH 45°36'38" EAST, 29.06 FEET; THENCE NORTH 85°37'57" EAST, 28.98 FEET; THENCE NORTH 06°18'04" EAST, 55.55 FEET; THENCE NORTH 20°11'28" EAST, 37.28 FEET; THENCE NORTH 70°53'33" EAST, 37.53 FEET; THENCE NORTH 06°48'47" WEST, 26.52 FEET; THENCE NORTH 42°37'10" EAST, 29.76 FEET; THENCE NORTH 11°51'48" EAST, 38.53 FEET; THENCE NORTH 88°22'09" WEST, 12.75 FEET; THENCE NORTH 41°00'18" WEST, 23.28 FEET; THENCE NORTH 11°53'28" EAST, 19.33 FEET; THENCE NORTH 24°35'31" EAST, 38.16 FEET; THENCE NORTH 69°06'59" EAST, 21.86 FEET; THENCE NORTH 84°44'40" EAST, 17.58 FEET; THENCE SOUTH 28°09'08" EAST, 15.81 FEET; THENCE SOUTH 24°35'48" EAST, 16.96 FEET; THENCE SOUTH 13°48'09" WEST, 22.95 FEET; THENCE SOUTH 64°51'27" EAST, 10.59 FEET; THENCE SOUTH 36°19'11" EAST, 35.53 FEET; THENCE SOUTH 69°40'13" EAST, 50.93 FEET; THENCE SOUTH 41°02'06" EAST, 26.63 FEET; THENCE SOUTH 11°29'34" WEST, 26.79 FEET; THENCE SOUTH 20°42'14" EAST, 23.60 FEET; THENCE SOUTH 00°17'54" EAST, 66.25 FEET; THENCE SOUTH 67°26'48" EAST, 34.05 FEET; THENCE NORTH 87°06'57" EAST, 42.57 FEET; THENCE SOUTH 76°33'44" EAST, 35.65 FEET; THENCE SOUTH 49°57'20" WEST, 31.72 FEET; THENCE SOUTH 71°32'16" WEST, 22.56 FEET; THENCE SOUTH 72°21'06" EAST, 42.38 FEET; THENCE SOUTH 47°04'15" WEST, 42.31 FEET; THENCE NORTH 86°34'37" EAST, 41.52 FEET; THENCE SOUTH 11°07'21" WEST, 57.83 FEET; THENCE SOUTH 07°44'23" EAST, 36.71 FEET; THENCE SOUTH 29°35'10" EAST, 35.92 FEET; THENCE SOUTH 30°48'45" EAST, 50.65 FEET; THENCE SOUTH 49°28'03" WEST, 41.58 FEET; THENCE SOUTH 22°18'42" WEST, 32.27 FEET; THENCE SOUTH 04°56'41" WEST, 67.60 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 445.40 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°10'04" EAST, 112.63 FEET; THENCE SOUTH 79°36'50" WEST, 106.03 FEET; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 305.00 FEET, AN ARC DISTANCE OF 123.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05°53'04" WEST, 122.33 FEET; THENCE SOUTH 17°27'11" WEST, 53.52 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 75.00 FEET, AN ARC DISTANCE OF 37.28 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 11°08'29" EAST, 36.89 FEET; THENCE SOUTH 67°25'53" EAST, 101.83 FEET; THENCE NORTH 36°16'04" EAST, 20.97 FEET; THENCE NORTH 61°15'31" EAST, 41.05 FEET;

THENCE SOUTH 12°57'08" EAST, 65.98 FEET; THENCE SOUTH 26°29'28" EAST, 41.56 FEET; THENCE NORTH 83°53'03" EAST, 40.19 FEET; THENCE SOUTH 25°23'04" EAST, 54.98 FEET; THENCE SOUTH 20°38'22" EAST, 38.32 FEET; THENCE SOUTH 61°06'35" WEST, 62.66 FEET; THENCE SOUTH 03°59'44" EAST, 40.29 FEET; THENCE SOUTH 20°14'44" EAST, 31.75 FEET; THENCE SOUTH 05°34'03" EAST, 61.29 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 61.57 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 54°57'19" EAST, 61.53 FEET; THENCE NORTH 07°48'58" EAST, 35.47 FEET; THENCE NORTH 25°58'58" EAST, 40.08 FEET; THENCE NORTH 89°19'13" EAST, 40.04 FEET; THENCE SOUTH 54°41'11" EAST, 38.60 FEET; THENCE SOUTH 36°21'56" WEST, 35.41 FEET; THENCE SOUTH 43°28'36" WEST, 33.38 FEET; THENCE SOUTH 29°54'01" EAST, 28.07 FEET; THENCE SOUTH 67°28'55" EAST, 31.23 FEET; THENCE SOUTH 45°03'01" EAST, 40.33 FEET; THENCE SOUTH 36°11'15" EAST, 35.31 FEET; THENCE SOUTH 02°08'30" EAST, 28.23 FEET; THENCE SOUTH 12°45'44" EAST, 38.25 FEET; THENCE SOUTH 11°58'58" WEST, 25.56 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 125.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17°30'41" EAST, 124.99 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 564.99 FEET, AN ARC DISTANCE OF 276.71 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 00°40'34" EAST, 273.95 FEET; THENCE NORTH 77°44'23" EAST, 0.34 FEET; THENCE NORTH 47°02'49" EAST, 36.37 FEET; THENCE SOUTH 00°59'40" WEST, 69.65 FEET; THENCE SOUTH 28°39'14" EAST, 34.45 FEET; THENCE SOUTH 14°44'32" WEST, 36.12 FEET; THENCE SOUTH 37°11'54" WEST, 47.10 FEET; THENCE SOUTH 67°15'50" WEST, 26.93 FEET; THENCE SOUTH 29°01'20" EAST, 17.37 FEET; THENCE SOUTH 05°35'19" EAST, 21.21 FEET; THENCE SOUTH 62°02'04" WEST, 23.09 FEET; THENCE SOUTH 07°36'00" WEST, 36.67 FEET; THENCE NORTH 83°32'41" WEST, 19.91 FEET; THENCE SOUTH 04°14'18" WEST, 3.64 FEET; THENCE SOUTH 05°41'22" WEST, 16.16 FEET; THENCE SOUTH 05°41'22" WEST, 25.59 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 60.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05°01'02" EAST, 60.27 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 67.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°19'36" WEST, 66.88 FEET; THENCE SOUTH 07°18'17" EAST, 80.05 FEET; THENCE SOUTH 36°32'57" EAST, 35.96 FEET; THENCE SOUTH 27°57'47" EAST, 54.21 FEET; THENCE SOUTH 00°28'35" EAST, 35.25 FEET; THENCE SOUTH 24°38'24" EAST, 9.12 FEET; THENCE NORTH 15°10'31" EAST, 40.00 FEET; THENCE SOUTH 35°01'37" EAST, 23.64 FEET; THENCE SOUTH 60°33'08" EAST, 26.17 FEET; THENCE SOUTH 54°34'42" EAST, 30.40 FEET; THENCE SOUTH 26°40'07" EAST, 23.26

FEET; THENCE SOUTH 12°28'36" EAST, 40.89 FEET; THENCE SOUTH 77°02'31" WEST, 25.24 FEET; THENCE SOUTH 00°37'16" WEST, 50.15 FEET; THENCE NORTH 86°13'32" EAST, 275.60 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 760.00 FEET, AN ARC DISTANCE OF 1205.08 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40°48'02" EAST, 1082.75 FEET; THENCE SOUTH 20°49'10" EAST, 0.64 FEET; THENCE SOUTH 10°37'38" EAST, 81.25 FEET; THENCE NORTH 80°41'13" EAST, 25.05 FEET; THENCE SOUTH 01°38'20" WEST, 16.08 FEET; THENCE SOUTH 47°41'17" WEST, 25.53 FEET; THENCE SOUTH 09°58'59" EAST, 19.79 FEET; THENCE SOUTH 04°40'16" WEST, A DISTANCE OF 47.25 FEET; THENCE SOUTH 08°51'58" EAST, 58.43 FEET; THENCE SOUTH 71°09'16" EAST, 29.21 FEET; THENCE SOUTH 05°53'40" EAST, 16.96 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 840.00 FEET, AN ARC DISTANCE OF 1063.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 49°57'54" WEST, 993.65 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 86°13'32" WEST, A DISTANCE OF 866.22 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 113.54 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68°09'16" WEST, 111.67 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 50°05'00" WEST, 11.55 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 55.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 23°35'56" WEST, 53.51 FEET, TO A POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 220.00 FEET, AN ARC DISTANCE OF 128.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 19°35'15" EAST, 126.45 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 36°17'22" EAST, 4.50 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 114.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26°22'14" EAST, 113.69 FEET; THENCE SOUTH 77°00'43" EAST, 48.54 FEET; THENCE NORTH 63°13'47" EAST, 42.76 FEET; THENCE SOUTH 27°26'46" WEST, 48.48 FEET; THENCE SOUTH 51°04'54" EAST, 23.47 FEET; THENCE SOUTH 87°26'01" EAST, 27.83 FEET; THENCE SOUTH 14°39'04" EAST, 66.22 FEET; THENCE SOUTH 31°00'19" WEST, 48.72 FEET; THENCE SOUTH 26°46'01" WEST, 49.21 FEET; THENCE SOUTH 42°24'41" WEST, 40.81 FEET; THENCE SOUTH 26°27'22" WEST, 49.11 FEET; THENCE SOUTH 14°29'49" WEST, 56.87 FEET; THENCE SOUTH 03°39'39" WEST, 61.10 FEET; THENCE SOUTH 11°49'22" EAST, 42.39 FEET; THENCE SOUTH

42°27'43" EAST, 42.11 FEET; THENCE SOUTH 39°01'45" EAST, 51.67 FEET; THENCE SOUTH 43°23'29" EAST, 48.46 FEET; THENCE NORTH 41°50'00" EAST, 42.70 FEET; THENCE NORTH 37°26'22" EAST, 21.99 FEET; THENCE NORTH 11°59'39" EAST, 66.68 FEET; THENCE NORTH 37°25'24" EAST, 41.60 FEET; THENCE NORTH 39°35'49" EAST, 28.68 FEET; THENCE NORTH 46°37'19" EAST, 39.60 FEET; THENCE NORTH 52°44'51" EAST, 46.02 FEET; THENCE NORTH 61°13'29" EAST, 41.90 FEET; THENCE NORTH 58°57'26" EAST, 27.20 FEET; THENCE SOUTH 44°01'45" EAST, 39.52 FEET; THENCE SOUTH 43°21'12" EAST, 46.75 FEET; THENCE SOUTH 46°48'40" WEST, 40.80 FEET; THENCE SOUTH 49°18'27" WEST, 27.02 FEET; THENCE SOUTH 30°19'55" WEST, 18.99 FEET; THENCE SOUTH 26°35'05" EAST, 27.53 FEET; THENCE SOUTH 37°07'07" EAST, 42.42 FEET; THENCE NORTH 35°54'44" EAST, 36.95 FEET; THENCE NORTH 23°17'56" EAST, 115.28 FEET; THENCE NORTH 52°27'38" EAST, 36.53 FEET; THENCE NORTH 56°30'30" EAST, 36.18 FEET; THENCE NORTH 74°43'41" EAST, 22.59 FEET; THENCE NORTH 18°38'15" EAST, 23.89 FEET; THENCE NORTH 84°34'20" EAST, 53.30 FEET; THENCE SOUTH 84°45'12" EAST, 66.80 FEET; THENCE NORTH 59°49'20" EAST, 49.01 FEET; THENCE NORTH 18°21'03" EAST, 43.50 FEET; THENCE SOUTH 82°20'55" EAST, 33.24 FEET; THENCE SOUTH 74°04'30" EAST, 23.49 FEET; THENCE SOUTH 77°54'51" EAST, 18.57 FEET; THENCE SOUTH 67°08'37" EAST, 45.87 FEET; THENCE NORTH 78°33'37" EAST, 46.05 FEET; THENCE SOUTH 46°17'36" EAST, 23.62 FEET; THENCE SOUTH 80°51'10" EAST, 54.81 FEET; THENCE NORTH 82°38'49" EAST, 32.80 FEET; THENCE NORTH 76°17'27" EAST, 66.39 FEET; THENCE NORTH 76°12'22" EAST, 40.77 FEET; THENCE NORTH 55°49'21" EAST, 9.95 FEET; THENCE SOUTH 03°50'38" EAST, 50.72 FEET; THENCE SOUTH 50°52'04" EAST, 50.43 FEET; THENCE SOUTH 61°07'39" EAST, 57.27 FEET; THENCE SOUTH 59°05'59" EAST, 26.27 FEET; THENCE SOUTH 00°03'49" WEST, 79.34 FEET; THENCE SOUTH 17°58'24" WEST, 80.64 FEET; THENCE SOUTH 04°00'26" WEST, 35.92 FEET; THENCE SOUTH 26°10'12" WEST, 43.91 FEET; THENCE SOUTH 06°34'07" EAST, 41.45 FEET; THENCE SOUTH 14°07'56" EAST, 51.09 FEET; THENCE SOUTH 20°40'32" WEST, 64.64 FEET; THENCE SOUTH 32°13'59" WEST, 65.05 FEET; THENCE SOUTH 72°31'50" WEST, 37.56 FEET; THENCE SOUTH 34°12'14" WEST, 61.66 FEET; THENCE SOUTH 06°46'02" WEST, 27.55 FEET; THENCE SOUTH 00°55'28" EAST, 46.30 FEET; THENCE SOUTH 23°09'30" WEST, 72.24 FEET; THENCE SOUTH 60°34'26" WEST, 22.98 FEET; THENCE SOUTH 25°57'51" WEST, 11.23 FEET; THENCE SOUTH 08°09'11" EAST, 219.83 FEET; THENCE SOUTH 60°34'17" EAST, 31.17 FEET; THENCE SOUTH 08°20'43" EAST, 75.31 FEET; THENCE SOUTH 75°51'12" EAST, 44.38 FEET; THENCE SOUTH 45°43'51" EAST, 54.05 FEET; THENCE SOUTH 27°36'22" EAST, 41.25 FEET; THENCE SOUTH 43°10'33" EAST, 60.78 FEET; THENCE SOUTH 65°23'27" EAST, 50.65 FEET; THENCE SOUTH 11°50'27" EAST, 27.17 FEET; THENCE SOUTH 06°41'13" EAST, 35.08 FEET; THENCE SOUTH 12°47'51" EAST, 71.60 FEET; THENCE SOUTH 17°54'50" EAST, 67.51 FEET; THENCE SOUTH 22°18'06" WEST, 68.81 FEET; THENCE SOUTH 28°39'03" EAST, 76.31 FEET; THENCE SOUTH 16°55'01" WEST, 34.24 FEET; THENCE SOUTH 13°28'22" WEST, 63.36 FEET; THENCE SOUTH 45°56'33" WEST, 4.50 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 138.85 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26°35'39" WEST, 135.43 FEET; THENCE SOUTH 59°16'28" WEST, 52.62 FEET; THENCE

SOUTH 30°06'44" WEST, 36.23 FEET; THENCE SOUTH 15°25'27" EAST, 24.09 FEET; THENCE NORTH 62°34'36" EAST, 44.15 FEET; THENCE SOUTH 09°39'08" WEST, 102.45 FEET; THENCE SOUTH 85°08'49" WEST, 72.38 FEET; THENCE SOUTH 86°28'25" WEST, 32.21 FEET; THENCE NORTH 39°57'04" WEST, 36.81 FEET; THENCE NORTH 65°49'22" WEST, 46.16 FEET; THENCE NORTH 85°45'29" WEST, 30.78 FEET; THENCE NORTH 78°15'26" WEST, 51.39 FEET; THENCE NORTH 26°11'55" WEST, 48.74 FEET; THENCE NORTH 51°41'11" EAST, 53.24 FEET; THENCE NORTH 35°41'31" EAST, 44.07 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.98 FEET, AN ARC DISTANCE OF 28.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43°02'48" WEST, 28.96 FEET; THENCE NORTH 36°54'40" WEST, 9.56 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.55 FEET, AN ARC DISTANCE OF 56.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 26°24'03" WEST, 56.25 FEET; THENCE NORTH 78°37'02" WEST, 45.77 FEET; THENCE SOUTH 78°18'44" WEST, 78.11 FEET; THENCE NORTH 61°44'12" WEST, 19.59 FEET; THENCE SOUTH 07°14'11" WEST, 43.55 FEET; THENCE SOUTH 69°58'22" WEST, 38.43 FEET; THENCE NORTH 84°56'42" WEST, 73.71 FEET; THENCE NORTH 42°01'43" WEST, 35.93 FEET; THENCE SOUTH 69°12'37" WEST, 51.81 FEET; THENCE SOUTH 67°47'53" WEST, 32.75 FEET; THENCE SOUTH 48°10'50" WEST, 47.87 FEET; THENCE SOUTH 44°01'00" WEST, 71.32 FEET; THENCE SOUTH 41°20'59" WEST, 31.92 FEET; THENCE SOUTH 46°52'49" WEST, 50.82 FEET; THENCE SOUTH 59°51'34" WEST, 25.75 FEET; THENCE SOUTH 49°16'54" WEST, 48.49 FEET; THENCE SOUTH 55°57'02" WEST, 65.07 FEET; THENCE SOUTH 16°43'14" WEST, 44.03 FEET; THENCE SOUTH 05°35'57" WEST, 55.46 FEET; THENCE SOUTH 38°44'35" WEST, 59.93 FEET; THENCE SOUTH 27°19'06" WEST, 51.05 FEET; THENCE SOUTH 27°28'46" WEST, 42.53 FEET TO THE SOUTHERLY LINE OF SECTION 14; THENCE NORTH 89°33'57" EAST ALONG THE SOUTHERLY LINE OF SECTION 14, 1130.22 FEET; THENCE NORTH 38°52'20" EAST, 63.31 FEET; THENCE NORTH 44°49'01" EAST, 29.23 FEET; THENCE NORTH 72°40'16" EAST, 67.27 FEET; THENCE NORTH 31°52'40" EAST, 60.76 FEET; THENCE NORTH 47°23'05" EAST, 45.47 FEET; THENCE NORTH 27°58'36" EAST, 45.91 FEET; THENCE NORTH 16°34'20" EAST, 43.08 FEET; THENCE NORTH 24°57'47" WEST, 24.92 FEET; THENCE NORTH 11°25'25" WEST, 30.73 FEET; THENCE NORTH 58°01'14" WEST, 57.11 FEET; THENCE NORTH 20°48'00" WEST, 31.83 FEET; THENCE NORTH 25°19'19" WEST, 17.52 FEET; THENCE NORTH 27°28'18" EAST, 43.75 FEET; THENCE NORTH 29°38'24" EAST, 32.08 FEET; THENCE NORTH 38°42'20" EAST, 55.49 FEET; THENCE NORTH 29°30'32" EAST, 50.21 FEET; THENCE NORTH 31°17'19" EAST, 51.79 FEET; THENCE NORTH 16°13'46" EAST, 73.70 FEET; THENCE NORTH 36°14'59" EAST, 60.35 FEET; THENCE NORTH 10°42'59" WEST, 46.27 FEET; THENCE NORTH 24°30'16" EAST, 51.08 FEET; THENCE NORTH 31°31'17" EAST, 52.49 FEET; THENCE NORTH 24°27'12" EAST, 57.13 FEET; THENCE NORTH 09°17'16" EAST, 43.91 FEET; THENCE NORTH 35°50'56" EAST, 65.53 FEET; THENCE NORTH 37°49'46" EAST, 56.93 FEET; THENCE NORTH 35°51'39" EAST, 65.21 FEET; THENCE NORTH 25°25'00" EAST, 67.87 FEET; THENCE NORTH 20°43'13" EAST, 56.18 FEET; THENCE NORTH 20°57'34" EAST, 43.73 FEET; THENCE NORTH 18°56'29" EAST, 84.00 FEET; THENCE

NORTH 04°21'18" EAST, 56.75 FEET; THENCE NORTH 00°50'31" EAST, 55.67 FEET; THENCE NORTH 10°18'42" WEST, 96.88 FEET; THENCE NORTH 32°02'28" WEST, 44.24 FEET; THENCE NORTH 16°26'19" WEST, 52.99 FEET; THENCE NORTH 81°56'46" WEST, 28.51 FEET; THENCE SOUTH 47°17'31" WEST, 18.92 FEET; THENCE NORTH 19°27'13" WEST, 65.20 FEET; THENCE NORTH 06°16'44" WEST, 65.64 FEET; THENCE NORTH 16°19'52" EAST, 41.76 FEET; THENCE NORTH 13°34'44" EAST, 67.74 FEET; THENCE NORTH 73°59'20" EAST, 42.49 FEET; THENCE NORTH 71°20'10" EAST, 24.86 FEET; THENCE NORTH 11°39'48" EAST, 38.46 FEET; THENCE NORTH 27°08'14" EAST, 29.69 FEET; THENCE NORTH 59°10'02" EAST, 66.97 FEET; THENCE NORTH 42°10'40" EAST, 37.90 FEET; THENCE NORTH 25°49'19" EAST, 63.54 FEET; THENCE NORTH 54°00'30" EAST, 76.36 FEET; THENCE NORTH 54°28'53" EAST, 58.75 FEET; THENCE NORTH 58°54'45" EAST, 63.95 FEET; THENCE NORTH 67°08'02" EAST, 61.51 FEET; THENCE NORTH 63°47'19" EAST, 47.37 FEET; THENCE NORTH 16°05'47" WEST, 52.45 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 360.00 FEET AN ARC DISTANCE OF 86.11 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°14'37" WEST, 85.91 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 140.00 FEET AN ARC DISTANCE OF 24.52 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 07°24'34" WEST, 24.49 FEET; THENCE SOUTH 84°45'13" EAST, 123.11 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 253.51 FEET AN ARC DISTANCE OF 65.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 08°30'37" EAST, 65.27 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 5219.76 FEET AN ARC DISTANCE OF 54.79 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 16°12'27" EAST, 54.79 FEET; THENCE SOUTH 15°25'27" EAST, 9.06 FEET; THENCE SOUTH 16°05'47" EAST, 11.06 FEET; THENCE NORTH 79°00'30" EAST, 9.82 FEET; THENCE NORTH 22°05'15" EAST, 4.95 FEET; THENCE NORTH 38°33'48" EAST, 22.76 FEET; THENCE SOUTH 69°14'40" EAST, 41.30 FEET; THENCE NORTH 36°54'33" EAST, 32.11 FEET; THENCE NORTH 36°54'33" EAST, 10.08 FEET; THENCE SOUTH 74°16'50" EAST, 63.77 FEET; THENCE NORTH 63°07'36" EAST, 39.30 FEET; THENCE SOUTH 85°46'42" EAST, 70.32 FEET; THENCE NORTH 88°29'35" EAST, 59.24 FEET; THENCE SOUTH 73°10'56" EAST, 38.89 FEET; THENCE SOUTH 51°37'55" EAST, 42.97 FEET; THENCE SOUTH 49°09'17" EAST, 42.27 FEET; THENCE SOUTH 55°48'05" EAST, 37.32 FEET; THENCE SOUTH 48°21'48" EAST, 53.12 FEET; THENCE SOUTH 30°59'06" EAST, 14.17 FEET; THENCE SOUTH 30°59'06" EAST, 33.48 FEET; THENCE SOUTH 42°11'29" EAST, 55.26 FEET; THENCE SOUTH 38°14'08" EAST, 45.52 FEET; THENCE SOUTH 61°55'29" EAST, 45.96 FEET; THENCE SOUTH 61°55'29" EAST, 6.34 FEET; THENCE SOUTH 81°37'54" EAST, 45.38 FEET; THENCE SOUTH 14°57'13" EAST, 45.09 FEET; THENCE SOUTH 61°46'14" EAST, 51.00 FEET; THENCE SOUTH 80°16'21" EAST, 67.20 FEET; THENCE SOUTH

03°38'29" WEST, 40.24 FEET; THENCE SOUTH 69°18'10" EAST, 30.62 FEET; THENCE SOUTH 53°03'52" EAST, 79.78 FEET; THENCE SOUTH 81°23'48" EAST, 34.53 FEET; THENCE SOUTH 84°33'05" EAST, 37.16 FEET; THENCE SOUTH 66°22'32" EAST, 55.47 FEET; THENCE SOUTH 41°22'04" EAST, 42.68 FEET; THENCE SOUTH 45°03'34" EAST, 51.19 FEET; THENCE SOUTH 66°17'21" EAST, 40.33 FEET; THENCE SOUTH 82°51'42" EAST, 34.58 FEET; THENCE SOUTH 72°23'02" EAST, 54.68 FEET; THENCE SOUTH 69°02'07" EAST, 49.58 FEET; THENCE SOUTH 38°09'54" EAST, 61.47 FEET; THENCE SOUTH 72°46'04" EAST, 63.33 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 163.71 FEET, AN ARC DISTANCE OF 60.96 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43°27'26" EAST, 60.61 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET AN ARC DISTANCE OF 141.89 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°33'18" EAST, 138.25 FEET; THENCE NORTH 42°33'03" WEST, 14.67 FEET; THENCE NORTH 53°34'16" WEST, 69.31 FEET; THENCE NORTH 01°52'18" WEST, 26.55 FEET; THENCE NORTH 65°07'30" EAST, 21.80 FEET; THENCE NORTH 32°22'06" EAST, 24.94 FEET; THENCE SOUTH 82°26'27" EAST, 41.28 FEET; THENCE NORTH 87°39'31" EAST, 41.61 FEET; THENCE SOUTH 65°25'23" EAST, 36.82 FEET; THENCE NORTH 65°34'44" EAST, 43.74 FEET; THENCE NORTH 52°32'47" EAST, 54.74 FEET; THENCE NORTH 00°14'56" WEST, 64.46 FEET; THENCE NORTH 72°30'27" EAST, 26.69 FEET; THENCE SOUTH 01°33'55" WEST, 72.47 FEET; THENCE SOUTH 36°58'36" EAST, 42.78 FEET; THENCE SOUTH 10°31'06" WEST, 25.58 FEET; THENCE SOUTH 84°31'21" EAST, 1.08 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 205.44 FEET, AN ARC DISTANCE OF 87.04 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 57°59'28" EAST, 86.39 FEET; THENCE SOUTH 73°26'55" EAST, 17.32 FEET; THENCE SOUTH 69°39'18" EAST, 25.34 FEET; THENCE SOUTH 36°22'40" EAST, 30.55 FEET; THENCE NORTH 87°50'30" EAST, 49.25 FEET; THENCE SOUTH 24°42'36" EAST, 50.10 FEET; THENCE SOUTH 17°29'47" EAST, 53.31 FEET; THENCE SOUTH 68°19'24" WEST, 56.50 FEET; THENCE SOUTH 59°58'07" WEST, 42.09 FEET; THENCE SOUTH 45°52'05" WEST, 37.28 FEET; THENCE SOUTH 89°46'12" EAST, 79.52 FEET; THENCE SOUTH 88°52'34" EAST, 39.46 FEET; THENCE SOUTH 15°58'11" EAST, 36.37 FEET; THENCE SOUTH 01°07'14" EAST, 57.89 FEET; THENCE SOUTH 35°50'16" WEST, 41.38 FEET; THENCE NORTH 79°09'49" WEST, 70.98 FEET; THENCE NORTH 65°15'55" WEST, 50.14 FEET; THENCE NORTH 62°13'06" WEST, 28.14 FEET; THENCE NORTH 49°20'15" WEST, 11.87 FEET; THENCE SOUTH 44°56'46" WEST, 3.24 FEET; THENCE SOUTH 23°47'58" WEST, 2.95 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET, AN ARC DISTANCE OF 257.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 39°19'48" WEST, 254.20 FEET; THENCE SOUTH 31°44'46" EAST, 47.17 FEET; THENCE SOUTH 14°26'26" WEST, 63.82 FEET; THENCE SOUTH 16°25'57" EAST, 60.80 FEET; THENCE SOUTH 51°39'28" EAST, 68.50 FEET;

THENCE SOUTH 01°40'05" WEST, 66.54 FEET; THENCE SOUTH 35°46'56" EAST, 22.96 FEET; THENCE SOUTH 37°46'30" WEST, 34.45 FEET; THENCE SOUTH 34°58'54" WEST, 15.38 FEET; THENCE SOUTH 34°45'23" WEST, 9.50 FEET; THENCE SOUTH 57°41'39" EAST, 33.74 FEET; THENCE SOUTH 30°41'54" WEST, 98.98 FEET; THENCE SOUTH 64°13'04" EAST, 18.04 FEET; THENCE SOUTH 66°51'19" EAST, 17.40 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 385.00 FEET, AN ARC DISTANCE OF 105.23 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 75°58'50" EAST, 104.90 FEET; THENCE NORTH 06°14'57" EAST, 110.00 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 275.00 FEET AN ARC DISTANCE OF 275.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 67°29'40" EAST, 263.88 FEET; THENCE NORTH 07°23'47" EAST, 17.48 FEET; THENCE NORTH 39°50'33" EAST, 47.17 FEET; THENCE NORTH 00°48'10" WEST, 14.70 FEET; THENCE NORTH 40°05'10" WEST, 30.64 FEET; THENCE SOUTH 88°56'46" WEST, 27.13 FEET; THENCE NORTH 57°48'27" WEST, 29.57 FEET; THENCE NORTH 17°34'48" EAST, 37.52 FEET; THENCE NORTH 13°52'07" EAST, 55.55 FEET; THENCE NORTH 59°56'06" EAST, 16.61 FEET; THENCE NORTH 01°30'46" EAST, 64.31 FEET; THENCE NORTH 09°22'30" WEST, 96.98 FEET; THENCE NORTH 01°53'34" EAST, 67.76 FEET; THENCE NORTH 08°15'11" WEST, 61.43 FEET; THENCE NORTH 23°45'27" EAST, 31.72 FEET; THENCE NORTH 37°39'48" EAST, 49.28 FEET; THENCE NORTH 14°13'43" WEST, 39.90 FEET; THENCE NORTH 01°12'40" EAST, 31.46 FEET; THENCE NORTH 67°07'05" EAST, 42.81 FEET; THENCE NORTH 00°55'22" WEST, 116.78 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.97 FEET AN ARC DISTANCE OF 308.24 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°12'30" EAST, 271.93 FEET; THENCE NORTH 10°35'09" WEST, 23.41 FEET; THENCE NORTH 37°47'21" WEST, 131.34 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 67.95 FEET AN ARC DISTANCE OF 53.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°22'22" WEST, 51.82 FEET; THENCE NORTH 07°01'36" EAST, 76.85 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 12.01 FEET AN ARC DISTANCE OF 6.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°06'51" WEST, 6.67 FEET; THENCE NORTH 25°15'19" WEST, 49.28 FEET; THENCE NORTH 88°31'52" EAST, 252.15 FEET; THENCE SOUTH 87°42'34" EAST, 125.74 FEET TO THE EASTERLY LINE OF SECTION 14; THENCE NORTH 01°04'11" WEST, ALONG SAID EASTERLY LINE OF SECTION 14, A DISTANCE OF 2817.18 FEET TO THE SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD (A VARIABLE WIDTH RIGHT OF WAY PER F.E.C. RAILWAY CO. RIGHT OF WAY AND TRACK MAP DATED DECEMBER 31, 1927); THENCE NORTH 41°02'31" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA

EAST COAST RAILROAD, 253.73 FEET; THENCE SOUTH 89°28'59" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD, 36.95 FEET; THENCE NORTH 41°00'02" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD, 2283.78 FEET TO THE SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002) AND THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY AND SOUTHWESTERLY, ALONG THE LAST SAID THE SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, RUN THE FOLLOWING FOUR (5) COURSES AND DISTANCES: COURSE NO. 1: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 393.31 FEET, AN ARC DISTANCE OF 394.38 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 82°34'04" WEST, 378.07 FEET, TO A POINT OF TANGENCY; COURSE NO. 2: NORTH 68°42'23" WEST, 1737.76 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 3: NORTHWESTERLY ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1029.93 FEET, AN ARC DISTANCE OF 277.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 60°58'35" WEST, 277.06 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE; COURSE NO. 4 NORTH 53°14'48" WEST, 2487.56 FEET, TO SAID SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT; THENCE NORTHWESTERLY AND SOUTHWESTERLY ALONG LAST SAID LINE, RUN THE FOLLOWING TWO (2) COURSES AND DISTANCES; COURSE NO. 1: NORTH 83°55'11" WEST, 194.61 FEET; COURSE NO. 2: SOUTH 53°55'08" WEST, 250.65 FEET TO THE POINT OF BEGINNING.

CONTAINING 629.01 ACRES, MORE OR LESS.

PARCEL NO. 2

A PORTION OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'51" EAST, ALONG THE SOUTHERLY LINE OF SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHWEST CORNER OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 28 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 89°33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 14, A DISTANCE OF 3689.24 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 89°33'57" EAST, 701.82 FEET; THENCE NORTH 52°31'43" EAST, 16.14 FEET; THENCE NORTH 48°29'24" EAST, 52.45 FEET; THENCE NORTH 07°12'10" EAST, 27.89 FEET; THENCE NORTH 28°43'22" WEST, 30.25 FEET; THENCE NORTH 09°36'38" WEST, 36.42 FEET; THENCE NORTH 04°29'31" EAST, 47.78 FEET; THENCE NORTH 40°49'25" EAST, 39.75 FEET; THENCE NORTH 32°20'46" EAST, 55.71 FEET; THENCE NORTH 09°05'34" EAST, 16.49 FEET; THENCE NORTH 36°55'42" EAST, 30.92 FEET; THENCE NORTH 74°01'00" EAST, 26.05 FEET; THENCE SOUTH 87°01'18"

EAST, 2.27 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 205.00 FEET, AN ARC DISTANCE OF 139.03 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°21'41" EAST, 136.38 FEET; THENCE NORTH 11°44'18" EAST, 53.88 FEET; THENCE NORTH 55°00'43" WEST, 28.88 FEET; THENCE NORTH 75°57'17" WEST, 23.16 FEET; THENCE NORTH 24°01'13" EAST, 50.44 FEET; THENCE NORTH 37°10'28" WEST, 25.85 FEET; THENCE NORTH 15°21'16" WEST, 50.10 FEET; THENCE NORTH 13°49'06" EAST, 59.85 FEET; THENCE NORTH 44°31'38" EAST, 37.37 FEET; THENCE NORTH 21°32'55" WEST, 45.31 FEET; THENCE NORTH 27°15'55" WEST, 26.02 FEET; THENCE SOUTH 83°17'54" WEST, 26.71 FEET; THENCE NORTH 79°55'45" WEST, 47.06 FEET; THENCE NORTH 45°42'49" WEST, 24.58 FEET; THENCE NORTH 17°46'11" EAST, 18.53 FEET; THENCE NORTH 72°13'49" WEST, 1.81 FEET; THENCE NORTH 62°56'00" WEST, 5.04 FEET; THENCE NORTH 62°29'03" WEST, 1.48 FEET; THENCE NORTH 61°29'02" WEST, 13.04 FEET; THENCE NORTH 59°41'40" WEST, 12.92 FEET; THENCE NORTH 58°05'39" WEST, 10.29 FEET; THENCE NORTH 13°39'22" EAST, 2.51 FEET; THENCE SOUTH 65°10'27" WEST, 24.05 FEET; THENCE SOUTH 29°37'13" EAST, 27.39 FEET; THENCE SOUTH 12°18'32" WEST, 29.70 FEET; THENCE NORTH 71°34'43" WEST, 24.03 FEET; THENCE NORTH 00°43'28" EAST, 64.29 FEET; THENCE SOUTH 45°52'16" WEST, 34.23 FEET; THENCE SOUTH 43°13'52" WEST, 50.03 FEET; THENCE SOUTH 66°52'17" WEST, 35.04 FEET; THENCE SOUTH 84°25'24" WEST, 52.28 FEET; THENCE NORTH 69°34'18" WEST, 25.65 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 600.00 FEET AN ARC DISTANCE OF 96.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 02°37'43" EAST, 96.70 FEET; THENCE NORTH 61°20'07" EAST, 20.80 FEET; THENCE SOUTH 20°24'39" EAST, 46.89 FEET; THENCE SOUTH 62°48'20" EAST, 44.79 FEET; THENCE SOUTH 71°16'16" EAST, 36.11 FEET; THENCE SOUTH 53°39'57" EAST, 52.35 FEET; THENCE SOUTH 15°38'11" EAST, 27.11 FEET; THENCE SOUTH 46°09'31" EAST, 18.32 FEET; THENCE SOUTH 04°14'13" EAST, 37.37 FEET; THENCE SOUTH 30°14'14" WEST, 19.95 FEET; THENCE NORTH 46°45'14" WEST, 43.18 FEET; THENCE SOUTH 18°57'47" WEST, 3.54 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 184.42 FEET, AN ARC DISTANCE OF 72.53 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 04°28'19" WEST, 72.06 FEET; THENCE SOUTH 25°34'01" EAST, 9.18 FEET; THENCE SOUTH 81°25'46" EAST, 34.58 FEET; THENCE SOUTH 13°32'35" WEST, 113.26 FEET; THENCE SOUTH 25°16'07" WEST, 43.75 FEET; THENCE NORTH 59°19'06" WEST, 52.27 FEET; THENCE NORTH 68°44'34" WEST, 43.03 FEET; THENCE SOUTH 82°04'22" WEST, 45.28 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 179.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 73°01'54" WEST, 172.14 FEET; THENCE SOUTH 67°45'29" WEST, 52.13 FEET; THENCE NORTH 43°43'04" WEST, 40.32 FEET; THENCE NORTH 47°03'45" WEST, 56.01 FEET; THENCE NORTH 18°14'57" WEST, 24.66 FEET; THENCE NORTH 34°51'24" EAST,

61.26 FEET; THENCE NORTH 06°45'17" WEST, 36.87 FEET; THENCE NORTH 35°53'18" EAST, 43.77 FEET; THENCE NORTH 42°35'02" WEST, 58.19 FEET; THENCE NORTH 49°17'37" EAST, 36.60 FEET; THENCE NORTH 26°39'46" WEST, 48.82 FEET; THENCE NORTH 51°23'03" WEST, 54.62 FEET; THENCE NORTH 10°32'40" EAST, 33.21 FEET; THENCE NORTH 75°20'57" WEST, 68.57 FEET; THENCE NORTH 57°13'43" WEST, 56.54 FEET; THENCE SOUTH 54°38'07" WEST, 47.24 FEET; THENCE SOUTH 28°58'06" WEST, 42.13 FEET; THENCE SOUTH 16°31'41" WEST, 60.26 FEET; THENCE SOUTH 07°46'28" EAST, 64.09 FEET; THENCE SOUTH 04°40'52" EAST, 65.92 FEET; THENCE SOUTH 13°37'25" EAST, 58.32 FEET; THENCE SOUTH 39°56'16" EAST, 41.18 FEET; THENCE SOUTH 24°54'18" WEST, 33.11 FEET; THENCE NORTH 85°19'22" WEST, 46.90 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET AN ARC DISTANCE OF 207.50 FEET, SAID ARC BEING SUBTENDE BY A CHORD BEARING AND DISTANCE OF SOUTH 27°53'04" WEST, 205.88 FEET; THENCE SOUTH 63°05'04" EAST, 39.17 FEET; THENCE SOUTH 03°10'49" EAST, 52.15 FEET; THENCE SOUTH 53°25'01" WEST, 33.32 FEET; THENCE SOUTH 24°10'20" WEST, 41.54 FEET; THENCE SOUTH 19°32'13" EAST, 45.55 FEET; THENCE SOUTH 16°30'55" WEST, 23.00 FEET, TO THE POINT OF BEGINNING.

CONTAINING 9.17 ACRES, MORE OR LESS.

PARCEL NO. 3

A PORTION OF SECTIONS 10, 14, AND 15, ALL LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'51" EAST, ALONG THE SOUTHERLY LINE OF SECTION 15, A DISTANCE OF 5368.24 FEET, TO THE SOUTHEAST CORNER OF SAID SECTION 15; THENCE NORTH 14°59'21" WEST, 272.84 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 314.27 FEET, AN ARC DISTANCE OF 83.09 FEET, SAID ARC BEING SUBTENDE BY A CHORD BEARING AND DISTANCE OF NORTH 40°17'01" WEST, 82.84 FEET, TO THE POINT OF REVERSE CURVATURE OF AN ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 318.58 FEET, AN ARC DISTANCE OF 74.61 FEET, SAID ARC BEING SUBTENDE BY A CHORD BEARING AND DISTANCE OF NORTH 41°08'54" WEST, 74.44 FEET, TO THE POINT OF COMPOUND CURVETURE A CURVE LEADING NORTHERLY; THENCE NORTHERLY, LONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 460.00 FEET, AN ARC DISTANCE OF 771.05 FEET, SAID ARC BEING SUBTENDE BY A CHORD BEARING AND DISTANCE OF NORTH 13°34'50" EAST, 683.90 FEET, TO THE POINT OF TANGENCY OF SAID CURVE ; THENCE NORTH 61°36'00" EAST, 287.18 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING

NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 574.66 FEET, AN ARC DISTANCE OF 498.21 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 36°45'48" EAST, 482.75 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 11°55'36" EAST, 152.87 FEET, TO THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 380.00 FEET, AN ARC DISTANCE OF 231.62 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 17°41'24" WEST, 228.05 FEET THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 00°13'42" WEST, 85.97 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 430.00 FEET, AN ARC DISTANCE OF 113.89 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 07°21'35" EAST, 113.56 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 14°56'51" EAST, 122.62 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 270.00 FEET, AN ARC DISTANCE OF 241.45 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 10°40'16" WEST, 233.48 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 36°17'22" WEST, 4.50 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 280.00 FEET, AN ARC DISTANCE OF 126.39 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 23°21'29" WEST, 125.32 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 107.81 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 27°35'05" WEST, 106.20 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 44°44'34" WEST, 9.27 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 51.35 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 69°15'31" WEST, 49.79 FEET, TO THE POINT TANGENCY OF SAID CURVE; THENCE SOUTH 86°13'32" WEST, 445.52 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 808.55 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 73°27'20" WEST, 791.71 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 109.18 FEET, SAID ARC BEING SUBTENDEDED BY A CHORD BEARING AND DISTANCE OF NORTH 50°23'35" WEST, 109.14 FEET, TO THE POINT OF COMPOUND CURVATURE

OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 654.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 31°12'09" WEST, 645.53 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 25.00 FEET, AN ARC DISTANCE OF 39.34 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 59°50'01" WEST, 35.40 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 75°05'20" WEST, 27.24 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 440.00 FEET, AN ARC DISTANCE OF 269.98 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 13°55'12" EAST, 265.76 FEET TO THE POINT OF TANGENCY OF SAID CURVE ; THENCE SOUTH 31°29'53" EAST, 54.58 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 1194.83 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 51°59'19" WEST, 814.71 FEET; THENCE NORTH 45°27'07" WEST, 233.34 FEET; THENCE NORTH 46°17'58" WEST, 120.80 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1041.74 FEET, AN ARC DISTANCE OF 206.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 61°34'29" WEST, 205.96 FEET; THENCE NORTH 39°19'39" WEST, 329.70 FEET; THENCE SOUTH 83°51'34" WEST, 387.29 FEET; THENCE SOUTH 86°14'23" WEST, 408.03 FEET; THENCE SOUTH 65°37'58" WEST, 188.43 FEET; THENCE SOUTH 49°33'27" WEST, 248.40 FEET; THENCE SOUTH 39°39'14" WEST, 105.76 FEET; THENCE SOUTH 54°43'14" WEST, 78.70 FEET; THENCE SOUTH 62°26'43" WEST, 111.37 FEET; THENCE SOUTH 73°37'25" WEST, 74.92 FEET; THENCE SOUTH 79°47'55" WEST, 56.91 FEET; THENCE SOUTH 67°41'18" WEST, 169.66 FEET; THENCE SOUTH 54°15'34" WEST, 104.21 FEET; THENCE SOUTH 54°03'15" WEST, 196.28 FEET; THENCE SOUTH 66°18'47" WEST, 186.72 FEET; THENCE SOUTH 22°19'09" WEST, 59.84 FEET; THENCE SOUTH 66°22'14" WEST, 12.52 FEET; THENCE SOUTH 73°36'38" WEST, 17.72 FEET; THENCE SOUTH 78°41'24" WEST, 35.69 FEET; THENCE SOUTH 78°21'59" WEST, 34.71 FEET; THENCE NORTH 86°43'04" WEST, 43.30 FEET; THENCE NORTH 74°31'42" WEST, 72.88 FEET; THENCE SOUTH 85°59'22" WEST, 36.43 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 17.00 FEET, AN ARC DISTANCE OF 8.67 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 71°23'02" WEST, 8.57 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 56°46'43" WEST, 171.47 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 48.00 FEET, AN ARC DISTANCE OF 102.30 FEET, SAID CURVE BEING SUBTENDED BY A CHORD

BEARING AND DISTANCE OF NORTH 62°09'52" WEST, 84.01 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 01°06'27" WEST, 322.22 FEET; THENCE NORTH 13°52'52" WEST, 65.90 FEET; THENCE SOUTH 78°58'15" EAST, 22.00 FEET; THENCE NORTH 27°44'20" EAST, 58.44 FEET; THENCE SOUTH 20°23'31" EAST, 20.83 FEET; THENCE NORTH 71°44'41" EAST, 44.14 FEET; THENCE NORTH 01°26'06" EAST, 76.10 FEET; THENCE NORTH 46°58'17" EAST, 19.53 FEET; THENCE SOUTH 85°10'34" EAST, 51.97 FEET; THENCE SOUTH 40°31'09" EAST, 120.38 FEET; THENCE SOUTH 88°12'49" EAST, 41.67 FEET; THENCE NORTH 01°11'31" EAST, 32.93 FEET; THENCE SOUTH 70°21'28" EAST, 67.44 FEET; THENCE NORTH 12°53'57" WEST, 55.53 FEET; THENCE NORTH 42°18'15" WEST, 33.18 FEET; THENCE NORTH 02°46'44" EAST, 46.51 FEET; THENCE NORTH 65°04'58" EAST, 34.17 FEET; THENCE NORTH 40°02'45" WEST, 21.95 FEET; THENCE NORTH 54°11'39" WEST, 56.16 FEET; THENCE NORTH 77°05'52" EAST, 43.82 FEET; THENCE NORTH 68°19'57" EAST, 46.77 FEET; THENCE SOUTH 09°00'32" WEST, 22.92 FEET; THENCE SOUTH 80°02'32" EAST, 30.23 FEET; THENCE NORTH 87°58'05" EAST, 16.39 FEET; THENCE SOUTH 82°05'06" EAST, 77.08 FEET; THENCE NORTH 68°10'32" EAST, 30.53 FEET; THENCE NORTH 03°18'41" WEST, 63.31 FEET; THENCE NORTH 23°17'03" WEST, 12.48 FEET; THENCE NORTH 21°29'26" WEST, 41.76 FEET; THENCE NORTH 08°47'51" EAST, 43.24 FEET; THENCE NORTH 51°29'28" EAST, 55.02 FEET; THENCE SOUTH 19°06'01" EAST, 130.99 FEET; THENCE SOUTH 66°12'14" EAST, 8.36 FEET; THENCE NORTH 48°55'27" EAST, 66.34 FEET; THENCE SOUTH 00°43'09" EAST, 73.18 FEET; THENCE NORTH 71°57'09" EAST, 39.67 FEET; THENCE SOUTH 43°39'28" EAST, 64.51 FEET; THENCE NORTH 61°28'09" EAST, 231.33 FEET; THENCE NORTH 10°37'03" EAST, 19.09 FEET; THENCE NORTH 38°16'52" EAST, 68.58 FEET; THENCE SOUTH 52°38'35" EAST, 44.61 FEET; THENCE NORTH 81°49'12" EAST, 71.82 FEET; THENCE NORTH 30°02'37" EAST, 39.63 FEET; THENCE SOUTH 38°22'28" EAST, 32.31 FEET; THENCE NORTH 62°31'08" EAST, 31.21 FEET; THENCE NORTH 52°46'07" EAST, 37.85 FEET; THENCE NORTH 42°40'47" EAST, 58.44 FEET; THENCE NORTH 31°18'01" EAST, 2.29 FEET; THENCE NORTH 36°52'29" WEST, 13.68 FEET; THENCE NORTH 10°26'01" WEST, 49.40 FEET; THENCE SOUTH 78°37'22" WEST, 36.17 FEET; THENCE NORTH 34°41'19" WEST, 39.20 FEET; THENCE NORTH 56°38'50" EAST, 114.33 FEET; THENCE NORTH 24°33'48" EAST, 23.44 FEET; THENCE NORTH 33°41'01" EAST, 50.78 FEET; THENCE NORTH 89°06'13" EAST, 17.71 FEET; THENCE NORTH 20°38'28" EAST, 54.87 FEET; THENCE SOUTH 48°45'54" EAST, 29.25 FEET; THENCE SOUTH 89°35'17" EAST, 40.20 FEET; THENCE SOUTH 79°26'57" EAST, 38.98 FEET; THENCE SOUTH 65°57'38" EAST, 18.57 FEET; THENCE NORTH 80°19'59" EAST, 24.51 FEET; THENCE NORTH 77°12'08" EAST, 16.18 FEET; THENCE NORTH 43°40'37" EAST, 30.19 FEET; THENCE NORTH 65°26'29" EAST, 79.49 FEET; THENCE NORTH 50°06'33" EAST, 56.74 FEET; THENCE NORTH 76°21'13" EAST, 64.03 FEET; THENCE NORTH 73°13'29" EAST, 40.58 FEET; THENCE NORTH 89°31'59" EAST, 57.04 FEET; THENCE SOUTH 69°06'20" EAST, 23.03 FEET; THENCE NORTH 78°35'24" EAST, 60.35 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 560.00 FEET, AN ARC DISTANCE OF 390.50 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 32°42'03" EAST, 382.64 FEET; THENCE NORTH 52°31'34" EAST, 11.18 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE

NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 190.00 FEET, AN ARC DISTANCE OF 185.01 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 24°37'52" EAST, 177.78 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 03°15'50" WEST, 19.37 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 55.00 FEET, AN ARC DISTANCE OF 100.74 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°05'59" WEST, 87.23 FEET; THENCE SOUTH 71°47'44" WEST, 40.17 FEET; THENCE SOUTH 76°34'46" WEST, 139.62 FEET; THENCE SOUTH 16°15'16" WEST, 34.42 FEET; THENCE SOUTH 20°39'17" EAST, 35.77 FEET; THENCE SOUTH 58°11'32" EAST, 52.50 FEET; THENCE NORTH 88°31'42" WEST, 25.66 FEET; THENCE SOUTH 77°50'21" WEST, 57.93 FEET; THENCE SOUTH 79°06'30" WEST, 38.09 FEET; THENCE SOUTH 55°27'06" WEST, 51.87 FEET; THENCE SOUTH 57°00'00" WEST, 25.49 FEET; THENCE NORTH 50°34'14" WEST, 64.88 FEET; THENCE NORTH 18°35'54" WEST, 31.15 FEET; THENCE NORTH 48°28'12" WEST, 39.64 FEET; THENCE NORTH 77°37'22" WEST, 35.85 FEET; THENCE NORTH 64°58'26" WEST, 24.49 FEET; THENCE SOUTH 59°38'28" WEST, 25.33 FEET; THENCE SOUTH 34°45'41" WEST, 90.42 FEET; THENCE NORTH 30°30'58" WEST, 91.85 FEET; THENCE NORTH 39°37'55" WEST, 63.52 FEET; THENCE NORTH 31°29'44" EAST, 56.36 FEET; THENCE NORTH 89°52'17" WEST, 14.25 FEET; THENCE NORTH 07°24'57" WEST, 100.26 FEET; THENCE NORTH 57°32'02" EAST, 56.24 FEET; THENCE NORTH 27°28'53" WEST, 61.96 FEET; THENCE NORTH 28°56'49" WEST, 34.43 FEET; THENCE NORTH 15°14'26" WEST, 42.08 FEET; THENCE NORTH 20°07'02" WEST, 20.70 FEET; THENCE NORTH 58°36'49" EAST, 68.46 FEET; THENCE NORTH 41°04'16" EAST, 27.35 FEET; THENCE SOUTH 88°23'49" EAST, 27.56 FEET; THENCE NORTH 55°02'43" EAST, 48.78 FEET; THENCE NORTH 29°14'06" EAST, 20.66 FEET; THENCE SOUTH 55°54'06" EAST, 37.52 FEET; THENCE SOUTH 87°16'01" EAST, 46.37 FEET; THENCE SOUTH 64°49'42" EAST, 35.09 FEET; THENCE NORTH 47°09'42" EAST, 18.26 FEET; THENCE SOUTH 73°18'28" EAST, 33.18 FEET; THENCE SOUTH 74°45'39" EAST, 61.27 FEET; THENCE SOUTH 52°02'53" EAST, 32.92 FEET; THENCE SOUTH 32°51'37" EAST, 34.47 FEET; THENCE SOUTH 44°24'47" EAST, 8.66 FEET; THENCE NORTH 74°25'44" EAST, 117.00 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 195.36 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86°34'47" EAST, 193.16 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 63.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 73°38'50" EAST, 63.40 FEET; THENCE NORTH 01°27'21" WEST, 60.75 FEET; THENCE NORTH 75°39'27" EAST, 18.58 FEET; THENCE NORTH 22°56'59" EAST, 54.37 FEET; THENCE NORTH 59°52'48" EAST, 29.24 FEET; THENCE SOUTH 63°48'09" EAST, 42.32 FEET; THENCE SOUTH 40°06'43" EAST, 33.75 FEET; THENCE SOUTH 80°06'21" EAST, 16.55 FEET; THENCE NORTH 42°55'39" EAST, 25.67 FEET; THENCE SOUTH 33°02'54" EAST, 60.16 FEET; THENCE SOUTH 08°27'00" EAST, 35.99 FEET; THENCE SOUTH 04°20'20" WEST, 111.15

FEET; THENCE SOUTH 57°53'04" EAST, 13.66 FEET; THENCE NORTH 58°36'14" EAST, 23.36 FEET; THENCE SOUTH 79°28'56" EAST, 12.17 FEET; THENCE SOUTH 83°05'29" EAST, 74.64 FEET; THENCE SOUTH 57°43'38" WEST, 26.32 FEET; THENCE SOUTH 10°15'06" WEST, 48.83 FEET; THENCE SOUTH 38°24'56" EAST, 31.23 FEET; THENCE SOUTH 39°44'54" EAST, 59.61 FEET; THENCE NORTH 60°50'34" WEST, 51.64 FEET; THENCE NORTH 54°31'49" WEST, 71.55 FEET; THENCE SOUTH 81°39'34" WEST, 24.38 FEET; THENCE SOUTH 61°54'36" WEST, 7.74 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 159.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°37'09" EAST, 158.69 FEET; THENCE SOUTH 03°15'50" EAST, 19.93 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 496.60 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 24°37'52" WEST, 477.21 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 52°31'34" WEST, 11.69 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 66.86 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 44°46'37" WEST, 66.65 FEET; THENCE SOUTH 11°39'00" EAST, 20.53 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 790.13 FEET, AN ARC DISTANCE OF 16.88 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 79°52'44" EAST, 16.88 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1312.29 FEET, AN ARC DISTANCE OF 69.93 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 77°44'25" EAST, 69.92 FEET; THENCE SOUTH 82°02'39" EAST, 29.19 FEET; THENCE NORTH 16°22'12" EAST, 18.25 FEET; THENCE NORTH 54°19'42" EAST, 19.33 FEET; THENCE NORTH 81°51'49" EAST, 40.64 FEET; THENCE NORTH 81°32'54" EAST, 49.08 FEET; THENCE NORTH 13°42'40" EAST, 22.56 FEET; THENCE NORTH 68°04'07" EAST, 30.12 FEET; THENCE NORTH 23°09'23" EAST, 69.93 FEET; THENCE NORTH 60°58'32" WEST, 39.27 FEET; THENCE NORTH 19°38'11" EAST, 58.01 FEET; THENCE NORTH 13°11'20" EAST, 6.41 FEET; THENCE NORTH 09°04'33" EAST, 75.48 FEET; THENCE NORTH 16°10'56" WEST, 35.58 FEET; THENCE NORTH 25°49'21" EAST, 51.72 FEET; THENCE NORTH 20°02'12" EAST, 64.13 FEET; THENCE SOUTH 37°30'46" EAST, 30.33 FEET; THENCE NORTH 50°43'13" EAST, 34.76 FEET; THENCE NORTH 76°17'01" EAST, 96.34 FEET; THENCE NORTH 81°07'12" EAST, 75.69 FEET; THENCE NORTH 51°41'54" WEST, 42.94 FEET; THENCE NORTH 50°29'08" EAST, 72.77 FEET; THENCE NORTH 00°52'21" WEST, 56.08 FEET; THENCE NORTH 24°30'14" WEST, 50.64 FEET; THENCE NORTH 35°18'43" WEST, 36.07 FEET; THENCE NORTH 03°38'17" EAST, 29.47 FEET; THENCE NORTH 13°07'23" WEST, 35.35 FEET; THENCE NORTH 53°21'24" WEST, 27.21 FEET; THENCE SOUTH 57°35'51" WEST, 72.29 FEET; THENCE NORTH 05°43'37" WEST, 110.38 FEET; THENCE NORTH 17°20'48" WEST, 39.69 FEET; THENCE NORTH 82°28'23" WEST, 20.92 FEET; THENCE NORTH 06°24'08" EAST,

22.59 FEET; THENCE NORTH 54°34'37" WEST, 38.08 FEET; THENCE NORTH 27°07'19" WEST, 23.05 FEET; THENCE NORTH 38°58'06" EAST, 31.31 FEET; THENCE NORTH 56°27'16" EAST, 21.88 FEET; THENCE NORTH 46°17'20" EAST, 45.90 FEET; THENCE NORTH 83°30'21" EAST, 26.42 FEET; THENCE SOUTH 61°06'15" EAST, 28.05 FEET; THENCE NORTH 74°12'36" EAST, 23.65 FEET; THENCE SOUTH 84°02'56" EAST, 24.59 FEET; THENCE NORTH 55°00'05" EAST, 59.28 FEET; THENCE NORTH 14°26'38" EAST, 335.62 FEET; THENCE NORTH 11°01'51" WEST, 23.95 FEET; THENCE NORTH 14°17'53" WEST, 25.78 FEET; THENCE NORTH 20°37'57" WEST, 21.24 FEET; THENCE NORTH 15°19'10" WEST, 27.87 FEET; THENCE NORTH 18°41'17" WEST, 57.20 FEET; THENCE NORTH 12°39'03" WEST, 165.25 FEET; THENCE NORTH 87°13'49" WEST, 21.97 FEET; THENCE SOUTH 52°16'01" WEST, 40.52 FEET; THENCE SOUTH 74°46'15" WEST, 23.14 FEET; THENCE NORTH 66°33'31" WEST, 18.65 FEET; THENCE NORTH 39°05'04" WEST, 22.08 FEET; THENCE NORTH 54°25'29" WEST, 27.26 FEET; THENCE NORTH 06°49'20" EAST, 43.24 FEET; THENCE NORTH 02°10'59" WEST, 66.84 FEET; THENCE NORTH 44°42'03" EAST, 41.82 FEET; THENCE SOUTH 80°03'44" EAST, 30.92 FEET; THENCE NORTH 66°36'24" EAST, 20.31 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1684.68 FEET, AN ARC DISTANCE OF 52.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 19°54'03" EAST, 52.90 FEET; THENCE NORTH 21°28'45" WEST, 49.73 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 95.50 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 62°52'11" EAST, 94.39 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1160.00 FEET, AN ARC DISTANCE OF 217.73 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°54'47" EAST, 217.41 FEET; THENCE SOUTH 26°14'09" EAST, 16.28 FEET; THENCE NORTH 83°46'22" EAST, 22.12 FEET; THENCE NORTH 23°37'51" EAST, 76.01 FEET; THENCE NORTH 26°04'03" EAST, 39.87 FEET; THENCE NORTH 12°55'23" WEST, 31.20 FEET; THENCE SOUTH 66°10'06" EAST, 18.63 FEET; THENCE SOUTH 64°35'14" EAST, 19.52 FEET; THENCE NORTH 23°30'24" EAST, 38.97 FEET; THENCE SOUTH 82°14'43" EAST, 30.28 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 710.00 FEET, AN ARC DISTANCE OF 810.00 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 70°22'35" WEST, 766.78 FEET; THENCE SOUTH 76°56'28" WEST, 527.44 FEET; THENCE SOUTH 13°03'32" EAST, 103.15 FEET; THENCE SOUTH 32°59'17" WEST, 91.18 FEET; THENCE SOUTH 64°55'56" WEST, 183.72 FEET; THENCE SOUTH 58°07'51" WEST, 93.88 FEET; THENCE NORTH 71°29'22" WEST, 76.57 FEET; THENCE NORTH 77°42'56" WEST, 32.46 FEET; THENCE SOUTH 50°41'29" WEST, 300.09 FEET; THENCE SOUTH 66°14'00" WEST, 139.60 FEET; THENCE SOUTH 46°28'00" WEST, 60.87 FEET; THENCE SOUTH 26°41'59" WEST, 200.14 FEET; THENCE SOUTH 35°51'46" WEST, 146.50 FEET; THENCE SOUTH 45°01'33" WEST, 200.32 FEET; THENCE SOUTH 59°55'26" WEST, 197.51 FEET; THENCE SOUTH 75°49'41" WEST, 103.16 FEET; THENCE SOUTH 53°48'25" WEST, 66.41 FEET; THENCE SOUTH 64°36'09" WEST, 59.33 FEET; THENCE SOUTH 72°39'57" WEST, 59.84 FEET;

THENCE SOUTH 74°39'31" WEST, 52.35 FEET; THENCE SOUTH 79°23'32" WEST, 56.75 FEET; THENCE SOUTH 70°16'59" WEST, 63.01 FEET; THENCE SOUTH 56°47'27" WEST, 70.15 FEET; THENCE SOUTH 47°54'07" WEST, 18.05 FEET; THENCE SOUTH 35°04'32" WEST, 13.52 FEET; THENCE SOUTH 44°26'45" WEST, 18.93 FEET; THENCE SOUTH 49°23'33" WEST, 22.56 FEET; THENCE SOUTH 50°04'08" WEST, 10.63 FEET; THENCE SOUTH 51°10'03" WEST, 43.29 FEET; THENCE SOUTH 52°34'35" WEST, 25.85 FEET; THENCE SOUTH 54°04'51" WEST, 47.89 FEET; THENCE SOUTH 55°30'07" WEST, 21.89 FEET; THENCE SOUTH 56°26'21" WEST, 52.19 FEET; THENCE SOUTH 58°39'41" WEST, 73.42 FEET; THENCE SOUTH 51°40'32" WEST, 50.52 FEET; THENCE SOUTH 50°51'58" WEST, 28.49 FEET; THENCE SOUTH 47°35'03" WEST, 21.86 FEET; THENCE SOUTH 36°10'24" WEST, 172.72 FEET TO THE WESTERLY LINE OF SAID SECTION 15; THENCE SOUTH 00°50'08" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 1638.96 FEET, TO AN ANGLE POINT IN SAID WESTERLY LINE; THENCE SOUTH 01°06'17" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET, TO THE POINT OF BEGINNING.

CONTAINING 502.62 ACRES, MORE OR LESS.

PARCEL NO. 4

A PORTION OF SECTIONS 10 AND 15, LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 1415.45 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 37°37'34" EAST, 342.24 FEET; THENCE SOUTH 52°26'32" WEST, 284.47 FEET; THENCE SOUTH 05°25'48" WEST, 210.26 FEET; THENCE SOUTH 10°09'43" EAST, 78.81 FEET; THENCE SOUTH 10°12'14" WEST, 50.80 FEET; THENCE SOUTH 38°25'05" WEST, 37.01 FEET; THENCE SOUTH 45°00'00" WEST, 28.28 FEET; THENCE NORTH 79°12'57" WEST, 42.76 FEET; THENCE NORTH 76°22'23" WEST, 33.96 FEET; THENCE NORTH 30°57'50" WEST, 46.65 FEET; THENCE NORTH 40°45'49" WEST, 76.58 FEET; THENCE NORTH 45°00'00" WEST, 18.48 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 31.22 FEET, SAID ARC BEING

SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 63°58'50" EAST, 31.18 FEET; THENCE SOUTH 51°03'23" WEST, 188.44 FEET, TO POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 34.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 43°53'47" WEST, 34.90 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 36°44'12" WEST, 25.73 FEET; THENCE SOUTH 17°11'55" EAST, 41.38 FEET; THENCE SOUTH 00°00'00" WEST, 112.00 FEET; THENCE SOUTH 23°44'58" WEST, 81.94 FEET; THENCE SOUTH 43°31'49" WEST, 57.55 FEET; THENCE SOUTH 05°08'33" WEST, 50.02 FEET; THENCE SOUTH 20°06'59" EAST, 41.30 FEET; THENCE SOUTH 15°29'01" EAST, 58.80 FEET; THENCE SOUTH 08°09'34" WEST, 155.15 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 143.65 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 74°46'37" EAST, 137.43 FEET; THENCE NORTH 71°33'31" EAST, 95.82 FEET; THENCE NORTH 34°56'44" EAST, 18.73 FEET; THENCE NORTH 48°39'08" EAST, 99.90 FEET; THENCE NORTH 44°20'29" EAST, 61.52 FEET; THENCE NORTH 45°49'49" EAST, 48.80 FEET; THENCE NORTH 45°00'00" EAST, 7.07 FEET; THENCE NORTH 03°56'43" EAST, 116.28 FEET; THENCE NORTH 09°01'39" WEST, 108.34 FEET; THENCE NORTH 27°04'19" EAST, 50.54 FEET; THENCE NORTH 14°30'01" EAST, 59.91 FEET; THENCE NORTH 69°35'24" EAST, 45.88 FEET; THENCE SOUTH 71°00'12" EAST, 64.51 FEET; THENCE SOUTH 57°43'37" EAST, 25.52 FEET; THENCE SOUTH 33°18'28" EAST, 111.26 FEET; THENCE NORTH 66°14'00" EAST, 179.58 FEET; THENCE NORTH 23°46'00" WEST, 110.00 FEET; THENCE NORTH 66°14'00" EAST, 192.92 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 243.40 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 37°10'47" EAST, 233.10 FEET, TO THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 415.00 FEET, AN ARC DISTANCE OF 539.68 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°31'07" WEST, 502.44 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 21°44'09" EAST, 76.92 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 212.41 FEET, AN ARC DISTANCE OF 225.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 08°38'22" WEST, 214.81 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 39°00'52" WEST, 34.11 FEET; THENCE NORTH 84°00'52" WEST, 134.75 FEET TO AN INTERSECTION WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210; THENCE SOUTH 51°03'23" WEST, ALONG LAST SAID LINE, 313.53 FEET TO THE POINT OF BEGINNING.

CONTAINING 15.31 ACRES MORE OR LESS.

PARCEL NO. 5

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 2043.74 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 09°28'01" WEST, 96.50 FEET; THENCE SOUTH 35°31'59" EAST, 74.37 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 300.00 FEET, AN ARC DISTANCE OF 351.59 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 01°57'30" EAST, 331.81 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 31°36'59" WEST, 52.36 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 297.93 FEET, AN ARC DISTANCE OF 264.20 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 06°12'41" WEST, 255.63 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 335.00 FEET, AN ARC DISTANCE OF 490.35 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 61°07'35" EAST, 447.73 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 76°56'28" EAST, 786.40 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 790.00 FEET, AN ARC DISTANCE OF 117.08 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 81°11'12" EAST, 116.97 FEET; THENCE NORTH 03°52'43" WEST, 96.60 FEET; THENCE NORTH 00°00'00" EAST, 121.00 FEET; THENCE NORTH 16°04'25" EAST, 61.40 FEET; THENCE NORTH 24°37'25" EAST, 79.20 FEET; THENCE NORTH 21°11'39" EAST, 52.55 FEET; THENCE NORTH 19°12'46" EAST, 69.89 FEET; THENCE NORTH 27°04'19" WEST, 50.54 FEET; THENCE NORTH 06°06'56" WEST, 56.32 FEET; THENCE NORTH 07°25'53" EAST, 69.58 FEET; THENCE NORTH 56°00'13" EAST, 51.87 FEET; THENCE NORTH 30°37'07" EAST, 56.94 FEET; THENCE NORTH 36°52'12" EAST, 45.00 FEET; THENCE NORTH 23°46'55" EAST, 47.61 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY,

ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 882.15 FEET, AN ARC DISTANCE OF 167.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 28°41'18" WEST, 167.51 FEET; THENCE NORTH 50°11'40" WEST, 10.13 FEET; THENCE NORTH 55°08'44" WEST, 68.24 FEET; THENCE NORTH 29°44'42" WEST, 64.50 FEET; THENCE NORTH 67°40'17" WEST, 60.54 FEET; THENCE SOUTH 52°25'53" WEST, 32.80 FEET; THENCE SOUTH 27°15'19" WEST, 37.12 FEET; THENCE NORTH 85°41'02" WEST, 53.15 FEET; THENCE NORTH 10°27'36" WEST, 66.10 FEET; THENCE NORTH 14°10'20" EAST, 102.11 FEET; THENCE NORTH 07°51'12" WEST, 117.10 FEET; THENCE NORTH 30°33'21" EAST, 96.38 FEET; THENCE NORTH 63°26'06" EAST, 129.69 FEET; THENCE NORTH 29°53'56" WEST, 239.15 FEET; THENCE SOUTH 86°13'42" WEST, 20.21 FEET; THENCE NORTH 54°29'15" WEST, 43.60 FEET; THENCE NORTH 38°55'49" WEST, 1.06 FEET; THENCE NORTH 38°16'59" WEST, 2.99 FEET; THENCE NORTH 37°14'55" WEST, 2.27 FEET; THENCE NORTH 36°17'02" WEST, 5.12 FEET; THENCE NORTH 35°32'24" WEST, 2.90 FEET; THENCE NORTH 34°29'56" WEST, 8.98 FEET, TO AN INTERSECTION WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210; THENCE SOUTH 51°03'23" WEST, ALONG LAST SAID LINE, 1396.64 FEET TO THE POINT OF BEGINNING.

CONTAINING 40.60 ACRES MORE OR LESS.

PARCEL NO. 6

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 4431.39 FEET; THENCE SOUTH 38°56'32" EAST, 598.66 FEET, TO THE POINT OF BEGINNING AND THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1609.04 FEET, AN ARC DISTANCE OF 463.90 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 30°15'58" EAST, 462.29 FEET; THENCE SOUTH 21°15'40" EAST, 120.17 FEET; THENCE SOUTH 73°05'18" WEST, 116.34 FEET; THENCE SOUTH 76°10'34" WEST, 67.91 FEET; THENCE

SOUTH 47°10'07" WEST, 51.81 FEET; THENCE SOUTH 46°42'30" WEST, 44.81 FEET; THENCE SOUTH 54°57'53" WEST, 47.29 FEET; THENCE SOUTH 28°17'41" EAST, 46.20 FEET; THENCE SOUTH 10°39'57" WEST, 55.71 FEET; THENCE SOUTH 23°05'34" EAST, 37.42 FEET; THENCE SOUTH 07°38'19" WEST, 45.40 FEET; THENCE SOUTH 13°24'52" WEST, 54.07 FEET; THENCE SOUTH 02°34'12" WEST, 56.64 FEET; THENCE SOUTH 05°07'56" WEST, 12.56 FEET, TO THE ARC OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1272.35 FEET, AN ARC DISTANCE OF 280.58 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 86°45'44" WEST, 280.01 FEET; THENCE NORTH 87°05'12" WEST, 11.29 FEET; THENCE NORTH 19°20'22" WEST, 68.56 FEET; THENCE NORTH 59°53'36" WEST, 51.40 FEET; THENCE SOUTH 62°50'47" WEST, 38.08 FEET; THENCE SOUTH 84°44'55" WEST, 9.35 FEET; THENCE NORTH 74°47'52" WEST, 50.36 FEET; THENCE NORTH 64°20'15" WEST, 57.18 FEET; THENCE NORTH 35°22'15" WEST, 198.79 FEET; THENCE NORTH 05°11'45" EAST, 72.05 FEET; THENCE NORTH 44°42'34" EAST, 875.43 FEET TO THE POINT OF BEGINNING.

CONTAINING 10.60 ACRES, MORE OR LESS.

PARCEL NO. 7

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHEAST CORNER OF SAID SECTION 15; THENCE NORTH 00°57'01" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 15, A DISTANCE OF 5365.34 FEET TO THE SOUTHEAST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 00°55'25" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 10, A DISTANCE OF 860.39 FEET; THENCE SOUTH 89°04'35" WEST, 459.86 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 89°35'52" WEST, 116.25 FEET; THENCE NORTH 68°27'34" WEST, 61.82 FEET; THENCE SOUTH 78°55'04" WEST, 63.26 FEET; THENCE NORTH 71°01'11" WEST, 50.55 FEET; THENCE NORTH 68°52'33" WEST, 53.34 FEET; THENCE NORTH 30°31'41" WEST, 38.39 FEET; THENCE SOUTH 83°27'34" WEST, 31.46 FEET; THENCE SOUTH 66°34'36" WEST, 45.04 FEET; THENCE SOUTH 62°53'24" WEST, 75.65 FEET; THENCE NORTH 28°40'41" WEST, 32.48 FEET; THENCE NORTH 42°20'57" WEST, 47.30 FEET; THENCE NORTH 65°45'24" WEST, 36.32 FEET; THENCE NORTH 06°43'41" EAST, 54.08 FEET; THENCE NORTH 40°49'29" EAST, 47.80 FEET; THENCE NORTH 03°50'21" WEST, 32.50 FEET; THENCE NORTH 74°25'28" WEST, 40.69 FEET; THENCE NORTH 83°13'17" WEST, 29.49 FEET; THENCE SOUTH 89°52'21" WEST, 83.68 FEET; THENCE NORTH 33°34'43" WEST, 59.14 FEET; THENCE NORTH 70°50'40" WEST, 57.87 FEET; THENCE NORTH 81°40'25" WEST, 38.44 FEET; THENCE SOUTH 82°03'24" WEST, 41.84 FEET; THENCE SOUTH 35°29'37" WEST, 54.17 FEET; THENCE NORTH 83°48'39" WEST, 61.83 FEET; THENCE NORTH 27°48'28" WEST, 46.64 FEET; THENCE NORTH 52°48'33" WEST, 50.11 FEET; THENCE SOUTH 45°32'37" WEST, 25.64 FEET; THENCE SOUTH 25°34'43" EAST, 35.59 FEET; THENCE

SOUTH 25°14'52" WEST, 38.21 FEET; THENCE SOUTH 24°14'11" WEST, 52.72 FEET; THENCE SOUTH 06°04'52" WEST, 59.22 FEET; THENCE SOUTH 22°50'27" WEST, 61.14 FEET; THENCE SOUTH 54°59'32" WEST, 76.93 FEET; THENCE SOUTH 48°05'07" WEST, 70.52 FEET; THENCE SOUTH 80°43'17" WEST, 42.83 FEET; THENCE SOUTH 71°41'15" WEST, 49.86 FEET; THENCE NORTH 86°27'44" WEST, 41.24 FEET; THENCE NORTH 60°46'08" WEST, 23.85 FEET; THENCE SOUTH 19°24'18" WEST, 30.71 FEET; THENCE SOUTH 22°06'50" EAST, 32.04 FEET; THENCE SOUTH 31°07'02" EAST, 113.00 FEET; THENCE SOUTH 56°45'21" EAST, 38.92 FEET; THENCE SOUTH 57°29'01" EAST, 39.91 FEET; THENCE NORTH 32°45'26" EAST, 28.92 FEET; THENCE NORTH 22°47'34" WEST, 33.12 FEET; THENCE NORTH 51°13'48" EAST, 61.19 FEET; THENCE NORTH 76°05'04" EAST, 84.88 FEET; THENCE SOUTH 72°29'57" EAST, 83.40 FEET; THENCE SOUTH 55°38'16" EAST, 37.30 FEET; THENCE NORTH 70°12'10" EAST, 64.95 FEET; THENCE SOUTH 17°43'11" EAST, 84.52 FEET; THENCE SOUTH 09°20'07" EAST, 45.31 FEET; THENCE SOUTH 14°58'08" WEST, 6.83 FEET; THENCE SOUTH 42°50'49" WEST, 25.78 FEET; THENCE SOUTH 60°42'57" WEST, 213.00 FEET; THENCE SOUTH 74°53'38" WEST, 189.70 FEET; THENCE NORTH 82°14'43" WEST, 48.73 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 790.00 FEET, AN ARC DISTANCE OF 519.60 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 50°54'48" WEST, 510.28 FEET; THENCE NORTH 05°58'43" WEST, 184.43 FEET; THENCE NORTH 52°36'52" EAST, 13.24 FEET; THENCE SOUTH 86°21'56" EAST, 29.66 FEET; THENCE NORTH 65°59'28" EAST, 33.53 FEET; THENCE NORTH 19°27'52" EAST, 48.82 FEET; THENCE NORTH 32°14'49" EAST, 48.71 FEET; THENCE NORTH 89°28'13" EAST, 21.74 FEET; THENCE SOUTH 83°16'27" EAST, 45.51 FEET; THENCE NORTH 20°11'21" EAST, 34.30 FEET; THENCE NORTH 45°35'44" EAST, 46.60 FEET; THENCE NORTH 81°04'20" EAST, 55.78 FEET; THENCE NORTH 87°00'34" EAST, 57.67 FEET; THENCE NORTH 83°52'39" EAST, 27.36 FEET; THENCE NORTH 09°44'02" EAST, 59.17 FEET; THENCE NORTH 11°08'47" WEST, 48.88 FEET; THENCE NORTH 00°56'48" EAST, 135.68 FEET; THENCE SOUTH 89°08'35" EAST, 177.99 FEET; THENCE NORTH 89°53'25" EAST, 108.14 FEET; THENCE NORTH 85°03'50" EAST, 0.29 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 360.00 FEET, AN ARC DISTANCE OF 155.21 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND NORTH 72°41'23" EAST, 154.01 FEET; THENCE SOUTH 79°30'03" EAST, 21.56 FEET; THENCE NORTH 71°53'31" EAST, 29.66 FEET; THENCE SOUTH 74°59'41" EAST, 73.71 FEET; THENCE SOUTH 06°50'36" EAST, 32.40 FEET; THENCE SOUTH 75°49'08" EAST, 53.24 FEET; THENCE NORTH 55°20'00" EAST, 41.65 FEET; THENCE SOUTH 83°05'32" EAST, 52.07 FEET; THENCE NORTH 84°41'09" EAST, 28.55 FEET; THENCE SOUTH 55°36'34" EAST, 30.87 FEET; THENCE SOUTH 37°53'24" EAST, 24.99 FEET; THENCE SOUTH 09°06'56" WEST, 38.84 FEET; THENCE SOUTH 19°54'24" EAST, 39.84 FEET; THENCE SOUTH 34°32'40" EAST, 78.21 FEET; THENCE SOUTH 16°20'40" EAST, 50.25 FEET; THENCE SOUTH 14°09'30" EAST, 38.17 FEET; THENCE SOUTH 75°56'46" EAST, 53.42 FEET; THENCE NORTH 81°07'30" EAST, 89.00 FEET; THENCE NORTH 75°27'20" EAST, 54.79 FEET; THENCE NORTH 54°17'31" EAST, 84.74 FEET; THENCE NORTH 37°51'20" EAST, 88.70 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY,

ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 810.00 FEET, AN ARC DISTANCE OF 450.27 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND SOUTH 28°44'10" EAST, 444.49 FEET TO THE POINT OF BEGINNING.

CONTAINING 15.18 ACRES, MORE OR LESS.

PARCEL NO. 8

A PORTION OF SECTIONS 10 AND 11, LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE INTERSECTION OF THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION NO. 78020, AND THE SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, A VARIABLE WIDTH RIGHT OF WAY, PER FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP No. V8 20-22, DATED DECEMBER 31, 1927; THENCE SOUTHEASTERLY AND SOUTHWESTERLY ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: SOUTH 41°00'19" EAST, 1484.64 FEET; COURSE NO. 2: SOUTH 48°59'41" WEST, 70.00 FEET; COURSE NO. 3: SOUTH 41°00'19" EAST, 1745.92 FEET; COURSE NO. 4: NORTH 89°16'33" EAST, 98.31 FEET; COURSE NO. 5: SOUTH 41°00'19" EAST, 1072.37 FEET TO THE NORTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP, DATED AUGUST 15, 2002, AND TO THE ARC OF A CURVE LEADING WESTERLY; THENCE WESTERLY AND NORTHWESTERLY, ALONG SAID NORTHEASTERLY RIGHT OF WAY LINE OF SAID COUNTY ROAD NO. 210, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 243.31 FEET, AN ARC DISTANCE OF 232.43 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 83°55'38" WEST, 223.69 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; COURSE NO. 2: NORTH 68°42'23" WEST, 1737.76 FEET TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 3: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 879.93 FEET, AN ARC DISTANCE OF 237.43 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 60°58'35" WEST, 236.71 FEET TO THE POINT OF TANGENCY OF SAID CURVE; COURSE NO. 4: NORTH 53°14'48" WEST, 2494.87 FEET TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 5: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 393.31 FEET, AN ARC DISTANCE OF 78.77 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 58°59'02" WEST, 78.63 FEET TO THE SOUTHEASTERLY RIGHT OF WAY LINE OF SAID COUNTY ROAD NO. 210 RE-ALIGNMENT; THENCE NORTHEASTERLY, ALONG SAID SOUTHEASTERLY RIGHT OF

WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: NORTH 06°01'57" EAST, 56.10 FEET; COURSE NO. 2: NORTH 51°03'23" EAST, 212.57 FEET; COURSE NO. 3: NORTH 51°51'55" EAST, 622.91 FEET; COURSE NO. 4: NORTH 53°12'28" EAST, 476.42 FEET; COURSE NO. 5: NORTH 48°59'20" EAST, 269.56 FEET TO THE POINT OF BEGINNING;

(LESS AND EXCEPT THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 2878, PAGE 1018 OF SAID COUNTY)

CONTAINING 100.21 ACRES, MORE OR LESS.

PARCEL NO. 9

A PORTION OF SECTIONS 2, 3, 4, 9, 10, 11 AND 16, TOGETHER WITH A PORTION OF SECTION 46, THE JOSEPH PEAVETT GRANT, ALL LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST OF SAID SECTION 9; THENCE SOUTH 89°12'49" WEST, ALONG THE SOUTHERLY LINE OF SAID SECTION 9, A DISTANCE OF 739.26 FEET TO THE NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD No. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED AUGUST 15, 2002, AND THE POINT OF BEGINNING; THENCE SOUTH 89°12'49" WEST, CONTINUING ALONG SAID SOUTHERLY LINE OF SECTION 9, A DISTANCE OF 1954.13 FEET; THENCE SOUTH 89°55'22" WEST, CONTINUING ALONG SAID SOUTHERLY LINE, A DISTANCE OF 1349.80 FEET, TO THE EASTERLY LINE OF GOVERNMENT LOT 7 OF SAID SECTION 16; THENCE SOUTH 01°18'02" WEST, ALONG SAID EASTERLY LINE, 12.69 FEET; THENCE SOUTH 89°00'03" WEST, 589.15 FEET TO THE EASTERLY RIGHT OF WAY LINE OF INTERSTATE HIGHWAY No. 95 (STATE ROAD NO. 9), A 300 FOOT RIGHT OF WAY PER FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION No. 78080-2408 AND SECTION NO. 78080-2440, AND THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG SAID EASTERLY RIGHT OF WAY LINE AND ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 11309.16 FEET, AN ARC DISTANCE OF 401.88 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 02° 58' 05" EAST, 401.86 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 03° 59' 10" EAST, CONTINUING ALONG SAID EASTERLY RIGHT OF WAY LINE, 3620 FEET, MORE OR LESS, TO THE INTERSECTION OF THE CENTERLINE OF DURBIN CREEK; THENCE NORTHEASTERLY ALONG THE MEANDERINGS OF SAID CENTERLINE OF DURBIN CREEK, 5880 FEET, MORE OR LESS, TO THE SOUTHERLY LINE OF THE NORTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SAID SECTION 3, ALSO BEING THE SOUTHERLY LINE OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 60, PAGE 689, OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE NORTH 89° 30' 48" EAST, ALONG LAST SAID LINE, 505 FEET, MORE OR LESS, TO THE SOUTHEASTERLY CORNER LAST SAID LANDS; THENCE NORTH

00° 18' 06" WEST, ALONG THE EASTERLY LINE OF LAST SAID LANDS, 240 FEET, MORE OR LESS, TO SAID CENTERLINE OF DURBIN CREEK; THENCE NORTHEASTERLY, ALONG THE MEANDERINGS OF SAID CENTERLINE, 2180 FEET, MORE OR LESS, TO THE SOUTHERLY LINE OF SAID LANDS OF OFFICIAL RECORDS BOOK 60, PAGE 689; THENCE NORTH 89° 29' 16" EAST, ALONG SAID SOUTHERLY LINE, 360 FEET, MORE OR LESS, TO THE SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, A VARIABLE WIDTH RIGHT OF WAY PER FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP, DATED DECEMBER 31, 1927; THENCE SOUTH 41°00'19" EAST, ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE, 3561.38 FEET TO THE NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTSATION RIGHT OF WAY MAP SECTION No. 78020; THENCE SOUTHWESTERLY, NORTHWESTERLY, AND SOUTHEASTERLY, ALONG SAID NORTHWESTERLY RIGHT OF WAY LINE, RUN THE FOLLOWING THIRTEEN (13) COURSES AND DISTANCES: COURSE NO. 1: SOUTH 48°59'07" WEST, 118.10 FEET; COURSE NO. 2: SOUTH 44°53'31" WEST, 682.53 FEET; COURSE NO. 3: SOUTH 69°13'29" WEST, 48.54 FEET; COURSE NO. 4: NORTH 44°53'31" EAST, 8.89 FEET; COURSE NO. 5: NORTH 40°36'08" WEST, 266.33 FEET; COURSE NO. 6: SOUTH 46°06'05" WEST, 560.47 FEET; COURSE NO. 7: SOUTH 38°56'37" EAST, 245.85 FEET; COURSE NO. 8: SOUTH 51°03'21" WEST, 181.31 FEET; COURSE NO. 9: NORTH 57°05'49" WEST, 52.17 FEET; COURSE NO. 10: SOUTH 62°16'40" WEST, 140.26 FEET; COURSE NO. 11: SOUTH 21°33'47" EAST, 80.54 FEET; COURSE NO. 12: SOUTH 51°03'21" WEST, 283.50 FEET; COURSE NO. 13: SOUTH 38°56'39" EAST, 44.93 FEET TO AFORESAID NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED AUGUST 15, 2002; THENCE SOUTH 51°03'23" WEST, ALONG SAID NORTHWESTERLY RIGHT OF WAY LINE, 6500.92 FEET TO THE POINT OF BEGINNING.

CONTAINING 1077.99 ACRES, MORE OR LESS.

PARCEL NO. 10

A PORTION OF SECTIONS 9 AND 10, LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHEAST CORNER OF SECTION 9, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE SOUTH 89°12'49" WEST, ALONG THE SOUTHERLY LINE OF SAID SECTION 9, A DISTANCE OF 47.18 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 89°12'49" WEST, ALONG LAST SAID LINE, 432.71 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 660.69 FEET; THENCE SOUTH 26°09'26" EAST, 232.84 FEET; THENCE SOUTH 16°36'20" EAST, 62.03 FEET; THENCE SOUTH 73°31'30" WEST, 211.36 FEET; THENCE SOUTH 00°47'11" EAST, 80.97 FEET TO THE POINT OF BEGINNING.

CONTAINING 2.68 ACRES MORE OR LESS.

EXHIBIT "A"

LEGAL DESCRIPTION OF AMENDED DRI PROPERTY

PARCEL NO. 1

A PORTION OF SECTIONS 10, 11, AND 14 ALL LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 2702.59 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 4859.63 FEET TO THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION NO. 78020; THENCE NORTHEASTERLY, ALONG LAST SAID LINE, RUN THE FOLLOWING THREE (3) COURSES AND DISTANCES: COURSE NO. 1: NORTH 58°54'22" EAST, 128.77 FEET; COURSE NO. 2: NORTH 51°03'23" EAST, 400.00 FEET; COURSE NO. 3: NORTH 53°55'08" EAST, 249.98 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 11°41'58" EAST, 120.90 FEET; THENCE SOUTH 02°48'07" EAST, 51.29 FEET; THENCE SOUTH 38°14'30" EAST, 37.60 FEET; THENCE SOUTH 10°12'59" WEST, 77.30 FEET; THENCE SOUTH 00°10'53" WEST, 51.14 FEET; THENCE SOUTH 13°35'09" WEST, 107.29 FEET; THENCE SOUTH 06°45'14" WEST, 61.21 FEET; THENCE SOUTH 23°04'38" WEST, 60.07 FEET; THENCE SOUTH 04°24'37" EAST, 46.82 FEET; THENCE SOUTH 21°11'20" EAST, 141.23 FEET; THENCE SOUTH 39°28'00" EAST, 39.42 FEET; THENCE SOUTH 04°31'01" WEST, 34.05 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC DISTANCE OF 27.03 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 11°32'54" EAST, 27.03 FEET; THENCE SOUTH 55°09'20" EAST, 36.48 FEET; THENCE SOUTH 23°52'05" WEST, 52.63 FEET; THENCE SOUTH 00°12'21" WEST, 103.02 FEET; THENCE SOUTH 68°09'20" WEST, 33.54 FEET; THENCE SOUTH 08°24'09" WEST, 27.07 FEET; THENCE SOUTH 17°53'48" WEST, 23.93 FEET; THENCE SOUTH 13°37'53" EAST, 73.13 FEET; THENCE NORTH 48°08'01" EAST, 35.22 FEET; THENCE NORTH 52°51'36" EAST, 33.05 FEET; THENCE SOUTH 40°11'47" EAST, 47.13 FEET; THENCE SOUTH 11°42'30" EAST, 54.36 FEET; THENCE SOUTH 64°07'42" EAST, 41.72 FEET; THENCE SOUTH 22°14'42" EAST, 37.95 FEET; THENCE SOUTH 06°39'01" WEST, 65.94 FEET; THENCE SOUTH 31°13'54"

WEST, 28.76 FEET; THENCE SOUTH 06°47'56" EAST, 2.43 FEET; THENCE SOUTH 37°29'44" EAST, 170.64 FEET; THENCE NORTH 71°32'01" EAST, 46.75 FEET; THENCE NORTH 86°36'12" EAST, 9.14 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 806.86 FEET, AN ARC DISTANCE OF 107.64 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 75°40'08" EAST, 107.56 FEET; THENCE NORTH 29°55'40" EAST, 35.11 FEET; THENCE NORTH 64°44'02" EAST, 56.09 FEET; THENCE NORTH 01°59'41" EAST, 37.40 FEET; THENCE NORTH 71°15'15" EAST, 79.62 FEET; THENCE NORTH 35°24'15" EAST, 58.02 FEET; THENCE NORTH 04°51'45" EAST, 12.74 FEET; THENCE SOUTH 74°01'24" EAST, 48.75 FEET; THENCE SOUTH 48°21'07" EAST, 54.87 FEET; THENCE SOUTH 40°42'40" EAST, 59.63 FEET; THENCE SOUTH 35°18'14" EAST, 85.45 FEET; THENCE SOUTH 24°07'43" EAST, 67.15 FEET; THENCE SOUTH 23°49'17" EAST, 117.40 FEET; THENCE SOUTH 17°15'18" EAST, 95.07 FEET; THENCE SOUTH 47°46'07" WEST, 10.86 FEET; THENCE SOUTH 43°12'21" WEST, 207.41 FEET; THENCE SOUTH 65°48'17" WEST, 44.65 FEET; THENCE NORTH 69°39'29" WEST, 54.11 FEET; THENCE NORTH 61°24'33" WEST, 56.27 FEET; THENCE NORTH 17°08'28" WEST, 35.88 FEET; THENCE NORTH 05°27'16" WEST, 46.80 FEET; THENCE NORTH 45°08'58" WEST, 83.91 FEET; THENCE NORTH 25°22'45" WEST, 7.36 FEET; THENCE SOUTH 88°52'03" WEST, 74.47 FEET; THENCE SOUTH 75°48'02" WEST, 25.90 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 120.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 67°41'17" WEST, 120.03 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 59°03'33" WEST, 24.84 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 170.00 FEET, AN ARC DISTANCE OF 57.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68°45'26" WEST, 57.27 FEET; THENCE SOUTH 56°44'49" WEST, 36.54 FEET; THENCE SOUTH 60°31'37" WEST, 46.87 FEET; THENCE SOUTH 08°53'02" EAST, 27.15 FEET; THENCE SOUTH 28°42'54" WEST, 30.51 FEET; THENCE SOUTH 16°31'14" WEST, 3.86 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 400.00 FEET, AN ARC DISTANCE OF 26.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 12°24'52" EAST, 26.46 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 70.00 FEET, AN ARC DISTANCE OF 77.67 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 21°47'41" EAST, 73.75 FEET; THENCE SOUTH 74°52'04" EAST, 140.44 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 160.61 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 33°54'45" WEST, 110.63 FEET; THENCE SOUTH 17°07'42" WEST, 21.59 FEET; THENCE SOUTH 40°55'53" WEST, 50.29 FEET; THENCE SOUTH 51°40'54" WEST, 62.19

FEET; THENCE SOUTH 63°20'15" WEST, 172.29 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 960.00 FEET, AN ARC DISTANCE OF 63.29 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40°31'48" EAST, 63.27 FEET; THENCE NORTH 76°57'21" EAST, 136.89 FEET; THENCE NORTH 76°51'41" EAST, 58.68 FEET; THENCE NORTH 78°19'50" EAST, 58.84 FEET; THENCE NORTH 71°27'23" EAST, 51.68 FEET; THENCE NORTH 66°51'41" EAST, 44.64 FEET; THENCE NORTH 27°56'26" EAST, 49.37 FEET; THENCE NORTH 81°25'57" EAST, 66.37 FEET; THENCE NORTH 06°30'33" WEST, 66.05 FEET; THENCE NORTH 68°29'54" EAST, 58.92 FEET; THENCE NORTH 57°51'05" EAST, 45.34 FEET; THENCE NORTH 69°57'10" EAST, 55.57 FEET; THENCE NORTH 83°23'43" EAST, 39.63 FEET; THENCE NORTH 82°03'46" EAST, 45.84 FEET; THENCE NORTH 51°48'48" EAST, 43.60 FEET; THENCE NORTH 52°24'59" EAST, 38.93 FEET; THENCE SOUTH 79°19'33" EAST, 54.05 FEET; THENCE SOUTH 53°44'48" EAST, 67.69 FEET; THENCE SOUTH 65°55'06" EAST, 42.26 FEET; THENCE SOUTH 87°24'52" EAST, 26.16 FEET; THENCE SOUTH 02°53'09" EAST, 98.98 FEET; THENCE NORTH 73°36'17" WEST, 20.75 FEET; THENCE SOUTH 30°31'00" WEST, 44.14 FEET; THENCE SOUTH 26°32'20" WEST, 29.45 FEET; THENCE SOUTH 57°34'01" WEST, 31.16 FEET; THENCE SOUTH 00°45'11" EAST, 52.04 FEET; THENCE SOUTH 60°03'02" WEST, 48.22 FEET; THENCE SOUTH 11°17'31" EAST, 70.24 FEET; THENCE SOUTH 54°18'57" EAST, 56.72 FEET; THENCE SOUTH 50°09'01" EAST, 64.31 FEET; THENCE NORTH 69°32'40" EAST, 35.68 FEET; THENCE SOUTH 24°45'43" EAST, 53.13 FEET; THENCE SOUTH 10°27'32" EAST, 74.24 FEET; THENCE SOUTH 29°56'24" EAST, 40.92 FEET; THENCE SOUTH 10°26'11" EAST, 50.04 FEET; THENCE SOUTH 48°22'26" EAST, 43.04 FEET; THENCE SOUTH 05°19'08" EAST, 67.29 FEET; THENCE SOUTH 13°26'08" EAST, 49.35 FEET; THENCE SOUTH 22°45'33" WEST, 33.22 FEET; THENCE SOUTH 24°27'50" EAST, 43.07 FEET; THENCE SOUTH 33°44'59" EAST, 59.88 FEET; THENCE SOUTH 49°32'33" EAST, 36.15 FEET; THENCE SOUTH 67°43'49" EAST, 51.08 FEET; THENCE SOUTH 49°09'12" EAST, 45.12 FEET; THENCE SOUTH 25°57'29" EAST, 59.02 FEET; THENCE SOUTH 06°35'09" EAST, 43.97 FEET; THENCE SOUTH 09°34'40" EAST, 46.83 FEET; THENCE NORTH 87°44'43" EAST, 35.69 FEET; THENCE NORTH 89°20'33" EAST, 21.26 FEET; THENCE SOUTH 49°04'17" EAST, 41.76 FEET; THENCE SOUTH 28°27'02" EAST, 17.40 FEET; THENCE SOUTH 33°33'52" EAST, 93.18 FEET; THENCE NORTH 81°31'24" EAST, 16.34 FEET; THENCE SOUTH 23°36'14" EAST, 54.52 FEET; THENCE SOUTH 29°56'05" EAST, 42.65 FEET; THENCE SOUTH 36°45'21" EAST, 50.78 FEET; THENCE SOUTH 20°47'05" WEST, 58.23 FEET; THENCE SOUTH 24°58'38" WEST, 14.61 FEET; THENCE SOUTH 11°15'02" EAST, 12.11 FEET; THENCE SOUTH 19°31'28" EAST, 9.67 FEET; THENCE SOUTH 01°14'12" EAST, 31.56 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 475.00 FEET, AN ARC DISTANCE OF 6.37 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17°31'45" EAST, 6.37 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 158.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 07°15'15" WEST, 157.48 FEET; THENCE SOUTH 77°40'19"

EAST, A DISTANCE OF 14.85 FEET; THENCE SOUTH 84°45'02" EAST, 30.93 FEET; THENCE SOUTH 64°41'13" WEST, 52.01 FEET; THENCE SOUTH 56°16'14" WEST, 21.03 FEET; THENCE SOUTH 05°15'14" EAST, 15.23 FEET; THENCE SOUTH 89°43'10" EAST, 52.46 FEET; THENCE SOUTH 19°30'30" WEST, 30.12 FEET; THENCE NORTH 76°27'59" WEST, 31.29 FEET; THENCE SOUTH 10°53'25" WEST, 23.70 FEET; THENCE SOUTH 52°27'54" EAST, 28.06 FEET; THENCE SOUTH 32°16'22" WEST, 19.94 FEET; THENCE SOUTH 53°29'47" WEST, 34.14 FEET; THENCE SOUTH 20°42'26" EAST, 34.50 FEET; THENCE SOUTH 10°10'48" WEST, 34.63 FEET; THENCE SOUTH 49°25'22" WEST, 38.10 FEET; THENCE SOUTH 04°57'03" WEST, 39.11 FEET; THENCE SOUTH 32°39'26" EAST, 36.49 FEET; THENCE SOUTH 37°52'15" EAST, 34.64 FEET; THENCE SOUTH 61°52'38" EAST, 37.74 FEET; THENCE SOUTH 45°36'38" EAST, 29.06 FEET; THENCE NORTH 85°37'57" EAST, 28.98 FEET; THENCE NORTH 06°18'04" EAST, 55.55 FEET; THENCE NORTH 20°11'28" EAST, 37.28 FEET; THENCE NORTH 70°53'33" EAST, 37.53 FEET; THENCE NORTH 06°48'47" WEST, 26.52 FEET; THENCE NORTH 42°37'10" EAST, 29.76 FEET; THENCE NORTH 11°51'48" EAST, 38.53 FEET; THENCE NORTH 88°22'09" WEST, 12.75 FEET; THENCE NORTH 41°00'18" WEST, 23.28 FEET; THENCE NORTH 11°53'28" EAST, 19.33 FEET; THENCE NORTH 24°35'31" EAST, 38.16 FEET; THENCE NORTH 69°06'59" EAST, 21.86 FEET; THENCE NORTH 84°44'40" EAST, 17.58 FEET; THENCE SOUTH 28°09'08" EAST, 15.81 FEET; THENCE SOUTH 24°35'48" EAST, 16.96 FEET; THENCE SOUTH 13°48'09" WEST, 22.95 FEET; THENCE SOUTH 64°51'27" EAST, 10.59 FEET; THENCE SOUTH 36°19'11" EAST, 35.53 FEET; THENCE SOUTH 69°40'13" EAST, 50.93 FEET; THENCE SOUTH 41°02'06" EAST, 26.63 FEET; THENCE SOUTH 11°29'34" WEST, 26.79 FEET; THENCE SOUTH 20°42'14" EAST, 23.60 FEET; THENCE SOUTH 00°17'54" EAST, 66.25 FEET; THENCE SOUTH 67°26'48" EAST, 34.05 FEET; THENCE NORTH 87°06'57" EAST, 42.57 FEET; THENCE SOUTH 76°33'44" EAST, 35.65 FEET; THENCE SOUTH 49°57'20" WEST, 31.72 FEET; THENCE SOUTH 71°32'16" WEST, 22.56 FEET; THENCE SOUTH 72°21'06" EAST, 42.38 FEET; THENCE SOUTH 47°04'15" WEST, 42.31 FEET; THENCE NORTH 86°34'37" EAST, 41.52 FEET; THENCE SOUTH 11°07'21" WEST, 57.83 FEET; THENCE SOUTH 07°44'23" EAST, 36.71 FEET; THENCE SOUTH 29°35'10" EAST, 35.92 FEET; THENCE SOUTH 30°48'45" EAST, 50.65 FEET; THENCE SOUTH 49°28'03" WEST, 41.58 FEET; THENCE SOUTH 22°18'42" WEST, 32.27 FEET; THENCE SOUTH 04°56'41" WEST, 67.60 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 445.40 FEET, AN ARC DISTANCE OF 112.94 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°10'04" EAST, 112.63 FEET; THENCE SOUTH 79°36'50" WEST, 106.03 FEET; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 305.00 FEET, AN ARC DISTANCE OF 123.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05°53'04" WEST, 122.33 FEET; THENCE SOUTH 17°27'11" WEST, 53.52 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 75.00 FEET, AN ARC DISTANCE OF 37.28 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 11°08'29" EAST, 36.89 FEET; THENCE SOUTH 67°25'53" EAST, 101.83 FEET; THENCE NORTH 36°16'04" EAST, 20.97 FEET; THENCE NORTH 61°15'31" EAST, 41.05 FEET;

THENCE SOUTH 12°57'08" EAST, 65.98 FEET; THENCE SOUTH 26°29'28" EAST, 41.56 FEET; THENCE NORTH 83°53'03" EAST, 40.19 FEET; THENCE SOUTH 25°23'04" EAST, 54.98 FEET; THENCE SOUTH 20°38'22" EAST, 38.32 FEET; THENCE SOUTH 61°06'35" WEST, 62.66 FEET; THENCE SOUTH 03°59'44" EAST, 40.29 FEET; THENCE SOUTH 20°14'44" EAST, 31.75 FEET; THENCE SOUTH 05°34'03" EAST, 61.29 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 61.57 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 54°57'19" EAST, 61.53 FEET; THENCE NORTH 07°48'58" EAST, 35.47 FEET; THENCE NORTH 25°58'58" EAST, 40.08 FEET; THENCE NORTH 89°19'13" EAST, 40.04 FEET; THENCE SOUTH 54°41'11" EAST, 38.60 FEET; THENCE SOUTH 36°21'56" WEST, 35.41 FEET; THENCE SOUTH 43°28'36" WEST, 33.38 FEET; THENCE SOUTH 29°54'01" EAST, 28.07 FEET; THENCE SOUTH 67°28'55" EAST, 31.23 FEET; THENCE SOUTH 45°03'01" EAST, 40.33 FEET; THENCE SOUTH 36°11'15" EAST, 35.31 FEET; THENCE SOUTH 02°08'30" EAST, 28.23 FEET; THENCE SOUTH 12°45'44" EAST, 38.25 FEET; THENCE SOUTH 11°58'58" WEST, 25.56 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 125.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 17°30'41" EAST, 124.99 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 564.99 FEET, AN ARC DISTANCE OF 276.71 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 00°40'34" EAST, 273.95 FEET; THENCE NORTH 77°44'23" EAST, 0.34 FEET; THENCE NORTH 47°02'49" EAST, 36.37 FEET; THENCE SOUTH 00°59'40" WEST, 69.65 FEET; THENCE SOUTH 28°39'14" EAST, 34.45 FEET; THENCE SOUTH 14°44'32" WEST, 36.12 FEET; THENCE SOUTH 37°11'54" WEST, 47.10 FEET; THENCE SOUTH 67°15'50" WEST, 26.93 FEET; THENCE SOUTH 29°01'20" EAST, 17.37 FEET; THENCE SOUTH 05°35'19" EAST, 21.21 FEET; THENCE SOUTH 62°02'04" WEST, 23.09 FEET; THENCE SOUTH 07°36'00" WEST, 36.67 FEET; THENCE NORTH 83°32'41" WEST, 19.91 FEET; THENCE SOUTH 04°14'18" WEST, 3.64 FEET; THENCE SOUTH 05°41'22" WEST, 16.16 FEET; THENCE SOUTH 05°41'22" WEST, 25.59 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 60.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05°01'02" EAST, 60.27 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 67.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°19'36" WEST, 66.88 FEET; THENCE SOUTH 07°18'17" EAST, 80.05 FEET; THENCE SOUTH 36°32'57" EAST, 35.96 FEET; THENCE SOUTH 27°57'47" EAST, 54.21 FEET; THENCE SOUTH 00°28'35" EAST, 35.25 FEET; THENCE SOUTH 24°38'24" EAST, 9.12 FEET; THENCE NORTH 15°10'31" EAST, 40.00 FEET; THENCE SOUTH 35°01'37" EAST, 23.64 FEET; THENCE SOUTH 60°33'08" EAST, 26.17 FEET; THENCE SOUTH 54°34'42" EAST, 30.40 FEET; THENCE SOUTH 26°40'07" EAST, 23.26

FEET; THENCE SOUTH 12°28'36" EAST, 40.89 FEET; THENCE SOUTH 77°02'31" WEST, 25.24 FEET; THENCE SOUTH 00°37'16" WEST, 50.15 FEET; THENCE NORTH 86°13'32" EAST, 275.60 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 760.00 FEET, AN ARC DISTANCE OF 1205.08 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40°48'02" EAST, 1082.75 FEET; THENCE SOUTH 20°49'10" EAST, 0.64 FEET; THENCE SOUTH 10°37'38" EAST, 81.25 FEET; THENCE NORTH 80°41'13" EAST, 25.05 FEET; THENCE SOUTH 01°38'20" WEST, 16.08 FEET; THENCE SOUTH 47°41'17" WEST, 25.53 FEET; THENCE SOUTH 09°58'59" EAST, 19.79 FEET; THENCE SOUTH 04°40'16" WEST, A DISTANCE OF 47.25 FEET; THENCE SOUTH 08°51'58" EAST, 58.43 FEET; THENCE SOUTH 71°09'16" EAST, 29.21 FEET; THENCE SOUTH 05°53'40" EAST, 16.96 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 840.00 FEET, AN ARC DISTANCE OF 1063.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 49°57'54" WEST, 993.65 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 86°13'32" WEST, A DISTANCE OF 866.22 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 113.54 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 68°09'16" WEST, 111.67 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 50°05'00" WEST, 11.55 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 55.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 23°35'56" WEST, 53.51 FEET, TO A POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 220.00 FEET, AN ARC DISTANCE OF 128.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 19°35'15" EAST, 126.45 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 36°17'22" EAST, 4.50 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 114.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26°22'14" EAST, 113.69 FEET; THENCE SOUTH 77°00'43" EAST, 48.54 FEET; THENCE NORTH 63°13'47" EAST, 42.76 FEET; THENCE SOUTH 27°26'46" WEST, 48.48 FEET; THENCE SOUTH 51°04'54" EAST, 23.47 FEET; THENCE SOUTH 87°26'01" EAST, 27.83 FEET; THENCE SOUTH 14°39'04" EAST, 66.22 FEET; THENCE SOUTH 31°00'19" WEST, 48.72 FEET; THENCE SOUTH 26°46'01" WEST, 49.21 FEET; THENCE SOUTH 42°24'41" WEST, 40.81 FEET; THENCE SOUTH 26°27'22" WEST, 49.11 FEET; THENCE SOUTH 14°29'49" WEST, 56.87 FEET; THENCE SOUTH 03°39'39" WEST, 61.10 FEET; THENCE SOUTH 11°49'22" EAST, 42.39 FEET; THENCE SOUTH

42°27'43" EAST, 42.11 FEET; THENCE SOUTH 39°01'45" EAST, 51.67 FEET; THENCE SOUTH 43°23'29" EAST, 48.46 FEET; THENCE NORTH 41°50'00" EAST, 42.70 FEET; THENCE NORTH 37°26'22" EAST, 21.99 FEET; THENCE NORTH 11°59'39" EAST, 66.68 FEET; THENCE NORTH 37°25'24" EAST, 41.60 FEET; THENCE NORTH 39°35'49" EAST, 28.68 FEET; THENCE NORTH 46°37'19" EAST, 39.60 FEET; THENCE NORTH 52°44'51" EAST, 46.02 FEET; THENCE NORTH 61°13'29" EAST, 41.90 FEET; THENCE NORTH 58°57'26" EAST, 27.20 FEET; THENCE SOUTH 44°01'45" EAST, 39.52 FEET; THENCE SOUTH 43°21'12" EAST, 46.75 FEET; THENCE SOUTH 46°48'40" WEST, 40.80 FEET; THENCE SOUTH 49°18'27" WEST, 27.02 FEET; THENCE SOUTH 30°19'55" WEST, 18.99 FEET; THENCE SOUTH 26°35'05" EAST, 27.53 FEET; THENCE SOUTH 37°07'07" EAST, 42.42 FEET; THENCE NORTH 35°54'44" EAST, 36.95 FEET; THENCE NORTH 23°17'56" EAST, 115.28 FEET; THENCE NORTH 52°27'38" EAST, 36.53 FEET; THENCE NORTH 56°30'30" EAST, 36.18 FEET; THENCE NORTH 74°43'41" EAST, 22.59 FEET; THENCE NORTH 18°38'15" EAST, 23.89 FEET; THENCE NORTH 84°34'20" EAST, 53.30 FEET; THENCE SOUTH 84°45'12" EAST, 66.80 FEET; THENCE NORTH 59°49'20" EAST, 49.01 FEET; THENCE NORTH 18°21'03" EAST, 43.50 FEET; THENCE SOUTH 82°20'55" EAST, 33.24 FEET; THENCE SOUTH 74°04'30" EAST, 23.49 FEET; THENCE SOUTH 77°54'51" EAST, 18.57 FEET; THENCE SOUTH 67°08'37" EAST, 45.87 FEET; THENCE NORTH 78°33'37" EAST, 46.05 FEET; THENCE SOUTH 46°17'36" EAST, 23.62 FEET; THENCE SOUTH 80°51'10" EAST, 54.81 FEET; THENCE NORTH 82°38'49" EAST, 32.80 FEET; THENCE NORTH 76°17'27" EAST, 66.39 FEET; THENCE NORTH 76°12'22" EAST, 40.77 FEET; THENCE NORTH 55°49'21" EAST, 9.95 FEET; THENCE SOUTH 03°50'38" EAST, 50.72 FEET; THENCE SOUTH 50°52'04" EAST, 50.43 FEET; THENCE SOUTH 61°07'39" EAST, 57.27 FEET; THENCE SOUTH 59°05'59" EAST, 26.27 FEET; THENCE SOUTH 00°03'49" WEST, 79.34 FEET; THENCE SOUTH 17°58'24" WEST, 80.64 FEET; THENCE SOUTH 04°00'26" WEST, 35.92 FEET; THENCE SOUTH 26°10'12" WEST, 43.91 FEET; THENCE SOUTH 06°34'07" EAST, 41.45 FEET; THENCE SOUTH 14°07'56" EAST, 51.09 FEET; THENCE SOUTH 20°40'32" WEST, 64.64 FEET; THENCE SOUTH 32°13'59" WEST, 65.05 FEET; THENCE SOUTH 72°31'50" WEST, 37.56 FEET; THENCE SOUTH 34°12'14" WEST, 61.66 FEET; THENCE SOUTH 06°46'02" WEST, 27.55 FEET; THENCE SOUTH 00°55'28" EAST, 46.30 FEET; THENCE SOUTH 23°09'30" WEST, 72.24 FEET; THENCE SOUTH 60°34'26" WEST, 22.98 FEET; THENCE SOUTH 25°57'51" WEST, 11.23 FEET; THENCE SOUTH 08°09'11" EAST, 219.83 FEET; THENCE SOUTH 60°34'17" EAST, 31.17 FEET; THENCE SOUTH 08°20'43" EAST, 75.31 FEET; THENCE SOUTH 75°51'12" EAST, 44.38 FEET; THENCE SOUTH 45°43'51" EAST, 54.05 FEET; THENCE SOUTH 27°36'22" EAST, 41.25 FEET; THENCE SOUTH 43°10'33" EAST, 60.78 FEET; THENCE SOUTH 65°23'27" EAST, 50.65 FEET; THENCE SOUTH 11°50'27" EAST, 27.17 FEET; THENCE SOUTH 06°41'13" EAST, 35.08 FEET; THENCE SOUTH 12°47'51" EAST, 71.60 FEET; THENCE SOUTH 17°54'50" EAST, 67.51 FEET; THENCE SOUTH 22°18'06" WEST, 68.81 FEET; THENCE SOUTH 28°39'03" EAST, 76.31 FEET; THENCE SOUTH 16°55'01" WEST, 34.24 FEET; THENCE SOUTH 13°28'22" WEST, 63.36 FEET; THENCE SOUTH 45°56'33" WEST, 4.50 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 138.85 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 26°35'39" WEST, 135.43 FEET; THENCE SOUTH 59°16'28" WEST, 52.62 FEET; THENCE

SOUTH 30°06'44" WEST, 36.23 FEET; THENCE SOUTH 15°25'27" EAST, 24.09 FEET; THENCE NORTH 62°34'36" EAST, 44.15 FEET; THENCE SOUTH 09°39'08" WEST, 102.45 FEET; THENCE SOUTH 85°08'49" WEST, 72.38 FEET; THENCE SOUTH 86°28'25" WEST, 32.21 FEET; THENCE NORTH 39°57'04" WEST, 36.81 FEET; THENCE NORTH 65°49'22" WEST, 46.16 FEET; THENCE NORTH 85°45'29" WEST, 30.78 FEET; THENCE NORTH 78°15'26" WEST, 51.39 FEET; THENCE NORTH 26°11'55" WEST, 48.74 FEET; THENCE NORTH 51°41'11" EAST, 53.24 FEET; THENCE NORTH 35°41'31" EAST, 44.07 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.98 FEET, AN ARC DISTANCE OF 28.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43°02'48" WEST, 28.96 FEET; THENCE NORTH 36°54'40" WEST, 9.56 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.55 FEET, AN ARC DISTANCE OF 56.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 26°24'03" WEST, 56.25 FEET; THENCE NORTH 78°37'02" WEST, 45.77 FEET; THENCE SOUTH 78°18'44" WEST, 78.11 FEET; THENCE NORTH 61°44'12" WEST, 19.59 FEET; THENCE SOUTH 07°14'11" WEST, 43.55 FEET; THENCE SOUTH 69°58'22" WEST, 38.43 FEET; THENCE NORTH 84°56'42" WEST, 73.71 FEET; THENCE NORTH 42°01'43" WEST, 35.93 FEET; THENCE SOUTH 69°12'37" WEST, 51.81 FEET; THENCE SOUTH 67°47'53" WEST, 32.75 FEET; THENCE SOUTH 48°10'50" WEST, 47.87 FEET; THENCE SOUTH 44°01'00" WEST, 71.32 FEET; THENCE SOUTH 41°20'59" WEST, 31.92 FEET; THENCE SOUTH 46°52'49" WEST, 50.82 FEET; THENCE SOUTH 59°51'34" WEST, 25.75 FEET; THENCE SOUTH 49°16'54" WEST, 48.49 FEET; THENCE SOUTH 55°57'02" WEST, 65.07 FEET; THENCE SOUTH 16°43'14" WEST, 44.03 FEET; THENCE SOUTH 05°35'57" WEST, 55.46 FEET; THENCE SOUTH 38°44'35" WEST, 59.93 FEET; THENCE SOUTH 27°19'06" WEST, 51.05 FEET; THENCE SOUTH 27°28'46" WEST, 42.53 FEET TO THE SOUTHERLY LINE OF SECTION 14; THENCE NORTH 89°33'57" EAST ALONG THE SOUTHERLY LINE OF SECTION 14, 1130.22 FEET; THENCE NORTH 38°52'20" EAST, 63.31 FEET; THENCE NORTH 44°49'01" EAST, 29.23 FEET; THENCE NORTH 72°40'16" EAST, 67.27 FEET; THENCE NORTH 31°52'40" EAST, 60.76 FEET; THENCE NORTH 47°23'05" EAST, 45.47 FEET; THENCE NORTH 27°58'36" EAST, 45.91 FEET; THENCE NORTH 16°34'20" EAST, 43.08 FEET; THENCE NORTH 24°57'47" WEST, 24.92 FEET; THENCE NORTH 11°25'25" WEST, 30.73 FEET; THENCE NORTH 58°01'14" WEST, 57.11 FEET; THENCE NORTH 20°48'00" WEST, 31.83 FEET; THENCE NORTH 25°19'19" WEST, 17.52 FEET; THENCE NORTH 27°28'18" EAST, 43.75 FEET; THENCE NORTH 29°38'24" EAST, 32.08 FEET; THENCE NORTH 38°42'20" EAST, 55.49 FEET; THENCE NORTH 29°30'32" EAST, 50.21 FEET; THENCE NORTH 31°17'19" EAST, 51.79 FEET; THENCE NORTH 16°13'46" EAST, 73.70 FEET; THENCE NORTH 36°14'59" EAST, 60.35 FEET; THENCE NORTH 10°42'59" WEST, 46.27 FEET; THENCE NORTH 24°30'16" EAST, 51.08 FEET; THENCE NORTH 31°31'17" EAST, 52.49 FEET; THENCE NORTH 24°27'12" EAST, 57.13 FEET; THENCE NORTH 09°17'16" EAST, 43.91 FEET; THENCE NORTH 35°50'56" EAST, 65.53 FEET; THENCE NORTH 37°49'46" EAST, 56.93 FEET; THENCE NORTH 35°51'39" EAST, 65.21 FEET; THENCE NORTH 25°25'00" EAST, 67.87 FEET; THENCE NORTH 20°43'13" EAST, 56.18 FEET; THENCE NORTH 20°57'34" EAST, 43.73 FEET; THENCE NORTH 18°56'29" EAST, 84.00 FEET; THENCE

NORTH 04°21'18" EAST, 56.75 FEET; THENCE NORTH 00°50'31" EAST, 55.67 FEET; THENCE NORTH 10°18'42" WEST, 96.88 FEET; THENCE NORTH 32°02'28" WEST, 44.24 FEET; THENCE NORTH 16°26'19" WEST, 52.99 FEET; THENCE NORTH 81°56'46" WEST, 28.51 FEET; THENCE SOUTH 47°17'31" WEST, 18.92 FEET; THENCE NORTH 19°27'13" WEST, 65.20 FEET; THENCE NORTH 06°16'44" WEST, 65.64 FEET; THENCE NORTH 16°19'52" EAST, 41.76 FEET; THENCE NORTH 13°34'44" EAST, 67.74 FEET; THENCE NORTH 73°59'20" EAST, 42.49 FEET; THENCE NORTH 71°20'10" EAST, 24.86 FEET; THENCE NORTH 11°39'48" EAST, 38.46 FEET; THENCE NORTH 27°08'14" EAST, 29.69 FEET; THENCE NORTH 59°10'02" EAST, 66.97 FEET; THENCE NORTH 42°10'40" EAST, 37.90 FEET; THENCE NORTH 25°49'19" EAST, 63.54 FEET; THENCE NORTH 54°00'30" EAST, 76.36 FEET; THENCE NORTH 54°28'53" EAST, 58.75 FEET; THENCE NORTH 58°54'45" EAST, 63.95 FEET; THENCE NORTH 67°08'02" EAST, 61.51 FEET; THENCE NORTH 63°47'19" EAST, 47.37 FEET; THENCE NORTH 16°05'47" WEST, 52.45 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 360.00 FEET AN ARC DISTANCE OF 86.11 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°14'37" WEST, 85.91 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 140.00 FEET AN ARC DISTANCE OF 24.52 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 07°24'34" WEST, 24.49 FEET; THENCE SOUTH 84°45'13" EAST, 123.11 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 253.51 FEET AN ARC DISTANCE OF 65.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 08°30'37" EAST, 65.27 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 5219.76 FEET AN ARC DISTANCE OF 54.79 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 16°12'27" EAST, 54.79 FEET; THENCE SOUTH 15°25'27" EAST, 9.06 FEET; THENCE SOUTH 16°05'47" EAST, 11.06 FEET; THENCE NORTH 79°00'30" EAST, 9.82 FEET; THENCE NORTH 22°05'15" EAST, 4.95 FEET; THENCE NORTH 38°33'48" EAST, 22.76 FEET; THENCE SOUTH 69°14'40" EAST, 41.30 FEET; THENCE NORTH 36°54'33" EAST, 32.11 FEET; THENCE NORTH 36°54'33" EAST, 10.08 FEET; THENCE SOUTH 74°16'50" EAST, 63.77 FEET; THENCE NORTH 63°07'36" EAST, 39.30 FEET; THENCE SOUTH 85°46'42" EAST, 70.32 FEET; THENCE NORTH 88°29'35" EAST, 59.24 FEET; THENCE SOUTH 73°10'56" EAST, 38.89 FEET; THENCE SOUTH 51°37'55" EAST, 42.97 FEET; THENCE SOUTH 49°09'17" EAST, 42.27 FEET; THENCE SOUTH 55°48'05" EAST, 37.32 FEET; THENCE SOUTH 48°21'48" EAST, 53.12 FEET; THENCE SOUTH 30°59'06" EAST, 14.17 FEET; THENCE SOUTH 30°59'06" EAST, 33.48 FEET; THENCE SOUTH 42°11'29" EAST, 55.26 FEET; THENCE SOUTH 38°14'08" EAST, 45.52 FEET; THENCE SOUTH 61°55'29" EAST, 45.96 FEET; THENCE SOUTH 61°55'29" EAST, 6.34 FEET; THENCE SOUTH 81°37'54" EAST, 45.38 FEET; THENCE SOUTH 14°57'13" EAST, 45.09 FEET; THENCE SOUTH 61°46'14" EAST, 51.00 FEET; THENCE SOUTH 80°16'21" EAST, 67.20 FEET; THENCE SOUTH

03°38'29" WEST, 40.24 FEET; THENCE SOUTH 69°18'10" EAST, 30.62 FEET; THENCE SOUTH 53°03'52" EAST, 79.78 FEET; THENCE SOUTH 81°23'48" EAST, 34.53 FEET; THENCE SOUTH 84°33'05" EAST, 37.16 FEET; THENCE SOUTH 66°22'32" EAST, 55.47 FEET; THENCE SOUTH 41°22'04" EAST, 42.68 FEET; THENCE SOUTH 45°03'34" EAST, 51.19 FEET; THENCE SOUTH 66°17'21" EAST, 40.33 FEET; THENCE SOUTH 82°51'42" EAST, 34.58 FEET; THENCE SOUTH 72°23'02" EAST, 54.68 FEET; THENCE SOUTH 69°02'07" EAST, 49.58 FEET; THENCE SOUTH 38°09'54" EAST, 61.47 FEET; THENCE SOUTH 72°46'04" EAST, 63.33 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 163.71 FEET, AN ARC DISTANCE OF 60.96 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 43°27'26" EAST, 60.61 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET AN ARC DISTANCE OF 141.89 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°33'18" EAST, 138.25 FEET; THENCE NORTH 42°33'03" WEST, 14.67 FEET; THENCE NORTH 53°34'16" WEST, 69.31 FEET; THENCE NORTH 01°52'18" WEST, 26.55 FEET; THENCE NORTH 65°07'30" EAST, 21.80 FEET; THENCE NORTH 32°22'06" EAST, 24.94 FEET; THENCE SOUTH 82°26'27" EAST, 41.28 FEET; THENCE NORTH 87°39'31" EAST, 41.61 FEET; THENCE SOUTH 65°25'23" EAST, 36.82 FEET; THENCE NORTH 65°34'44" EAST, 43.74 FEET; THENCE NORTH 52°32'47" EAST, 54.74 FEET; THENCE NORTH 00°14'56" WEST, 64.46 FEET; THENCE NORTH 72°30'27" EAST, 26.69 FEET; THENCE SOUTH 01°33'55" WEST, 72.47 FEET; THENCE SOUTH 36°58'36" EAST, 42.78 FEET; THENCE SOUTH 10°31'06" WEST, 25.58 FEET; THENCE SOUTH 84°31'21" EAST, 1.08 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 205.44 FEET, AN ARC DISTANCE OF 87.04 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 57°59'28" EAST, 86.39 FEET; THENCE SOUTH 73°26'55" EAST, 17.32 FEET; THENCE SOUTH 69°39'18" EAST, 25.34 FEET; THENCE SOUTH 36°22'40" EAST, 30.55 FEET; THENCE NORTH 87°50'30" EAST, 49.25 FEET; THENCE SOUTH 24°42'36" EAST, 50.10 FEET; THENCE SOUTH 17°29'47" EAST, 53.31 FEET; THENCE SOUTH 68°19'24" WEST, 56.50 FEET; THENCE SOUTH 59°58'07" WEST, 42.09 FEET; THENCE SOUTH 45°52'05" WEST, 37.28 FEET; THENCE SOUTH 89°46'12" EAST, 79.52 FEET; THENCE SOUTH 88°52'34" EAST, 39.46 FEET; THENCE SOUTH 15°58'11" EAST, 36.37 FEET; THENCE SOUTH 01°07'14" EAST, 57.89 FEET; THENCE SOUTH 35°50'16" WEST, 41.38 FEET; THENCE NORTH 79°09'49" WEST, 70.98 FEET; THENCE NORTH 65°15'55" WEST, 50.14 FEET; THENCE NORTH 62°13'06" WEST, 28.14 FEET; THENCE NORTH 49°20'15" WEST, 11.87 FEET; THENCE SOUTH 44°56'46" WEST, 3.24 FEET; THENCE SOUTH 23°47'58" WEST, 2.95 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET, AN ARC DISTANCE OF 257.27 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 39°19'48" WEST, 254.20 FEET; THENCE SOUTH 31°44'46" EAST, 47.17 FEET; THENCE SOUTH 14°26'26" WEST, 63.82 FEET; THENCE SOUTH 16°25'57" EAST, 60.80 FEET; THENCE SOUTH 51°39'28" EAST, 68.50 FEET;

THENCE SOUTH 01°40'05" WEST, 66.54 FEET; THENCE SOUTH 35°46'56" EAST, 22.96 FEET; THENCE SOUTH 37°46'30" WEST, 34.45 FEET; THENCE SOUTH 34°58'54" WEST, 15.38 FEET; THENCE SOUTH 34°45'23" WEST, 9.50 FEET; THENCE SOUTH 57°41'39" EAST, 33.74 FEET; THENCE SOUTH 30°41'54" WEST, 98.98 FEET; THENCE SOUTH 64°13'04" EAST, 18.04 FEET; THENCE SOUTH 66°51'19" EAST, 17.40 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 385.00 FEET, AN ARC DISTANCE OF 105.23 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 75°58'50" EAST, 104.90 FEET; THENCE NORTH 06°14'57" EAST, 110.00 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 275.00 FEET AN ARC DISTANCE OF 275.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 67°29'40" EAST, 263.88 FEET; THENCE NORTH 07°23'47" EAST, 17.48 FEET; THENCE NORTH 39°50'33" EAST, 47.17 FEET; THENCE NORTH 00°48'10" WEST, 14.70 FEET; THENCE NORTH 40°05'10" WEST, 30.64 FEET; THENCE SOUTH 88°56'46" WEST, 27.13 FEET; THENCE NORTH 57°48'27" WEST, 29.57 FEET; THENCE NORTH 17°34'48" EAST, 37.52 FEET; THENCE NORTH 13°52'07" EAST, 55.55 FEET; THENCE NORTH 59°56'06" EAST, 16.61 FEET; THENCE NORTH 01°30'46" EAST, 64.31 FEET; THENCE NORTH 09°22'30" WEST, 96.98 FEET; THENCE NORTH 01°53'34" EAST, 67.76 FEET; THENCE NORTH 08°15'11" WEST, 61.43 FEET; THENCE NORTH 23°45'27" EAST, 31.72 FEET; THENCE NORTH 37°39'48" EAST, 49.28 FEET; THENCE NORTH 14°13'43" WEST, 39.90 FEET; THENCE NORTH 01°12'40" EAST, 31.46 FEET; THENCE NORTH 67°07'05" EAST, 42.81 FEET; THENCE NORTH 00°55'22" WEST, 116.78 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 179.97 FEET AN ARC DISTANCE OF 308.24 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°12'30" EAST, 271.93 FEET; THENCE NORTH 10°35'09" WEST, 23.41 FEET; THENCE NORTH 37°47'21" WEST, 131.34 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 67.95 FEET AN ARC DISTANCE OF 53.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°22'22" WEST, 51.82 FEET; THENCE NORTH 07°01'36" EAST, 76.85 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 12.01 FEET AN ARC DISTANCE OF 6.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 09°06'51" WEST, 6.67 FEET; THENCE NORTH 25°15'19" WEST, 49.28 FEET; THENCE NORTH 88°31'52" EAST, 252.15 FEET; THENCE SOUTH 87°42'34" EAST, 125.74 FEET TO THE EASTERLY LINE OF SECTION 14; THENCE NORTH 01°04'11" WEST, ALONG SAID EASTERLY LINE OF SECTION 14, A DISTANCE OF 2817.18 FEET TO THE SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD (A VARIABLE WIDTH RIGHT OF WAY PER F.E.C. RAILWAY CO. RIGHT OF WAY AND TRACK MAP DATED DECEMBER 31, 1927); THENCE NORTH 41°02'31" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA

EAST COAST RAILROAD, 253.73 FEET; THENCE SOUTH 89°28'59" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD, 36.95 FEET; THENCE NORTH 41°00'02" WEST, ALONG SAID SOUTHWESTERLY EXISTING RIGHT OF WAY LINE OF FLORIDA EAST COAST RAILROAD, 2283.78 FEET TO THE SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002) AND THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY AND SOUTHWESTERLY, ALONG THE LAST SAID THE SOUTHERLY EXISTING RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, RUN THE FOLLOWING FOUR (5) COURSES AND DISTANCES: COURSE NO. 1: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 393.31 FEET, AN ARC DISTANCE OF 394.38 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 82°34'04" WEST, 378.07 FEET, TO A POINT OF TANGENCY; COURSE NO. 2: NORTH 68°42'23" WEST, 1737.76 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 3: NORTHWESTERLY ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1029.93 FEET, AN ARC DISTANCE OF 277.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 60°58'35" WEST, 277.06 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE; COURSE NO. 4 NORTH 53°14'48" WEST, 2487.56 FEET, TO SAID SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT; THENCE NORTHWESTERLY AND SOUTHWESTERLY ALONG LAST SAID LINE, RUN THE FOLLOWING TWO (2) COURSES AND DISTANCES; COURSE NO. 1: NORTH 83°55'11" WEST, 194.61 FEET; COURSE NO. 2: SOUTH 53°55'08" WEST, 250.65 FEET TO THE POINT OF BEGINNING.

CONTAINING 629.01 ACRES, MORE OR LESS.

PARCEL NO. 2

A PORTION OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'51" EAST, ALONG THE SOUTHERLY LINE OF SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHWEST CORNER OF SECTION 14, TOWNSHIP 5 SOUTH, RANGE 28 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 89°33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 14, A DISTANCE OF 3689.24 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 89°33'57" EAST, 701.82 FEET; THENCE NORTH 52°31'43" EAST, 16.14 FEET; THENCE NORTH 48°29'24" EAST, 52.45 FEET; THENCE NORTH 07°12'10" EAST, 27.89 FEET; THENCE NORTH 28°43'22" WEST, 30.25 FEET; THENCE NORTH 09°36'38" WEST, 36.42 FEET; THENCE NORTH 04°29'31" EAST, 47.78 FEET; THENCE NORTH 40°49'25" EAST, 39.75 FEET; THENCE NORTH 32°20'46" EAST, 55.71 FEET; THENCE NORTH 09°05'34" EAST, 16.49 FEET; THENCE NORTH 36°55'42" EAST, 30.92 FEET; THENCE NORTH 74°01'00" EAST, 26.05 FEET; THENCE SOUTH 87°01'18"

EAST, 2.27 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 205.00 FEET, AN ARC DISTANCE OF 139.03 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°21'41" EAST, 136.38 FEET; THENCE NORTH 11°44'18" EAST, 53.88 FEET; THENCE NORTH 55°00'43" WEST, 28.88 FEET; THENCE NORTH 75°57'17" WEST, 23.16 FEET; THENCE NORTH 24°01'13" EAST, 50.44 FEET; THENCE NORTH 37°10'28" WEST, 25.85 FEET; THENCE NORTH 15°21'16" WEST, 50.10 FEET; THENCE NORTH 13°49'06" EAST, 59.85 FEET; THENCE NORTH 44°31'38" EAST, 37.37 FEET; THENCE NORTH 21°32'55" WEST, 45.31 FEET; THENCE NORTH 27°15'55" WEST, 26.02 FEET; THENCE SOUTH 83°17'54" WEST, 26.71 FEET; THENCE NORTH 79°55'45" WEST, 47.06 FEET; THENCE NORTH 45°42'49" WEST, 24.58 FEET; THENCE NORTH 17°46'11" EAST, 18.53 FEET; THENCE NORTH 72°13'49" WEST, 1.81 FEET; THENCE NORTH 62°56'00" WEST, 5.04 FEET; THENCE NORTH 62°29'03" WEST, 1.48 FEET; THENCE NORTH 61°29'02" WEST, 13.04 FEET; THENCE NORTH 59°41'40" WEST, 12.92 FEET; THENCE NORTH 58°05'39" WEST, 10.29 FEET; THENCE NORTH 13°39'22" EAST, 2.51 FEET; THENCE SOUTH 65°10'27" WEST, 24.05 FEET; THENCE SOUTH 29°37'13" EAST, 27.39 FEET; THENCE SOUTH 12°18'32" WEST, 29.70 FEET; THENCE NORTH 71°34'43" WEST, 24.03 FEET; THENCE NORTH 00°43'28" EAST, 64.29 FEET; THENCE SOUTH 45°52'16" WEST, 34.23 FEET; THENCE SOUTH 43°13'52" WEST, 50.03 FEET; THENCE SOUTH 66°52'17" WEST, 35.04 FEET; THENCE SOUTH 84°25'24" WEST, 52.28 FEET; THENCE NORTH 69°34'18" WEST, 25.65 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 600.00 FEET AN ARC DISTANCE OF 96.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 02°37'43" EAST, 96.70 FEET; THENCE NORTH 61°20'07" EAST, 20.80 FEET; THENCE SOUTH 20°24'39" EAST, 46.89 FEET; THENCE SOUTH 62°48'20" EAST, 44.79 FEET; THENCE SOUTH 71°16'16" EAST, 36.11 FEET; THENCE SOUTH 53°39'57" EAST, 52.35 FEET; THENCE SOUTH 15°38'11" EAST, 27.11 FEET; THENCE SOUTH 46°09'31" EAST, 18.32 FEET; THENCE SOUTH 04°14'13" EAST, 37.37 FEET; THENCE SOUTH 30°14'14" WEST, 19.95 FEET; THENCE NORTH 46°45'14" WEST, 43.18 FEET; THENCE SOUTH 18°57'47" WEST, 3.54 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 184.42 FEET, AN ARC DISTANCE OF 72.53 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 04°28'19" WEST, 72.06 FEET; THENCE SOUTH 25°34'01" EAST, 9.18 FEET; THENCE SOUTH 81°25'46" EAST, 34.58 FEET; THENCE SOUTH 13°32'35" WEST, 113.26 FEET; THENCE SOUTH 25°16'07" WEST, 43.75 FEET; THENCE NORTH 59°19'06" WEST, 52.27 FEET; THENCE NORTH 68°44'34" WEST, 43.03 FEET; THENCE SOUTH 82°04'22" WEST, 45.28 FEET TO A POINT OF CURVATURE; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 179.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 73°01'54" WEST, 172.14 FEET; THENCE SOUTH 67°45'29" WEST, 52.13 FEET; THENCE NORTH 43°43'04" WEST, 40.32 FEET; THENCE NORTH 47°03'45" WEST, 56.01 FEET; THENCE NORTH 18°14'57" WEST, 24.66 FEET; THENCE NORTH 34°51'24" EAST,

61.26 FEET; THENCE NORTH 06°45'17" WEST, 36.87 FEET; THENCE NORTH 35°53'18" EAST, 43.77 FEET; THENCE NORTH 42°35'02" WEST, 58.19 FEET; THENCE NORTH 49°17'37" EAST, 36.60 FEET; THENCE NORTH 26°39'46" WEST, 48.82 FEET; THENCE NORTH 51°23'03" WEST, 54.62 FEET; THENCE NORTH 10°32'40" EAST, 33.21 FEET; THENCE NORTH 75°20'57" WEST, 68.57 FEET; THENCE NORTH 57°13'43" WEST, 56.54 FEET; THENCE SOUTH 54°38'07" WEST, 47.24 FEET; THENCE SOUTH 28°58'06" WEST, 42.13 FEET; THENCE SOUTH 16°31'41" WEST, 60.26 FEET; THENCE SOUTH 07°46'28" EAST, 64.09 FEET; THENCE SOUTH 04°40'52" EAST, 65.92 FEET; THENCE SOUTH 13°37'25" EAST, 58.32 FEET; THENCE SOUTH 39°56'16" EAST, 41.18 FEET; THENCE SOUTH 24°54'18" WEST, 33.11 FEET; THENCE NORTH 85°19'22" WEST, 46.90 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 480.00 FEET AN ARC DISTANCE OF 207.50 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 27°53'04" WEST, 205.88 FEET; THENCE SOUTH 63°05'04" EAST, 39.17 FEET; THENCE SOUTH 03°10'49" EAST, 52.15 FEET; THENCE SOUTH 53°25'01" WEST, 33.32 FEET; THENCE SOUTH 24°10'20" WEST, 41.54 FEET; THENCE SOUTH 19°32'13" EAST, 45.55 FEET; THENCE SOUTH 16°30'55" WEST, 23.00 FEET, TO THE POINT OF BEGINNING.

CONTAINING 9.17 ACRES, MORE OR LESS.

PARCEL NO. 3

A PORTION OF SECTIONS 10, 14, AND 15, ALL LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'51" EAST, ALONG THE SOUTHERLY LINE OF SECTION 15, A DISTANCE OF 5368.24 FEET, TO THE SOUTHEAST CORNER OF SAID SECTION 15; THENCE NORTH 14°59'21" WEST, 272.84 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 314.27 FEET, AN ARC DISTANCE OF 83.09 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 40°17'01" WEST, 82.84 FEET, TO THE POINT OF REVERSE CURVATURE OF AN ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 318.58 FEET, AN ARC DISTANCE OF 74.61 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 41°08'54" WEST, 74.44 FEET, TO THE POINT OF COMPOUND CURVETURE A CURVE LEADING NORTHERLY; THENCE NORTHERLY, LONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 460.00 FEET, AN ARC DISTANCE OF 771.05 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 13°34'50" EAST, 683.90 FEET, TO THE POINT OF TANGENCY OF SAID CURVE ; THENCE NORTH 61°36'00" EAST, 287.18 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING

NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 574.66 FEET, AN ARC DISTANCE OF 498.21 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 36°45'48" EAST, 482.75 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 11°55'36" EAST, 152.87 FEET, TO THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 380.00 FEET, AN ARC DISTANCE OF 231.62 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 17°41'24" WEST, 228.05 FEET THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 00°13'42" WEST, 85.97 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 430.00 FEET, AN ARC DISTANCE OF 113.89 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 07°21'35" EAST, 113.56 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 14°56'51" EAST, 122.62 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 270.00 FEET, AN ARC DISTANCE OF 241.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 10°40'16" WEST, 233.48 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 36°17'22" WEST, 4.50 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 280.00 FEET, AN ARC DISTANCE OF 126.39 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 23°21'29" WEST, 125.32 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 107.81 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 27°35'05" WEST, 106.20 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 44°44'34" WEST, 9.27 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 60.00 FEET, AN ARC DISTANCE OF 51.35 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 69°15'31" WEST, 49.79 FEET, TO THE POINT TANGENCY OF SAID CURVE; THENCE SOUTH 86°13'32" WEST, 445.52 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 808.55 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 73°27'20" WEST, 791.71 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 109.18 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 50°23'35" WEST, 109.14 FEET, TO THE POINT OF COMPOUND CURVATURE

OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1140.00 FEET, AN ARC DISTANCE OF 654.48 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 31°12'09" WEST, 645.53 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 25.00 FEET, AN ARC DISTANCE OF 39.34 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 59°50'01" WEST, 35.40 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 75°05'20" WEST, 27.24 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 440.00 FEET, AN ARC DISTANCE OF 269.98 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 13°55'12" EAST, 265.76 FEET TO THE POINT OF TANGENCY OF SAID CURVE ; THENCE SOUTH 31°29'53" EAST, 54.58 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 410.00 FEET, AN ARC DISTANCE OF 1194.83 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 51°59'19" WEST, 814.71 FEET; THENCE NORTH 45°27'07" WEST, 233.34 FEET; THENCE NORTH 46°17'58" WEST, 120.80 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1041.74 FEET, AN ARC DISTANCE OF 206.30 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 61°34'29" WEST, 205.96 FEET; THENCE NORTH 39°19'39" WEST, 329.70 FEET; THENCE SOUTH 83°51'34" WEST, 387.29 FEET; THENCE SOUTH 86°14'23" WEST, 408.03 FEET; THENCE SOUTH 65°37'58" WEST, 188.43 FEET; THENCE SOUTH 49°33'27" WEST, 248.40 FEET; THENCE SOUTH 39°39'14" WEST, 105.76 FEET; THENCE SOUTH 54°43'14" WEST, 78.70 FEET; THENCE SOUTH 62°26'43" WEST, 111.37 FEET; THENCE SOUTH 73°37'25" WEST, 74.92 FEET; THENCE SOUTH 79°47'55" WEST, 56.91 FEET; THENCE SOUTH 67°41'18" WEST, 169.66 FEET; THENCE SOUTH 54°15'34" WEST, 104.21 FEET; THENCE SOUTH 54°03'15" WEST, 196.28 FEET; THENCE SOUTH 66°18'47" WEST, 186.72 FEET; THENCE SOUTH 22°19'09" WEST, 59.84 FEET; THENCE SOUTH 66°22'14" WEST, 12.52 FEET; THENCE SOUTH 73°36'38" WEST, 17.72 FEET; THENCE SOUTH 78°41'24" WEST, 35.69 FEET; THENCE SOUTH 78°21'59" WEST, 34.71 FEET; THENCE NORTH 86°43'04" WEST, 43.30 FEET; THENCE NORTH 74°31'42" WEST, 72.88 FEET; THENCE SOUTH 85°59'22" WEST, 36.43 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 17.00 FEET, AN ARC DISTANCE OF 8.67 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 71°23'02" WEST, 8.57 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 56°46'43" WEST, 171.47 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 48.00 FEET, AN ARC DISTANCE OF 102.30 FEET, SAID CURVE BEING SUBTENDED BY A CHORD

BEARING AND DISTANCE OF NORTH 62°09'52" WEST, 84.01 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 01°06'27" WEST, 322.22 FEET; THENCE NORTH 13°52'52" WEST, 65.90 FEET; THENCE SOUTH 78°58'15" EAST, 22.00 FEET; THENCE NORTH 27°44'20" EAST, 58.44 FEET; THENCE SOUTH 20°23'31" EAST, 20.83 FEET; THENCE NORTH 71°44'41" EAST, 44.14 FEET; THENCE NORTH 01°26'06" EAST, 76.10 FEET; THENCE NORTH 46°58'17" EAST, 19.53 FEET; THENCE SOUTH 85°10'34" EAST, 51.97 FEET; THENCE SOUTH 40°31'09" EAST, 120.38 FEET; THENCE SOUTH 88°12'49" EAST, 41.67 FEET; THENCE NORTH 01°11'31" EAST, 32.93 FEET; THENCE SOUTH 70°21'28" EAST, 67.44 FEET; THENCE NORTH 12°53'57" WEST, 55.53 FEET; THENCE NORTH 42°18'15" WEST, 33.18 FEET; THENCE NORTH 02°46'44" EAST, 46.51 FEET; THENCE NORTH 65°04'58" EAST, 34.17 FEET; THENCE NORTH 40°02'45" WEST, 21.95 FEET; THENCE NORTH 54°11'39" WEST, 56.16 FEET; THENCE NORTH 77°05'52" EAST, 43.82 FEET; THENCE NORTH 68°19'57" EAST, 46.77 FEET; THENCE SOUTH 09°00'32" WEST, 22.92 FEET; THENCE SOUTH 80°02'32" EAST, 30.23 FEET; THENCE NORTH 87°58'05" EAST, 16.39 FEET; THENCE SOUTH 82°05'06" EAST, 77.08 FEET; THENCE NORTH 68°10'32" EAST, 30.53 FEET; THENCE NORTH 03°18'41" WEST, 63.31 FEET; THENCE NORTH 23°17'03" WEST, 12.48 FEET; THENCE NORTH 21°29'26" WEST, 41.76 FEET; THENCE NORTH 08°47'51" EAST, 43.24 FEET; THENCE NORTH 51°29'28" EAST, 55.02 FEET; THENCE SOUTH 19°06'01" EAST, 130.99 FEET; THENCE SOUTH 66°12'14" EAST, 8.36 FEET; THENCE NORTH 48°55'27" EAST, 66.34 FEET; THENCE SOUTH 00°43'09" EAST, 73.18 FEET; THENCE NORTH 71°57'09" EAST, 39.67 FEET; THENCE SOUTH 43°39'28" EAST, 64.51 FEET; THENCE NORTH 61°28'09" EAST, 231.33 FEET; THENCE NORTH 10°37'03" EAST, 19.09 FEET; THENCE NORTH 38°16'52" EAST, 68.58 FEET; THENCE SOUTH 52°38'35" EAST, 44.61 FEET; THENCE NORTH 81°49'12" EAST, 71.82 FEET; THENCE NORTH 30°02'37" EAST, 39.63 FEET; THENCE SOUTH 38°22'28" EAST, 32.31 FEET; THENCE NORTH 62°31'08" EAST, 31.21 FEET; THENCE NORTH 52°46'07" EAST, 37.85 FEET; THENCE NORTH 42°40'47" EAST, 58.44 FEET; THENCE NORTH 31°18'01" EAST, 2.29 FEET; THENCE NORTH 36°52'29" WEST, 13.68 FEET; THENCE NORTH 10°26'01" WEST, 49.40 FEET; THENCE SOUTH 78°37'22" WEST, 36.17 FEET; THENCE NORTH 34°41'19" WEST, 39.20 FEET; THENCE NORTH 56°38'50" EAST, 114.33 FEET; THENCE NORTH 24°33'48" EAST, 23.44 FEET; THENCE NORTH 33°41'01" EAST, 50.78 FEET; THENCE NORTH 89°06'13" EAST, 17.71 FEET; THENCE NORTH 20°38'28" EAST, 54.87 FEET; THENCE SOUTH 48°45'54" EAST, 29.25 FEET; THENCE SOUTH 89°35'17" EAST, 40.20 FEET; THENCE SOUTH 79°26'57" EAST, 38.98 FEET; THENCE SOUTH 65°57'38" EAST, 18.57 FEET; THENCE NORTH 80°19'59" EAST, 24.51 FEET; THENCE NORTH 77°12'08" EAST, 16.18 FEET; THENCE NORTH 43°40'37" EAST, 30.19 FEET; THENCE NORTH 65°26'29" EAST, 79.49 FEET; THENCE NORTH 50°06'33" EAST, 56.74 FEET; THENCE NORTH 76°21'13" EAST, 64.03 FEET; THENCE NORTH 73°13'29" EAST, 40.58 FEET; THENCE NORTH 89°31'59" EAST, 57.04 FEET; THENCE SOUTH 69°06'20" EAST, 23.03 FEET; THENCE NORTH 78°35'24" EAST, 60.35 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 560.00 FEET, AN ARC DISTANCE OF 390.50 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 32°42'03" EAST, 382.64 FEET; THENCE NORTH 52°31'34" EAST, 11.18 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE

NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 190.00 FEET, AN ARC DISTANCE OF 185.01 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 24°37'52" EAST, 177.78 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 03°15'50" WEST, 19.37 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 55.00 FEET, AN ARC DISTANCE OF 100.74 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°05'59" WEST, 87.23 FEET; THENCE SOUTH 71°47'44" WEST, 40.17 FEET; THENCE SOUTH 76°34'46" WEST, 139.62 FEET; THENCE SOUTH 16°15'16" WEST, 34.42 FEET; THENCE SOUTH 20°39'17" EAST, 35.77 FEET; THENCE SOUTH 58°11'32" EAST, 52.50 FEET; THENCE NORTH 88°31'42" WEST, 25.66 FEET; THENCE SOUTH 77°50'21" WEST, 57.93 FEET; THENCE SOUTH 79°06'30" WEST, 38.09 FEET; THENCE SOUTH 55°27'06" WEST, 51.87 FEET; THENCE SOUTH 57°00'00" WEST, 25.49 FEET; THENCE NORTH 50°34'14" WEST, 64.88 FEET; THENCE NORTH 18°35'54" WEST, 31.15 FEET; THENCE NORTH 48°28'12" WEST, 39.64 FEET; THENCE NORTH 77°37'22" WEST, 35.85 FEET; THENCE NORTH 64°58'26" WEST, 24.49 FEET; THENCE SOUTH 59°38'28" WEST, 25.33 FEET; THENCE SOUTH 34°45'41" WEST, 90.42 FEET; THENCE NORTH 30°30'58" WEST, 91.85 FEET; THENCE NORTH 39°37'55" WEST, 63.52 FEET; THENCE NORTH 31°29'44" EAST, 56.36 FEET; THENCE NORTH 89°52'17" WEST, 14.25 FEET; THENCE NORTH 07°24'57" WEST, 100.26 FEET; THENCE NORTH 57°32'02" EAST, 56.24 FEET; THENCE NORTH 27°28'53" WEST, 61.96 FEET; THENCE NORTH 28°56'49" WEST, 34.43 FEET; THENCE NORTH 15°14'26" WEST, 42.08 FEET; THENCE NORTH 20°07'02" WEST, 20.70 FEET; THENCE NORTH 58°36'49" EAST, 68.46 FEET; THENCE NORTH 41°04'16" EAST, 27.35 FEET; THENCE SOUTH 88°23'49" EAST, 27.56 FEET; THENCE NORTH 55°02'43" EAST, 48.78 FEET; THENCE NORTH 29°14'06" EAST, 20.66 FEET; THENCE SOUTH 55°54'06" EAST, 37.52 FEET; THENCE SOUTH 87°16'01" EAST, 46.37 FEET; THENCE SOUTH 64°49'42" EAST, 35.09 FEET; THENCE NORTH 47°09'42" EAST, 18.26 FEET; THENCE SOUTH 73°18'28" EAST, 33.18 FEET; THENCE SOUTH 74°45'39" EAST, 61.27 FEET; THENCE SOUTH 52°02'53" EAST, 32.92 FEET; THENCE SOUTH 32°51'37" EAST, 34.47 FEET; THENCE SOUTH 44°24'47" EAST, 8.66 FEET; THENCE NORTH 74°25'44" EAST, 117.00 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 195.36 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86°34'47" EAST, 193.16 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 63.47 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 73°38'50" EAST, 63.40 FEET; THENCE NORTH 01°27'21" WEST, 60.75 FEET; THENCE NORTH 75°39'27" EAST, 18.58 FEET; THENCE NORTH 22°56'59" EAST, 54.37 FEET; THENCE NORTH 59°52'48" EAST, 29.24 FEET; THENCE SOUTH 63°48'09" EAST, 42.32 FEET; THENCE SOUTH 40°06'43" EAST, 33.75 FEET; THENCE SOUTH 80°06'21" EAST, 16.55 FEET; THENCE NORTH 42°55'39" EAST, 25.67 FEET; THENCE SOUTH 33°02'54" EAST, 60.16 FEET; THENCE SOUTH 08°27'00" EAST, 35.99 FEET; THENCE SOUTH 04°20'20" WEST, 111.15

FEET; THENCE SOUTH 57°53'04" EAST, 13.66 FEET; THENCE NORTH 58°36'14" EAST, 23.36 FEET; THENCE SOUTH 79°28'56" EAST, 12.17 FEET; THENCE SOUTH 83°05'29" EAST, 74.64 FEET; THENCE SOUTH 57°43'38" WEST, 26.32 FEET; THENCE SOUTH 10°15'06" WEST, 48.83 FEET; THENCE SOUTH 38°24'56" EAST, 31.23 FEET; THENCE SOUTH 39°44'54" EAST, 59.61 FEET; THENCE NORTH 60°50'34" WEST, 51.64 FEET; THENCE NORTH 54°31'49" WEST, 71.55 FEET; THENCE SOUTH 81°39'34" WEST, 24.38 FEET; THENCE SOUTH 61°54'36" WEST, 7.74 FEET, TO THE ARC OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 375.00 FEET, AN ARC DISTANCE OF 159.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 15°37'09" EAST, 158.69 FEET; THENCE SOUTH 03°15'50" EAST, 19.93 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 510.00 FEET, AN ARC DISTANCE OF 496.60 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 24°37'52" WEST, 477.21 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 52°31'34" WEST, 11.69 FEET, TO THE ARC OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 66.86 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 44°46'37" WEST, 66.65 FEET; THENCE SOUTH 11°39'00" EAST, 20.53 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 790.13 FEET, AN ARC DISTANCE OF 16.88 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 79°52'44" EAST, 16.88 FEET TO A POINT ON A CURVE; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 1312.29 FEET, AN ARC DISTANCE OF 69.93 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 77°44'25" EAST, 69.92 FEET; THENCE SOUTH 82°02'39" EAST, 29.19 FEET; THENCE NORTH 16°22'12" EAST, 18.25 FEET; THENCE NORTH 54°19'42" EAST, 19.33 FEET; THENCE NORTH 81°51'49" EAST, 40.64 FEET; THENCE NORTH 81°32'54" EAST, 49.08 FEET; THENCE NORTH 13°42'40" EAST, 22.56 FEET; THENCE NORTH 68°04'07" EAST, 30.12 FEET; THENCE NORTH 23°09'23" EAST, 69.93 FEET; THENCE NORTH 60°58'32" WEST, 39.27 FEET; THENCE NORTH 19°38'11" EAST, 58.01 FEET; THENCE NORTH 13°11'20" EAST, 6.41 FEET; THENCE NORTH 09°04'33" EAST, 75.48 FEET; THENCE NORTH 16°10'56" WEST, 35.58 FEET; THENCE NORTH 25°49'21" EAST, 51.72 FEET; THENCE NORTH 20°02'12" EAST, 64.13 FEET; THENCE SOUTH 37°30'46" EAST, 30.33 FEET; THENCE NORTH 50°43'13" EAST, 34.76 FEET; THENCE NORTH 76°17'01" EAST, 96.34 FEET; THENCE NORTH 81°07'12" EAST, 75.69 FEET; THENCE NORTH 51°41'54" WEST, 42.94 FEET; THENCE NORTH 50°29'08" EAST, 72.77 FEET; THENCE NORTH 00°52'21" WEST, 56.08 FEET; THENCE NORTH 24°30'14" WEST, 50.64 FEET; THENCE NORTH 35°18'43" WEST, 36.07 FEET; THENCE NORTH 03°38'17" EAST, 29.47 FEET; THENCE NORTH 13°07'23" WEST, 35.35 FEET; THENCE NORTH 53°21'24" WEST, 27.21 FEET; THENCE SOUTH 57°35'51" WEST, 72.29 FEET; THENCE NORTH 05°43'37" WEST, 110.38 FEET; THENCE NORTH 17°20'48" WEST, 39.69 FEET; THENCE NORTH 82°28'23" WEST, 20.92 FEET; THENCE NORTH 06°24'08" EAST,

22.59 FEET; THENCE NORTH 54°34'37" WEST, 38.08 FEET; THENCE NORTH 27°07'19" WEST, 23.05 FEET; THENCE NORTH 38°58'06" EAST, 31.31 FEET; THENCE NORTH 56°27'16" EAST, 21.88 FEET; THENCE NORTH 46°17'20" EAST, 45.90 FEET; THENCE NORTH 83°30'21" EAST, 26.42 FEET; THENCE SOUTH 61°06'15" EAST, 28.05 FEET; THENCE NORTH 74°12'36" EAST, 23.65 FEET; THENCE SOUTH 84°02'56" EAST, 24.59 FEET; THENCE NORTH 55°00'05" EAST, 59.28 FEET; THENCE NORTH 14°26'38" EAST, 335.62 FEET; THENCE NORTH 11°01'51" WEST, 23.95 FEET; THENCE NORTH 14°17'53" WEST, 25.78 FEET; THENCE NORTH 20°37'57" WEST, 21.24 FEET; THENCE NORTH 15°19'10" WEST, 27.87 FEET; THENCE NORTH 18°41'17" WEST, 57.20 FEET; THENCE NORTH 12°39'03" WEST, 165.25 FEET; THENCE NORTH 87°13'49" WEST, 21.97 FEET; THENCE SOUTH 52°16'01" WEST, 40.52 FEET; THENCE SOUTH 74°46'15" WEST, 23.14 FEET; THENCE NORTH 66°33'31" WEST, 18.65 FEET; THENCE NORTH 39°05'04" WEST, 22.08 FEET; THENCE NORTH 54°25'29" WEST, 27.26 FEET; THENCE NORTH 06°49'20" EAST, 43.24 FEET; THENCE NORTH 02°10'59" WEST, 66.84 FEET; THENCE NORTH 44°42'03" EAST, 41.82 FEET; THENCE SOUTH 80°03'44" EAST, 30.92 FEET; THENCE NORTH 66°36'24" EAST, 20.31 FEET TO A POINT ON A CURVE; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1684.68 FEET, AN ARC DISTANCE OF 52.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 19°54'03" EAST, 52.90 FEET; THENCE NORTH 21°28'45" WEST, 49.73 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 95.50 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 62°52'11" EAST, 94.39 FEET TO A POINT ON A CURVE; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1160.00 FEET, AN ARC DISTANCE OF 217.73 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 56°54'47" EAST, 217.41 FEET; THENCE SOUTH 26°14'09" EAST, 16.28 FEET; THENCE NORTH 83°46'22" EAST, 22.12 FEET; THENCE NORTH 23°37'51" EAST, 76.01 FEET; THENCE NORTH 26°04'03" EAST, 39.87 FEET; THENCE NORTH 12°55'23" WEST, 31.20 FEET; THENCE SOUTH 66°10'06" EAST, 18.63 FEET; THENCE SOUTH 64°35'14" EAST, 19.52 FEET; THENCE NORTH 23°30'24" EAST, 38.97 FEET; THENCE SOUTH 82°14'43" EAST, 30.28 FEET TO A POINT ON A CURVE; THENCE WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 710.00 FEET, AN ARC DISTANCE OF 810.00 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 70°22'35" WEST, 766.78 FEET; THENCE SOUTH 76°56'28" WEST, 527.44 FEET; THENCE SOUTH 13°03'32" EAST, 103.15 FEET; THENCE SOUTH 32°59'17" WEST, 91.18 FEET; THENCE SOUTH 64°55'56" WEST, 183.72 FEET; THENCE SOUTH 58°07'51" WEST, 93.88 FEET; THENCE NORTH 71°29'22" WEST, 76.57 FEET; THENCE NORTH 77°42'56" WEST, 32.46 FEET; THENCE SOUTH 50°41'29" WEST, 300.09 FEET; THENCE SOUTH 66°14'00" WEST, 139.60 FEET; THENCE SOUTH 46°28'00" WEST, 60.87 FEET; THENCE SOUTH 26°41'59" WEST, 200.14 FEET; THENCE SOUTH 35°51'46" WEST, 146.50 FEET; THENCE SOUTH 45°01'33" WEST, 200.32 FEET; THENCE SOUTH 59°55'26" WEST, 197.51 FEET; THENCE SOUTH 75°49'41" WEST, 103.16 FEET; THENCE SOUTH 53°48'25" WEST, 66.41 FEET; THENCE SOUTH 64°36'09" WEST, 59.33 FEET; THENCE SOUTH 72°39'57" WEST, 59.84 FEET;

THENCE SOUTH 74°39'31" WEST, 52.35 FEET; THENCE SOUTH 79°23'32" WEST, 56.75 FEET; THENCE SOUTH 70°16'59" WEST, 63.01 FEET; THENCE SOUTH 56°47'27" WEST, 70.15 FEET; THENCE SOUTH 47°54'07" WEST, 18.05 FEET; THENCE SOUTH 35°04'32" WEST, 13.52 FEET; THENCE SOUTH 44°26'45" WEST, 18.93 FEET; THENCE SOUTH 49°23'33" WEST, 22.56 FEET; THENCE SOUTH 50°04'08" WEST, 10.63 FEET; THENCE SOUTH 51°10'03" WEST, 43.29 FEET; THENCE SOUTH 52°34'35" WEST, 25.85 FEET; THENCE SOUTH 54°04'51" WEST, 47.89 FEET; THENCE SOUTH 55°30'07" WEST, 21.89 FEET; THENCE SOUTH 56°26'21" WEST, 52.19 FEET; THENCE SOUTH 58°39'41" WEST, 73.42 FEET; THENCE SOUTH 51°40'32" WEST, 50.52 FEET; THENCE SOUTH 50°51'58" WEST, 28.49 FEET; THENCE SOUTH 47°35'03" WEST, 21.86 FEET; THENCE SOUTH 36°10'24" WEST, 172.72 FEET TO THE WESTERLY LINE OF SAID SECTION 15; THENCE SOUTH 00°50'08" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 1638.96 FEET, TO AN ANGLE POINT IN SAID WESTERLY LINE; THENCE SOUTH 01°06'17" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET, TO THE POINT OF BEGINNING.

CONTAINING 502.62 ACRES, MORE OR LESS.

PARCEL NO. 4

A PORTION OF SECTIONS 10 AND 15, LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 1415.45 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 37°37'34" EAST, 342.24 FEET; THENCE SOUTH 52°26'32" WEST, 284.47 FEET; THENCE SOUTH 05°25'48" WEST, 210.26 FEET; THENCE SOUTH 10°09'43" EAST, 78.81 FEET; THENCE SOUTH 10°12'14" WEST, 50.80 FEET; THENCE SOUTH 38°25'05" WEST, 37.01 FEET; THENCE SOUTH 45°00'00" WEST, 28.28 FEET; THENCE NORTH 79°12'57" WEST, 42.76 FEET; THENCE NORTH 76°22'23" WEST, 33.96 FEET; THENCE NORTH 30°57'50" WEST, 46.65 FEET; THENCE NORTH 40°45'49" WEST, 76.58 FEET; THENCE NORTH 45°00'00" WEST, 18.48 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 180.00 FEET, AN ARC DISTANCE OF 31.22 FEET, SAID ARC BEING

SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 63°58'50" EAST, 31.18 FEET; THENCE SOUTH 51°03'23" WEST, 188.44 FEET, TO POINT OF CURVATURE OF A CURVE LEADING SOUTHWESTERLY; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 34.99 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 43°53'47" WEST, 34.90 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 36°44'12" WEST, 25.73 FEET; THENCE SOUTH 17°11'55" EAST, 41.38 FEET; THENCE SOUTH 00°00'00" WEST, 112.00 FEET; THENCE SOUTH 23°44'58" WEST, 81.94 FEET; THENCE SOUTH 43°31'49" WEST, 57.55 FEET; THENCE SOUTH 05°08'33" WEST, 50.02 FEET; THENCE SOUTH 20°06'59" EAST, 41.30 FEET; THENCE SOUTH 15°29'01" EAST, 58.80 FEET; THENCE SOUTH 08°09'34" WEST, 155.15 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 143.65 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 74°46'37" EAST, 137.43 FEET; THENCE NORTH 71°33'31" EAST, 95.82 FEET; THENCE NORTH 34°56'44" EAST, 18.73 FEET; THENCE NORTH 48°39'08" EAST, 99.90 FEET; THENCE NORTH 44°20'29" EAST, 61.52 FEET; THENCE NORTH 45°49'49" EAST, 48.80 FEET; THENCE NORTH 45°00'00" EAST, 7.07 FEET; THENCE NORTH 03°56'43" EAST, 116.28 FEET; THENCE NORTH 09°01'39" WEST, 108.34 FEET; THENCE NORTH 27°04'19" EAST, 50.54 FEET; THENCE NORTH 14°30'01" EAST, 59.91 FEET; THENCE NORTH 69°35'24" EAST, 45.88 FEET; THENCE SOUTH 71°00'12" EAST, 64.51 FEET; THENCE SOUTH 57°43'37" EAST, 25.52 FEET; THENCE SOUTH 33°18'28" EAST, 111.26 FEET; THENCE NORTH 66°14'00" EAST, 179.58 FEET; THENCE NORTH 23°46'00" WEST, 110.00 FEET; THENCE NORTH 66°14'00" EAST, 192.92 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 240.00 FEET, AN ARC DISTANCE OF 243.40 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 37°10'47" EAST, 233.10 FEET, TO THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 415.00 FEET, AN ARC DISTANCE OF 539.68 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 15°31'07" WEST, 502.44 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 21°44'09" EAST, 76.92 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 212.41 FEET, AN ARC DISTANCE OF 225.22 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 08°38'22" WEST, 214.81 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 39°00'52" WEST, 34.11 FEET; THENCE NORTH 84°00'52" WEST, 134.75 FEET TO AN INTERSECTION WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210; THENCE SOUTH 51°03'23" WEST, ALONG LAST SAID LINE, 313.53 FEET TO THE POINT OF BEGINNING.

CONTAINING 15.31 ACRES MORE OR LESS.

PARCEL NO. 5

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH $01^{\circ}06'17''$ WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH $00^{\circ}50'08''$ WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH $00^{\circ}50'08''$ WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH $00^{\circ}48'41''$ EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH $51^{\circ}03'23''$ EAST, ALONG LAST SAID LINE, 2043.74 FEET TO THE POINT OF BEGINNING; THENCE SOUTH $09^{\circ}28'01''$ WEST, 96.50 FEET; THENCE SOUTH $35^{\circ}31'59''$ EAST, 74.37 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 300.00 FEET, AN ARC DISTANCE OF 351.59 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH $01^{\circ}57'30''$ EAST, 331.81 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH $31^{\circ}36'59''$ WEST, 52.36 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 297.93 FEET, AN ARC DISTANCE OF 264.20 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH $06^{\circ}12'41''$ WEST, 255.63 FEET, TO THE POINT OF COMPOUND CURVATURE OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 335.00 FEET, AN ARC DISTANCE OF 490.35 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH $61^{\circ}07'35''$ EAST, 447.73 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH $76^{\circ}56'28''$ EAST, 786.40 FEET, TO THE ARC OF A CURVE LEADING EASTERLY; THENCE EASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 790.00 FEET, AN ARC DISTANCE OF 117.08 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH $81^{\circ}11'12''$ EAST, 116.97 FEET; THENCE NORTH $03^{\circ}52'43''$ WEST, 96.60 FEET; THENCE NORTH $00^{\circ}00'00''$ EAST, 121.00 FEET; THENCE NORTH $16^{\circ}04'25''$ EAST, 61.40 FEET; THENCE NORTH $24^{\circ}37'25''$ EAST, 79.20 FEET; THENCE NORTH $21^{\circ}11'39''$ EAST, 52.55 FEET; THENCE NORTH $19^{\circ}12'46''$ EAST, 69.89 FEET; THENCE NORTH $27^{\circ}04'19''$ WEST, 50.54 FEET; THENCE NORTH $06^{\circ}06'56''$ WEST, 56.32 FEET; THENCE NORTH $07^{\circ}25'53''$ EAST, 69.58 FEET; THENCE NORTH $56^{\circ}00'13''$ EAST, 51.87 FEET; THENCE NORTH $30^{\circ}37'07''$ EAST, 56.94 FEET; THENCE NORTH $36^{\circ}52'12''$ EAST, 45.00 FEET; THENCE NORTH $23^{\circ}46'55''$ EAST, 47.61 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY,

ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 882.15 FEET, AN ARC DISTANCE OF 167.76 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 28°41'18" WEST, 167.51 FEET; THENCE NORTH 50°11'40" WEST, 10.13 FEET; THENCE NORTH 55°08'44" WEST, 68.24 FEET; THENCE NORTH 29°44'42" WEST, 64.50 FEET; THENCE NORTH 67°40'17" WEST, 60.54 FEET; THENCE SOUTH 52°25'53" WEST, 32.80 FEET; THENCE SOUTH 27°15'19" WEST, 37.12 FEET; THENCE NORTH 85°41'02" WEST, 53.15 FEET; THENCE NORTH 10°27'36" WEST, 66.10 FEET; THENCE NORTH 14°10'20" EAST, 102.11 FEET; THENCE NORTH 07°51'12" WEST, 117.10 FEET; THENCE NORTH 30°33'21" EAST, 96.38 FEET; THENCE NORTH 63°26'06" EAST, 129.69 FEET; THENCE NORTH 29°53'56" WEST, 239.15 FEET; THENCE SOUTH 86°13'42" WEST, 20.21 FEET; THENCE NORTH 54°29'15" WEST, 43.60 FEET; THENCE NORTH 38°55'49" WEST, 1.06 FEET; THENCE NORTH 38°16'59" WEST, 2.99 FEET; THENCE NORTH 37°14'55" WEST, 2.27 FEET; THENCE NORTH 36°17'02" WEST, 5.12 FEET; THENCE NORTH 35°32'24" WEST, 2.90 FEET; THENCE NORTH 34°29'56" WEST, 8.98 FEET, TO AN INTERSECTION WITH THE AFORESAID LINE LYING 10.00 SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210; THENCE SOUTH 51°03'23" WEST, ALONG LAST SAID LINE, 1396.64 FEET TO THE POINT OF BEGINNING.

CONTAINING 40.60 ACRES MORE OR LESS.

PARCEL NO. 6

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHWEST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 00°48'41" EAST, ALONG THE WESTERLY LINE OF SAID SECTION 10, A DISTANCE OF 376.92 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 4431.39 FEET; THENCE SOUTH 38°56'32" EAST, 598.66 FEET, TO THE POINT OF BEGINNING AND THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1609.04 FEET, AN ARC DISTANCE OF 463.90 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 30°15'58" EAST, 462.29 FEET; THENCE SOUTH 21°15'40" EAST, 120.17 FEET; THENCE SOUTH 73°05'18" WEST, 116.34 FEET; THENCE SOUTH 76°10'34" WEST, 67.91 FEET; THENCE

SOUTH 47°10'07" WEST, 51.81 FEET; THENCE SOUTH 46°42'30" WEST, 44.81 FEET; THENCE SOUTH 54°57'53" WEST, 47.29 FEET; THENCE SOUTH 28°17'41" EAST, 46.20 FEET; THENCE SOUTH 10°39'57" WEST, 55.71 FEET; THENCE SOUTH 23°05'34" EAST, 37.42 FEET; THENCE SOUTH 07°38'19" WEST, 45.40 FEET; THENCE SOUTH 13°24'52" WEST, 54.07 FEET; THENCE SOUTH 02°34'12" WEST, 56.64 FEET; THENCE SOUTH 05°07'56" WEST, 12.56 FEET, TO THE ARC OF A CURVE LEADING WESTERLY; THENCE WESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 1272.35 FEET, AN ARC DISTANCE OF 280.58 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 86°45'44" WEST, 280.01 FEET; THENCE NORTH 87°05'12" WEST, 11.29 FEET; THENCE NORTH 19°20'22" WEST, 68.56 FEET; THENCE NORTH 59°53'36" WEST, 51.40 FEET; THENCE SOUTH 62°50'47" WEST, 38.08 FEET; THENCE SOUTH 84°44'55" WEST, 9.35 FEET; THENCE NORTH 74°47'52" WEST, 50.36 FEET; THENCE NORTH 64°20'15" WEST, 57.18 FEET; THENCE NORTH 35°22'15" WEST, 198.79 FEET; THENCE NORTH 05°11'45" EAST, 72.05 FEET; THENCE NORTH 44°42'34" EAST, 875.43 FEET TO THE POINT OF BEGINNING.

CONTAINING 10.60 ACRES, MORE OR LESS.

PARCEL NO. 7

A PORTION OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 89°33'57" EAST, ALONG THE SOUTHERLY LINE OF SAID SECTION 15, A DISTANCE OF 5368.24 FEET TO THE SOUTHEAST CORNER OF SAID SECTION 15; THENCE NORTH 00°57'01" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 15, A DISTANCE OF 5365.34 FEET TO THE SOUTHEAST CORNER OF SECTION 10, TOWNSHIP 5 SOUTH, RANGE 28 EAST, SAID ST. JOHNS COUNTY; THENCE NORTH 00°55'25" WEST, ALONG THE EASTERLY LINE OF SAID SECTION 10, A DISTANCE OF 860.39 FEET; THENCE SOUTH 89°04'35" WEST, 459.86 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 89°35'52" WEST, 116.25 FEET; THENCE NORTH 68°27'34" WEST, 61.82 FEET; THENCE SOUTH 78°55'04" WEST, 63.26 FEET; THENCE NORTH 71°01'11" WEST, 50.55 FEET; THENCE NORTH 68°52'33" WEST, 53.34 FEET; THENCE NORTH 30°31'41" WEST, 38.39 FEET; THENCE SOUTH 83°27'34" WEST, 31.46 FEET; THENCE SOUTH 66°34'36" WEST, 45.04 FEET; THENCE SOUTH 62°53'24" WEST, 75.65 FEET; THENCE NORTH 28°40'41" WEST, 32.48 FEET; THENCE NORTH 42°20'57" WEST, 47.30 FEET; THENCE NORTH 65°45'24" WEST, 36.32 FEET; THENCE NORTH 06°43'41" EAST, 54.08 FEET; THENCE NORTH 40°49'29" EAST, 47.80 FEET; THENCE NORTH 03°50'21" WEST, 32.50 FEET; THENCE NORTH 74°25'28" WEST, 40.69 FEET; THENCE NORTH 83°13'17" WEST, 29.49 FEET; THENCE SOUTH 89°52'21" WEST, 83.68 FEET; THENCE NORTH 33°34'43" WEST, 59.14 FEET; THENCE NORTH 70°50'40" WEST, 57.87 FEET; THENCE NORTH 81°40'25" WEST, 38.44 FEET; THENCE SOUTH 82°03'24" WEST, 41.84 FEET; THENCE SOUTH 35°29'37" WEST, 54.17 FEET; THENCE NORTH 83°48'39" WEST, 61.83 FEET; THENCE NORTH 27°48'28" WEST, 46.64 FEET; THENCE NORTH 52°48'33" WEST, 50.11 FEET; THENCE SOUTH 45°32'37" WEST, 25.64 FEET; THENCE SOUTH 25°34'43" EAST, 35.59 FEET; THENCE

SOUTH 25°14'52" WEST, 38.21 FEET; THENCE SOUTH 24°14'11" WEST, 52.72 FEET; THENCE SOUTH 06°04'52" WEST, 59.22 FEET; THENCE SOUTH 22°50'27" WEST, 61.14 FEET; THENCE SOUTH 54°59'32" WEST, 76.93 FEET; THENCE SOUTH 48°05'07" WEST, 70.52 FEET; THENCE SOUTH 80°43'17" WEST, 42.83 FEET; THENCE SOUTH 71°41'15" WEST, 49.86 FEET; THENCE NORTH 86°27'44" WEST, 41.24 FEET; THENCE NORTH 60°46'08" WEST, 23.85 FEET; THENCE SOUTH 19°24'18" WEST, 30.71 FEET; THENCE SOUTH 22°06'50" EAST, 32.04 FEET; THENCE SOUTH 31°07'02" EAST, 113.00 FEET; THENCE SOUTH 56°45'21" EAST, 38.92 FEET; THENCE SOUTH 57°29'01" EAST, 39.91 FEET; THENCE NORTH 32°45'26" EAST, 28.92 FEET; THENCE NORTH 22°47'34" WEST, 33.12 FEET; THENCE NORTH 51°13'48" EAST, 61.19 FEET; THENCE NORTH 76°05'04" EAST, 84.88 FEET; THENCE SOUTH 72°29'57" EAST, 83.40 FEET; THENCE SOUTH 55°38'16" EAST, 37.30 FEET; THENCE NORTH 70°12'10" EAST, 64.95 FEET; THENCE SOUTH 17°43'11" EAST, 84.52 FEET; THENCE SOUTH 09°20'07" EAST, 45.31 FEET; THENCE SOUTH 14°58'08" WEST, 6.83 FEET; THENCE SOUTH 42°50'49" WEST, 25.78 FEET; THENCE SOUTH 60°42'57" WEST, 213.00 FEET; THENCE SOUTH 74°53'38" WEST, 189.70 FEET; THENCE NORTH 82°14'43" WEST, 48.73 FEET, TO THE ARC OF A CURVE LEADING NORTHWESTERLY; THENCE NORTHWESTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 790.00 FEET, AN ARC DISTANCE OF 519.60 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 50°54'48" WEST, 510.28 FEET; THENCE NORTH 05°58'43" WEST, 184.43 FEET; THENCE NORTH 52°36'52" EAST, 13.24 FEET; THENCE SOUTH 86°21'56" EAST, 29.66 FEET; THENCE NORTH 65°59'28" EAST, 33.53 FEET; THENCE NORTH 19°27'52" EAST, 48.82 FEET; THENCE NORTH 32°14'49" EAST, 48.71 FEET; THENCE NORTH 89°28'13" EAST, 21.74 FEET; THENCE SOUTH 83°16'27" EAST, 45.51 FEET; THENCE NORTH 20°11'21" EAST, 34.30 FEET; THENCE NORTH 45°35'44" EAST, 46.60 FEET; THENCE NORTH 81°04'20" EAST, 55.78 FEET; THENCE NORTH 87°00'34" EAST, 57.67 FEET; THENCE NORTH 83°52'39" EAST, 27.36 FEET; THENCE NORTH 09°44'02" EAST, 59.17 FEET; THENCE NORTH 11°08'47" WEST, 48.88 FEET; THENCE NORTH 00°56'48" EAST, 135.68 FEET; THENCE SOUTH 89°08'35" EAST, 177.99 FEET; THENCE NORTH 89°53'25" EAST, 108.14 FEET; THENCE NORTH 85°03'50" EAST, 0.29 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 360.00 FEET, AN ARC DISTANCE OF 155.21 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND NORTH 72°41'23" EAST, 154.01 FEET; THENCE SOUTH 79°30'03" EAST, 21.56 FEET; THENCE NORTH 71°53'31" EAST, 29.66 FEET; THENCE SOUTH 74°59'41" EAST, 73.71 FEET; THENCE SOUTH 06°50'36" EAST, 32.40 FEET; THENCE SOUTH 75°49'08" EAST, 53.24 FEET; THENCE NORTH 55°20'00" EAST, 41.65 FEET; THENCE SOUTH 83°05'32" EAST, 52.07 FEET; THENCE NORTH 84°41'09" EAST, 28.55 FEET; THENCE SOUTH 55°36'34" EAST, 30.87 FEET; THENCE SOUTH 37°53'24" EAST, 24.99 FEET; THENCE SOUTH 09°06'56" WEST, 38.84 FEET; THENCE SOUTH 19°54'24" EAST, 39.84 FEET; THENCE SOUTH 34°32'40" EAST, 78.21 FEET; THENCE SOUTH 16°20'40" EAST, 50.25 FEET; THENCE SOUTH 14°09'30" EAST, 38.17 FEET; THENCE SOUTH 75°56'46" EAST, 53.42 FEET; THENCE NORTH 81°07'30" EAST, 89.00 FEET; THENCE NORTH 75°27'20" EAST, 54.79 FEET; THENCE NORTH 54°17'31" EAST, 84.74 FEET; THENCE NORTH 37°51'20" EAST, 88.70 FEET, TO THE ARC OF A CURVE LEADING SOUTHEASTERLY; THENCE SOUTHEASTERLY,

ALONG THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 810.00 FEET, AN ARC DISTANCE OF 450.27 FEET, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND SOUTH 28°44'10" EAST, 444.49 FEET TO THE POINT OF BEGINNING.

CONTAINING 15.18 ACRES, MORE OR LESS.

PARCEL NO. 8

A PORTION OF SECTIONS 10 AND 11, LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE INTERSECTION OF THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION NO. 78020, AND THE SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, A VARIABLE WIDTH RIGHT OF WAY, PER FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP No. V8 20-22, DATED DECEMBER 31, 1927; THENCE SOUTHEASTERLY AND SOUTHWESTERLY ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: SOUTH 41°00'19" EAST, 1484.64 FEET; COURSE NO. 2: SOUTH 48°59'41" WEST, 70.00 FEET; COURSE NO. 3: SOUTH 41°00'19" EAST, 1745.92 FEET; COURSE NO. 4: NORTH 89°16'33" EAST, 98.31 FEET; COURSE NO. 5: SOUTH 41°00'19" EAST, 1072.37 FEET TO THE NORTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP, DATED AUGUST 15, 2002, AND TO THE ARC OF A CURVE LEADING WESTERLY; THENCE WESTERLY AND NORTHWESTERLY, ALONG SAID NORTHEASTERLY RIGHT OF WAY LINE OF SAID COUNTY ROAD NO. 210, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: WESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 243.31 FEET, AN ARC DISTANCE OF 232.43 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 83°55'38" WEST, 223.69 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; COURSE NO. 2: NORTH 68°42'23" WEST, 1737.76 FEET TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 3: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 879.93 FEET, AN ARC DISTANCE OF 237.43 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 60°58'35" WEST, 236.71 FEET TO THE POINT OF TANGENCY OF SAID CURVE; COURSE NO. 4: NORTH 53°14'48" WEST, 2494.87 FEET TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHWESTERLY; COURSE NO. 5: NORTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 393.31 FEET, AN ARC DISTANCE OF 78.77 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 58°59'02" WEST, 78.63 FEET TO THE SOUTHEASTERLY RIGHT OF WAY LINE OF SAID COUNTY ROAD NO. 210 RE-ALIGNMENT; THENCE NORTHEASTERLY, ALONG SAID SOUTHEASTERLY RIGHT OF

WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, RUN THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE NO. 1: NORTH 06°01'57" EAST, 56.10 FEET; COURSE NO. 2: NORTH 51°03'23" EAST, 212.57 FEET; COURSE NO. 3: NORTH 51°51'55" EAST, 622.91 FEET; COURSE NO. 4: NORTH 53°12'28" EAST, 476.42 FEET; COURSE NO. 5: NORTH 48°59'20" EAST, 269.56 FEET TO THE POINT OF BEGINNING;

(LESS AND EXCEPT THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 2878, PAGE 1018 OF SAID COUNTY)

CONTAINING 100.21 ACRES, MORE OR LESS.

PARCEL NO. 9

A PORTION OF SECTIONS 2, 3, 4, 9, 10, 11 AND 16, TOGETHER WITH A PORTION OF SECTION 46, THE JOSEPH PEAVETT GRANT, ALL LYING IN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST OF SAID SECTION 9; THENCE SOUTH 89°12'49" WEST, ALONG THE SOUTHERLY LINE OF SAID SECTION 9, A DISTANCE OF 739.26 FEET TO THE NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD No. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED AUGUST 15, 2002, AND THE POINT OF BEGINNING; THENCE SOUTH 89°12'49" WEST, CONTINUING ALONG SAID SOUTHERLY LINE OF SECTION 9, A DISTANCE OF 1954.13 FEET; THENCE SOUTH 89°55'22" WEST, CONTINUING ALONG SAID SOUTHERLY LINE, A DISTANCE OF 1349.80 FEET, TO THE EASTERLY LINE OF GOVERNMENT LOT 7 OF SAID SECTION 16; THENCE SOUTH 01°18'02" WEST, ALONG SAID EASTERLY LINE, 12.69 FEET; THENCE SOUTH 89°00'03" WEST, 589.15 FEET TO THE EASTERLY RIGHT OF WAY LINE OF INTERSTATE HIGHWAY No. 95 (STATE ROAD NO. 9), A 300 FOOT RIGHT OF WAY PER FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION No. 78080-2408 AND SECTION NO. 78080-2440, AND THE ARC OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG SAID EASTERLY RIGHT OF WAY LINE AND ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 11309.16 FEET, AN ARC DISTANCE OF 401.88 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 02° 58' 05" EAST, 401.86 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 03° 59' 10" EAST, CONTINUING ALONG SAID EASTERLY RIGHT OF WAY LINE, 3620 FEET, MORE OR LESS, TO THE INTERSECTION OF THE CENTERLINE OF DURBIN CREEK; THENCE NORTHEASTERLY ALONG THE MEANDERINGS OF SAID CENTERLINE OF DURBIN CREEK, 5880 FEET, MORE OR LESS, TO THE SOUTHERLY LINE OF THE NORTHWEST ONE-QUARTER OF THE SOUTHWEST ONE-QUARTER OF SAID SECTION 3, ALSO BEING THE SOUTHERLY LINE OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 60, PAGE 689, OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE NORTH 89° 30' 48" EAST, ALONG LAST SAID LINE, 505 FEET, MORE OR LESS, TO THE SOUTHEASTERLY CORNER LAST SAID LANDS; THENCE NORTH

00° 18' 06" WEST, ALONG THE EASTERLY LINE OF LAST SAID LANDS, 240 FEET, MORE OR LESS, TO SAID CENTERLINE OF DURBIN CREEK; THENCE NORTHEASTERLY, ALONG THE MEANDERINGS OF SAID CENTERLINE, 2180 FEET, MORE OR LESS, TO THE SOUTHERLY LINE OF SAID LANDS OF OFFICIAL RECORDS BOOK 60, PAGE 689; THENCE NORTH 89° 29' 16" EAST, ALONG SAID SOUTHERLY LINE, 360 FEET, MORE OR LESS, TO THE SOUTHWESTERLY RIGHT OF WAY LINE OF A FLORIDA EAST COAST RAILROAD, A VARIABLE WIDTH RIGHT OF WAY PER FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP, DATED DECEMBER 31, 1927; THENCE SOUTH 41°00'19" EAST, ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE, 3561.38 FEET TO THE NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 RE-ALIGNMENT, AS SHOWN ON FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT OF WAY MAP SECTION No. 78020; THENCE SOUTHWESTERLY, NORTHWESTERLY, AND SOUTHEASTERLY, ALONG SAID NORTHWESTERLY RIGHT OF WAY LINE, RUN THE FOLLOWING THIRTEEN (13) COURSES AND DISTANCES: COURSE NO. 1: SOUTH 48°59'07" WEST, 118.10 FEET; COURSE NO. 2: SOUTH 44°53'31" WEST, 682.53 FEET; COURSE NO. 3: SOUTH 69°13'29" WEST, 48.54 FEET; COURSE NO. 4: NORTH 44°53'31" EAST, 8.89 FEET; COURSE NO. 5: NORTH 40°36'08" WEST, 266.33 FEET; COURSE NO. 6: SOUTH 46°06'05" WEST, 560.47 FEET; COURSE NO. 7: SOUTH 38°56'37" EAST, 245.85 FEET; COURSE NO. 8: SOUTH 51°03'21" WEST, 181.31 FEET; COURSE NO. 9: NORTH 57°05'49" WEST, 52.17 FEET; COURSE NO. 10: SOUTH 62°16'40" WEST, 140.26 FEET; COURSE NO. 11: SOUTH 21°33'47" EAST, 80.54 FEET; COURSE NO. 12: SOUTH 51°03'21" WEST, 283.50 FEET; COURSE NO. 13: SOUTH 38°56'39" EAST, 44.93 FEET TO AFORESAID NORTHWESTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210, A VARIABLE WIDTH RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED AUGUST 15, 2002; THENCE SOUTH 51°03'23" WEST, ALONG SAID NORTHWESTERLY RIGHT OF WAY LINE, 6500.92 FEET TO THE POINT OF BEGINNING.

CONTAINING 1077.99 ACRES, MORE OR LESS.

PARCEL NO. 10

A PORTION OF SECTIONS 9 AND 10, LYING WITHIN TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHWEST CORNER OF SECTION 15, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE NORTH 01°06'17" WEST, ALONG THE WESTERLY LINE OF SAID SECTION 15, A DISTANCE OF 2655.18 FEET; THENCE NORTH 00°50'08" WEST, CONTINUING ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1638.96 FEET; THENCE CONTINUE NORTH 00°50'08" WEST, ALONG SAID WESTERLY LINE OF SECTION 15, A DISTANCE OF 1063.63 FEET TO THE SOUTHEAST CORNER OF SECTION 9, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA; THENCE SOUTH 89°12'49" WEST, ALONG THE SOUTHERLY LINE OF SAID SECTION 9, A DISTANCE OF 47.18 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 89°12'49" WEST, ALONG LAST SAID LINE, 432.71 FEET TO AN INTERSECTION WITH A LINE LYING 10.00 FEET SOUTHEASTERLY OF AND PARALLEL WITH THE SOUTHEASTERLY RIGHT OF WAY LINE OF COUNTY ROAD NO. 210 (A 150.00 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP DATED 8-15-2002); THENCE NORTH 51°03'23" EAST, ALONG LAST SAID LINE, 660.69 FEET; THENCE SOUTH 26°09'26" EAST, 232.84 FEET; THENCE SOUTH 16°36'20" EAST, 62.03 FEET; THENCE SOUTH 73°31'30" WEST, 211.36 FEET; THENCE SOUTH 00°47'11" EAST, 80.97 FEET TO THE POINT OF BEGINNING.

CONTAINING 2.68 ACRES MORE OR LESS.

LESS AND EXCEPT:

Property Removed from DRI for Momentum Twin Creeks Workforce Housing Site

A PORTION OF SECTION 11, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE INTERSECTION OF THE NORTHERLY RIGHT OF WAY LINE OF ALTERNATE COUNTY ROAD NO. 210 (A 150 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP, DATED AUGUST 15, 2002) WITH THE SOUTHWESTERLY RIGHT OF WAY LINE OF THE FLORIDA EAST COAST RAILROAD (A VARIABLE WIDTH RIGHT OF WAY AS SHOWN ON FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP DATED DECEMBER 31, 1927); THENCE NORTHWESTERLY AND WESTERLY, ALONG SAID SOUTHWESTERLY RIGHT OF WAY LINE, RUN THE FOLLOWING THREE (3) COURSES AND DISTANCES: COURSE NO. 1: NORTH 41°00'02" WEST, 1073.11 FEET; COURSE NO. 2: SOUTH 89°16'33" WEST, 98.30 FEET; COURSE NO. 3: NORTH 41°00'02" WEST, 449.45 FEET, TO THE SOUTHEASTERLY LINE OF THOSE LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 4207, PAGE 1711, OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY;

THENCE SOUTH 48°28'19" WEST, ALONG LAST SAID LINE 279.45 FEET, TO THE POINT OF BEGINNING; THENCE SOUTH 41°31'41" EAST, 115.11 FEET; THENCE SOUTH 41°00'02" EAST, 37.36 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHERLY; THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC DISTANCE OF 334.85 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 10°03'22" EAST, 318.81 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 20°53'17" WEST, 132.02 FEET; THENCE SOUTH 23°54'33" EAST, 70.96 FEET, TO AFORESAID NORTHERLY RIGHT OF WAY LINE OF ALTERNATE COUNTY ROAD NO. 210; THENCE NORTH 68°42'23" WEST, ALONG SAID NORTHERLY RIGHT OF WAY LINE, 175.18 FEET, TO THE ARC OF A CURVE LEADING NORTHEASTERLY; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 25.00 FEET, AN ARC DISTANCE OF 39.45 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 66°05'24" EAST, 35.48 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 20°53'10" EAST, 118.25 FEET, TO THE POINT OF CURVATURE OF A CURVE LEADING NORTHERLY; THENCE NORTHERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 310.00 FEET, AN ARC DISTANCE OF 337.17 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 10°16'22" WEST, 320.80 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 41°25'55" WEST, 79.04 FEET; THENCE NORTH 48°28'19" EAST, 80.09 FEET, TO THE POINT OF BEGINNING.

CONTAINING 1.39 ACRES, MORE OR LESS.

And Additional Property Removed from DRI for Momentum Twin Creeks Workforce Housing Site

FURTHER LESS AND EXCEPT:

PARCEL NO. 11

A PORTION OF SECTION 11, TOWNSHIP 5 SOUTH, RANGE 28 EAST, ST. JOHNS COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT THE INTERSECTION OF THE NORTHERLY RIGHT OF WAY LINE OF ALTERNATE COUNTY ROAD NO. 210 (A 150 FOOT RIGHT OF WAY PER ST. JOHNS COUNTY RIGHT OF WAY MAP, DATED AUGUST 15, 2002) WITH THE SOUTHWESTERLY RIGHT OF WAY LINE OF THE FLORIDA EAST COAST RAILROAD (A VARIABLE WIDTH RIGHT OF WAY AS SHOWN ON FLORIDA EAST COAST RAILWAY COMPANY RIGHT OF WAY AND TRACK MAP DATED DECEMBER 31, 1927); THENCE WESTERLY, ALONG SAID NORTHERLY RIGHT OF WAY LINE OF ALTERNATE COUNTY ROAD NO. 210, AND ALONG AND AROUND THE ARC OF A CURVE, CONCAVE NORTHERLY, HAVING A RADIUS OF 243.31 FEET, AN ARC DISTANCE OF 231.16 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 84°04'34" WEST, 222.57 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 68°42'23" WEST, CONTINUING ALONG SAID NORTHERLY RIGHT OF WAY LINE OF ALTERNATE COUNTY ROAD NO. 210, A DISTANCE OF 93.37 FEET; THENCE NORTH 48°59'58" EAST, 225.55 FEET, TO SAID SOUTHWESTERLY RIGHT OF WAY

LINE OF THE FLORIDA EAST COAST RAILROAD; THENCE SOUTH 41°00'02" EAST, 210.57 FEET, TO THE POINT OF BEGINNING.

CONTAINING 0.75 ACRES, MORE OR LESS.